

Historic, archived document

Do not assume content reflects current
scientific knowledge, policies, or practices

GRASHOFF
ELITE-
SAMEN

ENGROS-Preis-Verzeichnis
1899 - 1900.

MARTIN GRASHOFF

QUEDLINBURG - DEUTSCHLAND

Ältestes Haus dieses Zweiges
am Platze.

Inhaber:

Hermann Grussdorf.
Königl. Gartenbau-Director.



SAMEN - HANDLUNG
ZÜCHTEREI.



KUNST-UND
HANDELSGÄRTNEREI.

Telegramm-Adresse: Martin Grashoff. Telephon-Anschluss N° 6.

All previous price-lists are hereby cancelled.

S. T.

I have again the pleasure of presenting to your notice an Extract of my Catalogue for the ensuing season, and I hope, you will be induced by the extremely low prices to favour me with your general orders, which shall have my careful and prompt attention.

Nearly all my seeds are of my own growth and have been selected with the utmost care and attention, therefore I am enabled to assure you of their superior quality. No Complaints can be entertained unless made upon receipt of the Goods and Invoice and no Warranty or Guarantee is given, express or implied either as to description, quality, productiveness, or any other matter of any seeds sent out nor will I be responsible for the quality or value of the Crop produced therefrom.

Being able and ready to meet all respectable competition, I should be glad to be informed you are offered any article lower than these prices, and in such cases, I would give you, if possible, other quotations.

I cannot bind myself to these prices for articles subject to variations by the influence of the market, but I shall always use my best endeavours to keep within their limits.

All goods are forwarded at importer's risk. Insurance will always be effected, unless explicitly refused.

To avoid in advance any mistakes with regard to the mode of forwarding, my Correspondents are requested to state expressly, in giving their orders, by what conveyance goods are to be sent and to the care of which firm they should be consigned on transshipment; with every new order the mode of forwarding ought to be prescribed again.

Four months is the limit of credit I usually give, unless other terms are especially arranged. A discount of 4% will be allowed for cash within 20 days from the date of invoice. All accounts are due and payable at Quedlinburgh.

Remittances either by Draft, Cheque, Post Office Order or Postage Stamps, according to the importance of the amount, should accompany all orders from Firms, with which I have not yet had the pleasure of doing business; failing in this, satisfactory references, generally known, must be given to ensure the execution of such orders.

Any quantity less than 28 lbs. will be charged at pound-price, and below $\frac{1}{4}$ lb. = 4 ozs. at ounce-price.

QUEDLINBURGH, November 1899.

MARTIN GRASHOFF,

Wholesale Seed Grower and Seed Merchant.

Proprietor: **Herrmann Grussdorf,**

Royal Director of Horticulture.

Address for Telegrams: "Martin Grashoff".



6 Prize-Medals and 6 Diploma

at the World's Columbian Exposition Chicago 1893.



To meet the wishes of the majority of my Correspondents,
shall forward the following Agric., Veget., Garden- and Flower-Seeds „franco to Hamburg or Bremen“,
according to their instructions.

AGRICULTURAL-VEGETABLE AND GARDEN-SEEDS.

BEANS, DWARF- OR FRENCH-

| | per cwt. s. d. | per lb. s. d. |
|---|-------------------|------------------|
| Early Pale Dun, for forcing | 21, 6 | 0, 3 |
| Dark Purple Speckled Ilsenburg Forcing | 18, 0 | 0, 3 |
| White Seeded Ilsenburg, very prolific | 27, 6 | 0, 4 |
| Rounded to One Small Yellow | 66, 0 | 0, 8 |
| White or Red Speckled | 22, 6 | 0, 3 |
| All Negro Early Long Pod | 26, 0 | 0, 4 |
| Triew Canary Round Seeded | 19, 0 | 0, 3 |
| Orbury Large White | 23, 0 | 0, 3 |
| Plus Ultra, very tender | 24, 0 | 0, 3 |
| Black Seeded Wax Yellow Pod | 42, 0 | 0, 5 |
| White Seeded Wax Yellow Pod | 62, 6 | 0, 8 |
| Black-speckled Wax Yellow Pod | 41, 0 | 0, 5 |
| Crimson Flageolet Wax Yellow Pod | 44, 0 | 0, 6 |
| New Fill-basket Early Prolific, Yellow-podded Wax Grashoff's new Giant Cimeter Wax Golden Yellow Pods (Novelty Grashoff 1891) | 52, 6 | 0, 7 |
| Earliest White Wax Case Knife, Yellow Pod | 39, 0 | 0, 5 |
| Schirmer's Wax, or Golden Butter Yellow Pod | 38, 0 | 0, 5 |
| Mont d'or Wax Yellow Pod | 70, 0 | 0, 8 |
| New Inexhaustible Earliest White Remounting, very prolific | 57, 0 | 0, 7 |
| Canadian Wonder or Crimson Flageolet | 25, 0 | 0, 4 |
| White Flageolet | 26, 0 | 0, 4 |
| Largest Long Pod White Case Knife | 38, 0 | 0, 5 |
| Large Emperor William White Case Knife | 32, 0 | 0, 4 |
| Largest Giant Emperor William White Case Knife, New | 0, 0 | 1, 10 |
| Large Early White Frame Case Knife | 28, 0 | 0, 4 |
| Best of All, or Giant Sugar Longest Pod | 38, 0 | 0, 5 |
| New Best of All or Hinrich's Giant Sugar Butter Long Pod White Seeded | 68, 0 | 0, 8 |
| White Thick Pod Butter | 35, 0 | 0, 5 |
| Schwanecke's Sugar Gray Speckled | 35, 0 | 0, 5 |
| New Redspeckled Sugar Butter Ilsenburg, very fine | 23, 0 | 0, 3 |
| Fine White Pearl Sugar Salad | 30, 0 | 0, 4 |
| Large White Pearl Sugar Salad of Holstein | 27, 0 | 0, 4 |

BEANS, RUNNER-

| | | |
|---|-------|------|
| Scarlet Runner, crop. 98. 18 s. 6 d. to 20 s. | 24, 0 | 0, 3 |
| „ „ Carter's New Champion | 26, 0 | 0, 4 |
| Large White Seeded | 26, 0 | 0, 4 |
| Painted Lady crop. 98. 23 s. 6 p. | 26, 0 | 0, 4 |
| Largest Broad White Dutch Case Knife | 57, 0 | 0, 7 |

| | per cwt. s. d. | per lb. s. d. |
|---|-------------------|------------------|
| Large White Case Knife Yellow Pod | 62, 0 | 0, 8 |
| Blue Pod Butter Long Pod | 52, 6 | 0, 7 |
| Rhenish White Butter, Longest Pod | 50, 0 | 0, 6 |
| White Thick Pod Butter | 47, 6 | 0, 6 |
| Don Carlos, Thick Pod, very prolific | 47, 6 | 0, 6 |
| Princess White Sugar Pearl, without strings | 52, 6 | 0, 7 |
| Princess, White Sugar Pearl, Yellow Pod | 70, 0 | 0, 8 |
| White Seeded Wax Yellow Pod | 70, 0 | 0, 8 |
| Black Seeded Wax Yellow Pod | 70, 0 | 0, 8 |
| Mont d'Or or Golden Butter Yellow Pod | 57, 6 | 0, 7 |
| Giant Sugar Yellow Pod, White Seed | 62, 6 | 0, 8 |
| Crimson Flageolet Wax Yellow Pod | 57, 6 | 0, 7 |

BEANS, ENGLISH OR BROAD-

| | per cwt. s. d. | per lb. s. d. |
|-------------------------------|-------------------|------------------|
| Windsor Broad White | 25, 0 | 0, 16 |
| Windsor Broad Green | 28, 0 | 0, 4 |
| Long Pod Monarch | 21, 0 | 0, 3 |
| Milan Green | 22, 9 | 0, 3 |
| Early Mazagan | 22, 9 | 0, 3 |
| Erfurt Large Common | 16, 9 | 0, 2 |

BEEF.

| | | |
|--|-------|------|
| Long. Dark Red Fine Dwarf | 35, 0 | 0, 5 |
| Olive Shaped Black Red „Non Plus Ultra“ Dark Leaved | 67, 6 | 0, 8 |
| Olive Shaped Black Red Erfurt Dark Leaved | 67, 6 | 0, 8 |
| Round Dark Red or Turnip Extra | 44, 0 | 0, 6 |
| Earliest Dark Red Egyptian Turnip | 50, 0 | 0, 7 |
| Silver Veined Brazilian | 35, 0 | 0, 5 |
| Golden Veined Brazilian | 38, 0 | 0, 5 |
| Scarlet Veined Brazilian | 42, 0 | 0, 5 |
| Common Swiss Chard or Sea-Kale | 32, 0 | 0, 4 |

BEEF, SUGAR-

(Special Cultures.)

| | | |
|---|-------|------|
| White Imperial Fine Leaved Grashoff's Improved Select Stock | 35, 0 | 0, 5 |
| White Imperial Fine Leaved Rose-top Grashoff's Improved Select Stock | 35, 0 | 0, 5 |
| White Vilmorin Grashoff's Improved Select Stock | 35, 0 | 0, 5 |
| White Klein Wanzleben Grashoff's Improved Select Stock | 35, 0 | 0, 5 |
| Vilmorin's White Improved (Common Stock) | 30, 0 | 0, 4 |
| White Klein Wanzleben (Common Stock) | 30, 0 | 0, 4 |

| | per cwt. s. d. | per lb. s. d. |
|--------------------------|-------------------|------------------|
| White Imperial | 29, 0 | 0, 4 |
| White Slesian | 29, 0 | 0, 4 |

(Lower prices will be quoted for larger quantities.)

BORECOLE OR KALE.

| | | |
|---|--------|-------|
| Tall Purple Curled, <i>extra fine</i> | 113, 0 | 1, 2 |
| Tall Green Curled " " | 103, 0 | 1, 0 |
| Dwarf Purple Curled, <i>extra fine</i> | 83, 0 | 0, 10 |
| Dwarf Green Curled " " | 57, 6 | 0, 7 |
| Dwarf Green Curled Grashoff Improved, <i>extra fine</i> | 77, 6 | 0, 9 |
| White Curled and Striped } <i>very</i> | 0, 0 | 2, 9 |
| Red Curled and Striped } <i>ornamental</i> | 0, 0 | 2, 9 |
| Golden Butter Cabbaging | 67, 6 | 0, 8 |
| Purple Giant, 8 feet high | 154, 0 | 1, 6 |
| Cow-Kale, <i>Very Large Green</i> | 82, 0 | 0, 10 |
| Palm Tree Formed, <i>very handsome</i> | 0, 0 | 1, 8 |

BRUSSELS SPROUTS.

| | | |
|--|--------|------|
| Tall Green | 103, 0 | 1, 0 |
| Improved Middle Sized | 154, 0 | 1, 6 |
| Improved Dwarf, <i>extra</i> | 113, 0 | 1, 2 |

CABBAGE.

| | | |
|--|--------|-------|
| Large White Brunswick Flat, <i>true, 1st quality</i> | 110, 0 | 1, 1 |
| Large White Brunswick <i>good</i> " | 78, 0 | 0, 9 |
| Large White Solid Magdeburg | 93, 0 | 0, 11 |
| New Grashoff's „Hard-Head Cabbage“ Extra Early | 0, 0 | 8, 4 |
| New Grashoff's „Hard-Head Cabbage“ Second Early | 0, 0 | 6, 4 |
| New Grashoff's Hard-Head Cabbage Late | 0, 0 | 8, 4 |
| Large White Round Dutch | 98, 0 | 1, 0 |
| Largest White Schweinfurt | 103, 0 | 1, 0 |
| Largest Hundredweight | 93, 0 | 0, 11 |
| Lubeck White Early | 98, 0 | 1, 0 |
| York Early | 118, 0 | 1, 2 |
| Winnigstadt Sugar Loaf | 149, 0 | 1, 5 |
| Filder Large White Fine Sugar Loaf | 255, 0 | 2, 6 |
| Erfurt Small White Early | 148, 0 | 1, 5 |
| Erfurt Blood Red Earliest | 256, 0 | 2, 6 |
| Blood Red Early Dutch | 189, 0 | 1, 10 |
| Blood Red Large Late | 174, 0 | 1, 8 |
| New Largest Blood Red Late Hamburg Market | | |
| Select ed Stock | 0, 0 | 6, 0 |
| Blood Red, Berlin Market | 210, 0 | 2, 0 |

CARROT. (With beard.)

| | | |
|---|--------|-------|
| Earliest Shortest Red Horn or Paris Forcing | 104, 0 | 1, 0 |
| Earliest Shortest Red Duwick Forcing | 104, 0 | 1, 0 |
| Earliest Shortest Red Dutch Forcing | 95, 0 | 0, 11 |
| Finest Half Long Stump Rooted Amsterdam | | |
| Forcing, „Selected Stock“ | 245, 0 | 2, 5 |
| Early Half Long Stump Rooted Red Horn or Nantes | 114, 0 | 1, 2 |
| Early Half Long Stump Rooted Red Grashoff's | | |
| Improved | 124, 0 | 1, 3 |
| Intermediate Scarlet or Frankfort | 104, 0 | 1, 0 |
| Long Red Surrey (Brunswick) | 78, 0 | 0, 9 |
| Long Red Horn | 78, 0 | 0, 9 |
| Long Scarlet Altringham | 86, 0 | 0, 10 |

| | per cwt. s. d. | per lb. s. d. |
|--|-------------------|------------------|
| Long Red Saint Valerie | 86, 0 | 0, 10 |
| Long Red Stump Rooted Hamburg | 104, 0 | 1, 0 |
| Long Red Quedlinburg | 93, 0 | 0, 11 |
| Long Orange Giant Green Top | 72, 6 | 0, 9 |
| Long White Belgian Green Top | 52, 6 | 0, 7 |
| Long White Belgian Green Top Grashoff's Improv. | 67, 6 | 0, 8 |
| Long Yellow Thick Saalfeld | 64, 0 | 0, 8 |
| Long Yellow Stump Rooted Mouse-Tail | 133, 0 | 1, 4 |
| Large, Long Stump Rooted Golden Yellow Lobberich, <i>very Productive</i> | 98, 0 | 1, 0 |

CAULIFLOWER.

| | | |
|--|------|-------|
| Erfurt Dwarf or Mammoth Earliest, <i>for forcing</i> | | |
| 1st quality <i>Selected Stock</i> . per oz. 5s 6d | 0, 0 | 78, 0 |
| Erfurt Dwarf or Mammoth Earliest for forcing | | |
| per oz. 2s. 10d. | 0, 0 | 42, 6 |
| Giant Frankfort (Veitch Autumn Giant) | 0, 0 | 4, 6 |
| Large Asiatic | 0, 0 | 4, 2 |
| Large Early Dutch | 0, 0 | 4, 2 |
| Large Late Dutch | 0, 0 | 4, 2 |
| Stadthold, Large Late | 0, 0 | 4, 6 |
| Walcheren, Large Late | 0, 0 | 4, 6 |

CELLERY.

| | | |
|--|--------|-------|
| Large Leipzig Turnip Rooted | 144, 0 | 1, 5 |
| Largest Naumburg Giant Turnip Rooted | 154, 0 | 1, 6 |
| Largest Prague Giant Turnip Rooted | 204, 0 | 2, 0 |
| Largest „Non plus ultra“ Turnip Rooted | 170, 0 | 1, 8 |
| Apple Shaped Turnip Rooted | 194, 0 | 1, 10 |
| Common Soup | 50, 0 | 0, 6 |
| Curled Leaved, <i>extra</i> | 0, 0 | 1, 7 |
| Sandringham Dwarf White | 0, 0 | 1, 3 |

CHERVIL.

| | | |
|-------------------------------------|-------|-------|
| Plain | 62, 6 | 0, 8 |
| Curled Extra | 52, 6 | 0, 7 |
| Turnip Rooted | 0, 0 | 1, 7 |
| Sweet Scented Large Spain | 0, 0 | 1, 10 |

CHICORY.

| | | |
|--|-------|-------|
| Large Rooted Long Magdeburg common | 52, 0 | 0, 7 |
| Largest Rooted Long Newest Grashoff's Improved | | |
| Imperial of Baden | 56, 0 | 0, 7 |
| Spotted For Salad | 83, 0 | 0, 10 |

CORN SALAD.

| | | |
|---|-------|------|
| Common Small Seeded, Large Leaved | 35, 0 | 0, 5 |
| New Dark-green Fullhearted | 61, 0 | 0, 7 |
| Large Leaved, Large Seeded Dutch | 56, 0 | 0, 7 |
| New Italian, Large Leaved | 51, 0 | 0, 6 |

CRESS, GARDEN CRESS.

| | | |
|---|-------|------|
| Plain or Common | 20, 9 | 0, 3 |
| Extra Curled | 21, 9 | 0, 3 |
| Indian, Tropaeolum majus mixed (Nasturtium) | 52, 6 | 0, 7 |

CUCUMBER.

| | | |
|---|--------|------|
| Russian Early Green Short, Pawlow | 77, 6 | 0, 9 |
| Middle Sized Green | 235, 0 | 2, 4 |

| | per cwt. | per lb. |
|---|----------|---------|
| | s. d. | s. d. |
| Long Green | 250, 0 | 2, 5 |
| Longest Improved Selected Green | 326, 0 | 3, 2 |
| Chinese Longest Remaining Green | 306, 0 | 2, 11 |
| Grashoff's Improved Longest Giant Extra | 0, 0 | 5, 6 |
| Dark-Green White | 0, 0 | 3, 0 |
| Grecian Long, Light-green | 280, 0 | 2, 9 |
| New Japanese Climbing or Espalier Cucumber (Novelty Grashoff) | | |
| <i>All of my own growth, therefore suitable for the northern climate.</i> | | |
| Dark-Green Short Prolific . . . per oz. 1s 3d | 0, 0 | 18, 0 |
| Dark-Green Middle-Sized (Orig. var.) » Os 7d | 0, 0 | 7, 3 |
| Dark-Green Long » Os 10d | 0, 0 | 11, 0 |
| Dark-Green Improved Longest . . . » 2s 0d | 0, 0 | 27, 6 |
| Light-Green Remaining Green . . . » Os 11d | 0, 0 | 12, 3 |
| Light-Green Extra Longest Re- maining Green » 2s 5d | 0, 0 | 36, 6 |
| White Long New » 2s 0d | 0, 0 | 27, 6 |
| All Sorts mixed » Os 9d | 0, 0 | 9, 2 |
| True Imported Seed (Original) . . » Os 4d | 0, 0 | 4, 6 |

CUCUMBER, CONTINUED FRAME VARIETIES:

| | | |
|---------------------------------------|------|-------|
| Giant of Arnstadt » 1s 6d | 0, 0 | 22, 0 |
| Duke of Edinburgh Light Green » 2s 5d | 0, 0 | 36, 6 |
| New Hampel's Jewel of Koppitz » 9s 0d | 0, 0 | 0, 0 |
| New Hampel's Improv. Hot-Bed » 2s10d | 0, 0 | 0, 0 |
| New Hampel's Greenhouse . . » 11s 6d | 0, 0 | 0, 0 |
| New Prescot Wonder impr. . . » 5s 9d | 0, 0 | 0, 0 |

(From the Grower imported, True Original Seed.)

| | | |
|--|------|-------|
| Rollison's Telegraph per oz. 2s 9d | 0, 0 | 41, 0 |
| Glory of Erfurt » 1s 3d | 0, 0 | 18, 6 |
| Berlin Eel Light Green » 1s 5d | 0, 0 | 20, 0 |
| Königsdorff's Indefatigable . . » 1s 6d | 0, 0 | 22, 0 |
| Noa's Longest Giant » 1s 7d | 0, 0 | 22, 9 |
| All Varietiest mixed » Os 7d | 0, 0 | 8, 2 |

ENDIVE, WINTER-

| | |
|--|-------|
| Vienna, Broad Leaved Green 113, 0 | 1, 2 |
| Plumage, Green Curled 98, 0 | 1, 0 |
| Cassel, Very Large Green 114, 0 | 1, 2 |
| Broad Leaved Green (Batavian) 154, 0 | 1, 6 |
| Natural Yellow Extra Curled 190, 0 | 1, 10 |
| Natural Yellow Large Broad Plain (Batavian) . 154, 0 | 1, 6 |
| New French Moss Curled 174, 0 | 1, 8 |

GOURDS.

| | | |
|---|------|-------|
| Green Giant Melon per oz. Os 4d | 0, 0 | 4, 6 |
| Yellow Giant Melon » Os 4d | 0, 0 | 4, 6 |
| White Giant Melon » Os 5d | 0, 0 | 5, 5 |
| Dark Red Giant Melon » Os 5d | 0, 0 | 5, 5 |
| Largest Hundredweight Green . . » Os 4d | 0, 0 | 4, 6 |
| Valparaiso in five of the best colours mixed » Os 4d | 0, 0 | 4, 2 |
| Vegetable Marrow » Os 2d | 0, 0 | 1, 10 |
| Common Melon » 0, 0 | 0, 0 | 0, 10 |
| » Field » 47, 0 | 0, 6 | |

HERBS AND SUNDRIES.

| | per cwt. | per lb. |
|---|----------|---------|
| | s. d. | s. d. |
| Angelica | 0, 0 | 1, 0 |
| Anise | 55, 0 | 0, 7 |
| Asparagus Large Quedlinburg Giant | 58, 0 | 0, 7 |
| Asparagus Large Glory of Brunswick | 93, 0 | 0, 11 |
| Baltic Milk-Vetch | 0, 0 | 1, 4 |
| Balm | 0, 0 | 2, 2 |
| Basil Green Large Sweet | 0, 0 | 1, 0 |
| Basil Fine Dwarf or Bush | 0, 0 | 1, 3 |
| Bastard Saffron (Carth. tinct.) | 47, 6 | 0, 6 |
| Borage | 144, 0 | 1, 5 |
| Capsicum Long Red | 0, 0 | 1, 0 |
| Caraway (Carum Carvi) | 29, 0 | 0, 4 |
| Dill | 31, 0 | 0, 4 |
| Dyer's Woad (Isatis tinctoria) | 0, 0 | 0, 11 |
| Elecampane (Inula Helenium) | 0, 0 | 3, 2 |
| Fennel, Large Sweet | 52, 0 | 0, 7 |
| Holy Thistle (Cnicus benedictus) | 52, 0 | 0, 7 |
| Hysop | 88, 0 | 0, 10 |
| Ice Plant (Mesembryanthemum crystallinum) . . | 0, 0 | 3, 5 |
| Lady's Thistle (Silybum Marianum) | 37, 0 | 0, 5 |
| Lavender | 0, 0 | 1, 6 |
| Lovage (Levisticum officinale) | 0, 0 | 1, 10 |
| Madia sativa, Oil plant | 42, 0 | 0, 5 |
| Marjoram Sweet | 93, 0 | 0, 11 |
| Mellilot Blue, Sweet Scented | 47, 6 | 0, 6 |
| Mustard Finest White | 18, 3 | 0, 3 |
| Mustard Brown | 34, 0 | 0, 5 |
| Orach Yellow | 50, 0 | 0, 6 |
| Orach Dark Purple | 41, 0 | 0, 5 |
| Purslane Green | 0, 0 | 0, 11 |
| Purslane, Golden | 0, 0 | 1, 2 |
| Quinoa White (Chenopodium Quinoa) | 0, 0 | 0, 7 |
| Rapontica (Oenothera biennis) | 0, 0 | 0, 11 |
| Rhubarb Largest Victoria | 0, 0 | 1, 1 |
| Rosemary | 0, 0 | 5, 0 |
| Rue | 88, 0 | 0, 10 |
| Sage | 88, 0 | 0, 10 |
| Salsify | 134, 0 | 1, 4 |
| Savory Summer | 37, 0 | 0, 5 |
| Savory Perennial or Winter | 0, 0 | 1, 1 |
| Scorzonera | 377, 0 | 3, 7 |
| Scurvy Grass (Cochlearia officinalis) | 0, 0 | 1, 2 |
| Sea Kale (Crambe maritima) | 205, 0 | 2, 0 |
| Skirret (Sium Sisarum) | 0, 0 | 2, 0 |
| Sorrel Broad Leaved (Belleville) | 138, 0 | 1, 4 |
| Squinancy, Sweet Scented. Asperula odorata . . | 0, 0 | 6, 4 |
| Thyme Winter German | 147, 0 | 0, 6 |
| Tomato (Love Apple), Large Red | 62, 6 | 0, 8 |
| Tree-Parsnip, Giant Siberian | 0, 0 | 1, 4 |
| Winged Pea | 42, 0 | 0, 5 |
| Worm-wood | 255, 0 | 2, 6 |

KOHL RABI.

| | | |
|---|--------|-------|
| Earliest Short Leaved Green Vienna, 1st quality | 164, 0 | 1, 7 |
| Early Short Leaved Green Vienna, 2nd » | 103, 0 | 1, 0 |
| Earliest Short Green Purple Vienna, 1st » | 215, 0 | 2, 2 |
| Early Short Leaved Purple Vienna, 2nd » | 174, 0 | 1, 8 |
| Grashoff's Finest Green Forcing, Selected Stock | 0, 0 | 16, 6 |

| | per cwt. s. d. | per lb. s. d. |
|--|-------------------|------------------|
| Grashoff's Finest Purple Forcing, Selected Stock | 0, 0 | 20, 0 |
| Finest Green Quedlinburg Forcing | 276, 0 | 2, 9 |
| Finest Purple Quedlinburg Forcing | 296, 0 | 2, 10 |
| Finest Prague Non Plus Ultra Shortest-leaved | 406, 0 | 3, 10 |
| Green Early Smooth | 77, 6 | 0, 9 |
| Purple Early Smooth | 144, 0 | 1, 5 |
| Late White Giant (Goliath) | 154, 0 | 1, 6 |
| Late Purple Giant (Goliath) | 174, 0 | 1, 8 |
| Large Late Green | 72, 0 | 0, 9 |
| Large Late Purple | 130, 0 | 1, 3 |

LEEK.

| | | |
|---------------------------------------|--------|-------|
| Broad Leaved or Flag | 90, 0 | 0, 11 |
| Large Winter | 103, 0 | 1, 0 |
| Large Brabant Winter | 113, 0 | 1, 2 |
| Large Giant Carentan Winter | 144, 0 | 1, 5 |
| Musselburgh Giant Winter, <i>true</i> | 128, 0 | 1, 3 |

LETTUCE (CABBAGE).

(wh. = white seeded, bl. = black seeded.)

| | | |
|--|--------|-------|
| Stone, Earliest Yellow, <i>wh.</i> | 230, 0 | 2, 3 |
| Stone, Earliest Golden Yellow, <i>wh.</i> | 275, 0 | 2, 9 |
| Stone, Earliest Green, <i>bl.</i> | 0, 0 | 2, 9 |
| Egg, Small Early Solid, <i>wh.</i> | 245, 0 | 2, 5 |
| Bruine geel, Earliest Dutch, <i>wh.</i> | 179, 0 | 1, 8 |
| Wheeler's Tom Thumb, <i>true, bl.</i> | 225, 0 | 2, 3 |
| Imperial or Asiatic, Large Pale Green, <i>wh.</i> | 159, 0 | 1, 6 |
| Spotted or Tigred, Large, <i>wh.</i> | 169, 0 | 1, 7 |
| Improved Blood Red, <i>new, bl.</i> | 205, 0 | 2, 0 |
| Blonde de Berlin, Yellow, <i>bl.</i> | 159, 0 | 1, 6 |
| Perpignan, Large Green, Longest Standing, <i>wh.</i> | 174, 0 | 1, 8 |
| New Ne Plus Ultra, Very Large, <i>extra, wh.</i> | 189, 0 | 1, 10 |
| New Large Yellow „Thick-Head“, <i>wh.</i> | 225, 0 | 2, 3 |
| Grashoff's Newest Large White Solid Market, <i>bl.</i> | 205, 0 | 2, 0 |
| Grashoff's Newest Large White Solid Market, <i>wh.</i> | 205, 0 | 2, 0 |
| Rudolph's Favorite Lemon-coloured, <i>wh.</i> | 316, 0 | 3, 0 |
| Stubborn, Large Yellow, <i>wh.</i> | 205, 0 | 2, 0 |
| Stubborn, Large White, <i>yellow seed</i> | 184, 0 | 1, 10 |
| Stubborn, New Large Brown, <i>wh.</i> | 235, 0 | 2, 4 |
| Brown Dutch or Haarlem, <i>bl.</i> | 164, 0 | 1, 7 |
| Coblence, Very Large Brown, <i>bl.</i> | 174, 0 | 1, 8 |
| Paris Sugar, <i>Extra fine sort, wh.</i> | 185, 0 | 1, 10 |
| Cyrus or Grand Admiral, Largest Yellow, <i>wh.</i> | 164, 0 | 1, 7 |
| Royal Cabbage, <i>wh.</i> | 159, 0 | 1, 6 |
| Royal Cabbage Red Fringed, <i>wh.</i> | 179, 0 | 1, 9 |
| Dresden Yellow, <i>wh.</i> | 154, 0 | 1, 6 |
| Winter White, <i>wh.</i> | 154, 0 | 1, 6 |
| Winter Brown, <i>wh.</i> | 149, 0 | 1, 5 |
| Batavian Green, <i>wh.</i> | 185, 0 | 1, 10 |
| Batavian Red Edged (Crystal Cabbage), <i>wh.</i> | 169, 0 | 1, 7 |
| New American Brown Curled Gathering | 250, 0 | 2, 5 |

LETTUCE COS.

| | | |
|--|------|------|
| New Blood Red, <i>bl.</i> | 0, 0 | 1, 6 |
| White Paris, <i>wh.</i> | 0, 0 | 1, 4 |
| Yellow Cassel, <i>very large, wh.</i> | 0, 0 | 1, 6 |
| Yellow Sachsenhouse, <i>wh.</i> | 0, 0 | 1, 4 |
| Asparagus Lettuce (<i>Lactuca Angustana</i>), <i>bl.</i> | 0, 0 | 2, 0 |

LETTUCE FOR CUTTING.

| | per cwt. s. d. | per lb. s. d. |
|---------------------------------------|-------------------|------------------|
| Early Yellow Round Leaved, <i>wh.</i> | 101, 0 | 1, 0 |
| Early Yellow Curled, <i>wh.</i> | 144, 0 | 1, 5 |
| Early Yellow Curled, <i>bl.</i> | 111, 0 | 1, 1 |
| New Fine Moss Curled, <i>bl.</i> | 0, 0 | 2, 9 |

MANGOLD WURZEL.

(Special Cultures.)

| | | |
|--|-------|------|
| Long Red | 37, 0 | 0, 5 |
| Long Yellow | 38, 0 | 0, 5 |
| Red Elvetham | 40, 0 | 0, 5 |
| Yellow Elvetham | 39, 0 | 0, 5 |
| Red Mammoth | 42, 6 | 0, 5 |
| Longest Red Ox Horn Grashoff's Improved | 42, 0 | 0, 5 |
| Red Globe Common | 37, 0 | 0, 5 |
| Yellow Globe Common | 37, 0 | 0, 5 |
| Oval Shaped Red Giant | 38, 0 | 0, 5 |
| Oval Shaped Yellow Giant | 38, 0 | 0, 5 |
| Red Oberndorf Flat | 47, 0 | 0, 6 |
| Yellow Oberndorf Flat | 45, 0 | 0, 6 |
| New Largest Eckendorf Tankard Grashoff's Improved Yellow | 42, 6 | 0, 5 |
| New Largest Eckendorf Tankard Grashoff's Improved Red | 42, 6 | 0, 5 |
| New Largest Eckendorf Tankard Grashoff's Improved White | 42, 6 | 0, 5 |
| New Largest Eckendorf Tankard Grashoff's Improved mixed | 42, 6 | 0, 5 |
| New Erfurt Model Orange Tankard | 44, 0 | 0, 6 |
| Golden Tankard | 44, 0 | 0, 6 |

MIGNONETTE.

| | | |
|----------------------|-------|-------|
| Common Sweet Scented | 90, 0 | 0, 11 |
| Large Flowered | 93, 0 | 0, 11 |

ONION.

| | | |
|--|--------|------|
| Jame's Long Keeping | 174, 0 | 1, 8 |
| Silver Skinned Flat Nocera, Common stock | 255, 0 | 2, 6 |
| Early White Silver Skinned or White Portugal | 250, 0 | 2, 5 |
| Yellow Long Pear Shaped | 159, 0 | 1, 6 |
| Deep Blood Red or Purple Brunswick | 154, 0 | 1, 6 |
| Blood Red Flat Dutch | 154, 0 | 1, 6 |
| Yellow Flat | 144, 0 | 1, 5 |
| Straw Coloured Flat (<i>Dawer's</i>) | 144, 0 | 1, 5 |
| Sulphur Yellow or White Spanish Flat | 286, 0 | 2, 9 |
| Pink Coloured or Strasburg Flat | 159, 0 | 1, 6 |
| Zittau Giant Yellow | 245, 0 | 2, 5 |
| Madeira Globe | 205, 0 | 2, 0 |
| Welsh or Winter | 357, 0 | 3, 5 |

PARSLEY.

| | | |
|---|--------|------|
| Plain or Common | 44, 0 | 0, 5 |
| Tall Curled | 29, 0 | 0, 4 |
| Extra Curled Dwarf (<i>Myatt's</i>) | 29, 0 | 0, 4 |
| Carter's Champion Moss Curled | 29, 0 | 0, 4 |
| Carter's New Fern Leaved, <i>quite true</i> | 29, 0 | 0, 4 |
| Long Rooted Hamburg | 77, 6 | 0, 9 |
| Long Rooted Smooth Curled Leaved | 103, 0 | 1, 0 |
| Short Rooted Hamburg | 77, 6 | 0, 9 |

PARSNIP.

| per cwt. | per lb. |
|----------|---------|
| s. d. | s. d. |
| 24, 0 | 0, 3 |
| 27, 0 | 0, 4 |
| 25, 0 | 0, 3 |

| | | |
|---------------------|-------|------|
| Long White | 24, 0 | 0, 3 |
| Turnip Rooted | 27, 0 | 0, 4 |
| Hollow Crowned Long | 25, 0 | 0, 3 |

PEAS, SUGAR-

| | | |
|---|--------|------|
| Giant Tall Large Pod, <i>Gray Seeded</i> | 58, 0 | 0, 7 |
| Tall Broad and Long Pod, <i>early</i> | 57, 0 | 0, 7 |
| Tall Broad Crooked Wax-yellow Pod | 62, 6 | 0, 8 |
| Early Dutch, <i>Green Seeded</i> , 2½ feet | 47, 6 | 0, 6 |
| Dwarf Early, <i>very prolific</i> , 1½ feet | 38, 0 | 0, 5 |
| Dwarf de Grace Forcing, ½ foot | 124, 0 | 1, 3 |

(Further 30 sorts of Peas on application.)

RADISH.

| | | |
|---|-------|------|
| Turnip Red | 36, 0 | 0, 5 |
| Turnip Scarlet | 39, 0 | 0, 5 |
| Turnip Bright Scarlet „Non Plus Ultra“ | 70, 0 | 0, 8 |
| Turnip Crimson Grashoff's Improved Forcing | 57, 0 | 0, 7 |
| Turnip Red White-tipped | 39, 0 | 0, 5 |
| Turnip Yellow | 39, 0 | 0, 5 |
| Turnip White | 40, 0 | 0, 5 |
| Scarlet Olive Shaped | 50, 0 | 0, 6 |
| Red Olive Shaped White Tipped (<i>French Breakfast</i>) | 44, 0 | 0, 6 |
| Long Rose | 38, 0 | 0, 5 |
| » White Naples, <i>green top</i> | 37, 0 | 0, 5 |

(Above varieties for forcing.)

| | | |
|--|-------|------|
| Winter Round Black Spanish | 29, 0 | 0, 4 |
| Winter Long Black Spanish | 32, 0 | 0, 4 |
| Winter Round White Spanish | 29, 0 | 0, 4 |
| Winter Long White Spanish | 32, 0 | 0, 4 |
| Autumn Round Red | 44, 0 | 0, 6 |
| Yellow or Gray Summer Turnip | 32, 0 | 0, 4 |
| Black Summer Turnip Improved | 32, 0 | 0, 4 |
| White Summer Turnip Improved | 34, 0 | 0, 5 |
| White Summer Oval Shaped Improved Munich | 32, 0 | 0, 4 |
| White Summer Halflong Delicacy | 42, 0 | 0, 5 |
| Golden Oval Shaped Early May | 45, 6 | 0, 6 |

SAVOY.

| per cwt. | per lb. |
|----------|---------|
| s. d. | s. d. |
| 124, 0 | 1, 3 |
| 98, 0 | 1, 0 |
| 88, 0 | 0, 10 |
| 133, 0 | 1, 4 |
| 118, 0 | 1, 2 |
| 109, 0 | 1, 1 |
| 113, 0 | 1, 2 |
| 93, 0 | 0, 11 |
| 103, 0 | 1, 0 |

| | | |
|----------------------------------|--------|-------|
| Earliest Smallest Vienna Forcing | 124, 0 | 1, 3 |
| Early Dwarf Ulm | 98, 0 | 1, 0 |
| Golden Yellow | 88, 0 | 0, 10 |
| Large Late Vertus | 133, 0 | 1, 4 |
| Large Late Yellow Erfurt | 118, 0 | 1, 2 |
| Chou Marcellin | 109, 0 | 1, 1 |
| Frankfort Oblong Sugar Loaf | 113, 0 | 1, 2 |
| Early Green Common | 93, 0 | 0, 11 |
| Late „ „ | 103, 0 | 1, 0 |

SPINACH.

| | | |
|---|-------|-------|
| Large Round Leaved Round Seed | 26, 0 | 0, 4 |
| Large Leaved Prickly Seed | 25, 0 | 0, 3 |
| Large Leaved Round Giant of Viroflay | 30, 0 | 0, 4 |
| Round Lettuce Leaved Gaudry | 29, 0 | 0, 4 |
| Long Standing Round Green | 30, 0 | 0, 4 |
| Large Dark Green Improved Long Standing Victoria, New | 32, 0 | 4, 0 |
| New Zealand (<i>Tetragonia expansa</i>) | 82, 6 | 0, 10 |
| Sorrel Leaved (<i>Rumex patientia</i>) | 41, 0 | 0, 5 |

TURNIPS.

| | | |
|---|-------|------|
| Early White Dutch | 27, 0 | 0, 4 |
| Early Yellow Dutch | 30, 0 | 0, 4 |
| Early Fine White Red Top Munich Forcing | 55, 0 | 0, 7 |
| Early Red-top Flat Common | 30, 0 | 0, 4 |
| Long Yellow Bortfeld | 52, 6 | 0, 7 |
| Round Yellow Wilhelmsburg | 35, 0 | 0, 5 |
| Teltow Smallest, for pickling | 67, 0 | 0, 8 |

(English Turnip on application.)

SWEDE TURNIP OR RUTABAGA.

| | | |
|--|-------|------|
| White Smooth | 38, 0 | 0, 5 |
| White Pommeranian Tankard | 50, 0 | 0, 6 |
| Yellow Smooth | 42, 0 | 0, 5 |
| White Smooth Finest Selected Stock, <i>Elite</i> | 62, 6 | 0, 8 |
| Yellow Smooth Finest Selected Stock, <i>Elite</i> | 72, 6 | 0, 9 |
| Yellow Wilhelmsbourg Selected Stock, <i>Elite</i> | 72, 6 | 0, 9 |
| Yellow Purple Top Giant | 40, 0 | 0, 5 |
| Yellow Hoffmann Giant | 56, 0 | 0, 7 |
| Yellow Round Apple Formed | 45, 0 | 0, 6 |
| Yellow Round Apple Formed Selected Stock, <i>Elite</i> | 72, 6 | 0, 9 |

NEW AND CHOICE VEGETABLE SEEDS.

Lettuce Cabbage new Hampel's Yellow Winter.

pr. Ctr. 288s., pr. lb. 2s. 10d.

Lettuce Cabbage new Hampel's Yellow Hotbed Forcing.

pr. Ctr. 337s., pr. lb. 3s. 3d.

Runner-Bean Newest White Sugar Sword Moerheim very long pod entirely without strings.

100 packets 60s., 10 packets 7s., 1 packet 10d.

Dwarf-Bean New Earliest Fill-Basket Wax with long and tender wax-yellow pods, very prolific, quite without strings.

pr. cwt. 53s., pr. lb. 0s. 7d.

Dwarf-Bean New Largest White Giant Kase-Knife very large and long podded.

pr. cwt. 42s., pr. lb. 0s. 5d.

Sugar-Peas Largest Broadest White Giant Moerheim without strings.

pr. cwt. 73s., pr. lb. 0s. 9d.

Radish Earliest Short-leaved Oval-shaped Shining-red Forcing, selected stock.

pr. cwt. 94s. 0d., pr. lb. 0s. 11d.

Radish Earliest Short-leaved Oval-shaped. Snow-white Forcing, selected stock.

pr. cwt. 105s. 0d., pr. lb. 1s. 0d., pr. oz. 2d.

Beet Finest Small Halflong Darkred Moerheim dark-leaved.

pr. cwt. 66s., pr. lb. 0s. 8d.



6 Prize-Medals and 6 Diploma

at the World's Columbian Exposition Chicago 1893.



FLOWER SEEDS.

For many years I have used my best endeavours to obtain on my extensive grounds every possible success in cultivating most carefully my various **Flower Seeds**, producing novelties as well as improving old and known species in order to meet the demands of our present time. The whole of my cultures are subjected to a constant and strict supervision and, therefore, I can confidently recommend all the varieties enumerated in the following list. I particularly draw your attention to my fine strain of **Asters, Stocks** and other so-called **German Flower-Seeds**, which I grow on a very large scale. My prices will also be found pretty low in comparison with those of other houses and they will, I trust, induce you to favour me with your **general order in Flower Seeds**.

To my regret it has often occurred in the last season that I got orders for *Flower-seeds*, which were not distinctly and clearly defined, and thence resulted many misunderstandings alike disagreeable to me as to my *est^d* clients. — To give a sample of some kind, it was ordered: $\frac{1}{2}$ oz. no. 313 Dwarf German Ten Week Stock, *wich* number includes not less than 38 colours separate. From this order I cannot conclude, whether my correspondent wants 38 colours $\frac{1}{2}$ oz. each or only $\frac{1}{2}$ oz. in all; in the latter case it is the question, which colour, for $\frac{1}{2}$ oz. cannot be given in 38 colours. Therefore, when making out your orders, the indication of the number preceding every variety and position, as well as the name of the respective species, is quite indispensable, if you like to have your orders effectuated correctly, and, by keeping strictly to the aforesaid, all mistakes and doubts, whether separate or mixed varieties are wanted, shall be entirely avoided. At the same time I beg to call your attention to the following: „In ordering separate colours be always as kind as to state, what colours and which quantities of each colour you desire.“

○ = Annuals. ♂ = Biennials. ♀ = Perennials. ♂ = Climbers. △ = Stove and Greenhouse plants. T = Trees and Shrubs.
O = Ornamental-Grasses.

(No quantity will be charged below one penny).
Any quantity less than $\frac{1}{4}$ lb. = 4 oz. will be charged at ounce-price.

| No. | | per lb. | per oz. | No. | | per lb. | per oz. |
|-----|---|---------|---------|-----|---|---------|---------|
| | | s. d. | s. d. | | | s. d. | s. d. |
| 1 | ○ Abroonia umbellata, Verbena-flowered | 0, 0 | 0, 5 | 46 | ♀ Agrostemma flos Jovis, deep red | 1, 10 | 0, 2 |
| 4 | △ Acoacia dealbata | 4, 2 | 0, 4 | 48 | ○ Agrostis ncbulosa | 6, 4 | 0, 6 |
| 5 | » » Farnesiana | 1, 4 | 0, 2 | 50 | » » pulchella | 2, 9 | 0, 3 |
| 6 | » » longifolia | 2, 9 | 0, 3 | 51 | ○ Alonsoa albiflora (Mask Flower) | 2, 6 | 0, 3 |
| 7 | » » lophanta | 1, 5 | 0, 2 | 52 | » » grandiflora, scarlet | 2, 4 | 0, 2 |
| 8 | » » speciosa | 2, 4 | 0, 2 | 53 | » » Warzeviczoi, mennig red. | 3, 2 | 0, 3 |
| 9 | ♀ Acanthus latifolius, decorative | 1, 5 | 0, 2 | 56 | ♀ Althaea rosea fl. pl. (Hollyhocks), extra double | | |
| 11 | ○ Acorolinium album (Everlasting) | 1, 4 | 0, 2 | | in 6 colours separate . per packet 2d | 0, 0 | 3, 6 |
| 12 | » » roseum | 1, 4 | 0, 2 | 57 | » » rosea fl. pl., finest mixed | 0, 0 | 2, 0 |
| 14 | » Adonis aestivalis (Flos Adonis), dark blooded | 0, 5 | 0, 1 | 59 | » » Charter's extra double highly recommended in 6 colours sep. per packet 3d | 0, 0 | 7, 0 |
| 15 | ♀ » vernalis, yellow | 1, 5 | 0, 2 | 60 | » » Althaea rosea fl. pl., Charter's extra double, finest mixed per packet 2d | 0, 0 | 4, 8 |
| 17 | ○ Aethionema Buxbaumi, for borders | 3, 8 | 0, 4 | 64 | ○ Alyssum Benthami (maritimum), white | 3, 2 | 0, 3 |
| 20 | ♀ Ageratum conspicuum, white | 9, 0 | 0, 8 | 65 | » » compactum | 4, 6 | 0, 4 |
| 26 | ○ » » Lasseauxi, rose | 9, 0 | 0, 8 | 66 | ♀ » saxatile compactum, golden | 3, 0 | 0, 3 |
| 27 | » » mexicanum coeruleum | 2, 2 | 0, 2 | 69 | ○ Amaranthus atropurpureus, bloodred-foliaged | 0, 6 | 0, 1 |
| 28 | » » » albiflorum | 2, 2 | 0, 2 | 70 | » » caudatus, red (Love-Lies-Bleeding) | 0, 6 | 0, 1 |
| 29 | » » » Imperial Dwarf, blue | 4, 6 | 0, 4 | 71 | » » cruentus, dark red | 0, 6 | 0, 1 |
| 30 | » » » » white | 5, 0 | 0, 5 | 72 | » » melancholicus ruber, bloodred | 1, 4 | 0, 2 |
| 34 | » » » nanum coeruleum, dwarf | 3, 2 | 0, 3 | 73 | » » monstrosus (Giant Princess Feather) | 0, 5 | 0, 1 |
| 35 | » » » » albiflorum, » | 4, 6 | 0, 4 | 76 | » » nobilis pyramidalis, ornamental | 2, 6 | 0, 3 |
| 36 | » » » » Perle bleue, pure sky blue | 5, 6 | 0, 5 | 77 | » » salicifolius, very decorative | 7, 4 | 0, 7 |
| 40 | ♀ Agrostemma Coeli-Rosa (Rose of Heaven) | 1, 4 | 0, 2 | 78 | » » sanguineus nanus, bloodred dwarf | 0, 6 | 0, 1 |
| 41 | » » » fl. albo | 1, 4 | 0, 2 | 80 | » » tricolor, red, yellow and green | 2, 6 | 0, 3 |
| 42 | ♀ » » coronaria (Rose Campion) | 1, 2 | 0, 2 | | | | |
| 43 | » » » fl. albo | 1, 4 | 0, 2 | | | | |

| No. | | per lb. | per oz. |
|-----|--|---------|---------|
| | | s. d. | s. d. |
| 84 | ⊙ <i>Ammobium alatum</i> (Everlasting), white..... | 1, 2 | 0, 2 |
| 85 | » » <i>grandiflorum</i> , new | 1, 5 | 0, 2 |
| 93 | » <i>Anagallis grandifl.</i> finest mixed | 0, 0 | 0, 6 |
| 96 | ⊙ <i>Andropogon argenteus</i> | 0, 0 | 0, 6 |
| 98 | △ <i>Angelonia grandiflora</i> , blue, highly recommended for pot-culture.... 1/4 oz. 1 1/4 s., per packet 3d | 0, 0 | 11, 6 |
| 99 | ⊙ <i>Antoxanthum gracile</i> | 0, 11 | 0, 1 |
| 102 | ⊙ <i>Antirrhinum majus album</i> (Snap Dragon), white | 4, 0 | 0, 4 |
| 104 | » » <i>atrooccineum</i> , dark scarlet | 4, 0 | 0, 4 |
| 105 | » » <i>Brillant</i> , tricolor | 4, 0 | 0, 4 |
| 106 | » » <i>Crescia</i> , deep scarlet | 4, 0 | 0, 4 |
| 108 | » » <i>Dellia</i> , carmine, whitethroat | 4, 0 | 0, 4 |
| 109 | » » <i>Firefly</i> , scarlet and yellow | 4, 0 | 0, 4 |
| 110 | » » <i>Galathée</i> , crimson, white throat | 4, 0 | 0, 4 |
| 114 | » » <i>Henry IV</i> , cinnabar | 4, 0 | 0, 4 |
| 115 | » » <i>luteum</i> , pure yellow | 4, 0 | 0, 4 |
| 116 | » » <i>papilionaceum</i> , bloodred and white | 4, 0 | 0, 4 |
| 117 | » » <i>nigrescens</i> , deep purple | 4, 0 | 0, 4 |
| 120 | » » <i>roseum</i> | 4, 0 | 0, 4 |
| 121 | » » <i>striatum</i> , striped | 4, 0 | 0, 4 |
| 122 | » » finest mixed | 2, 9 | 0, 3 |
| 125 | » <i>Antirrhinum majus nanum album</i> | 4, 0 | 0, 4 |
| 126 | » » <i>Aurora</i> | 4, 0 | 0, 4 |
| 127 | » » <i>Brillant</i> | 4, 0 | 0, 4 |
| 128 | » » <i>Crescia</i> | 5, 6 | 0, 5 |
| 129 | » » <i>Dellia</i> | 4, 0 | 0, 4 |
| 130 | » » <i>Firefly</i> | 4, 0 | 0, 4 |
| 132 | » » <i>Galathée</i> | 4, 0 | 0, 4 |
| 133 | » » <i>luteum</i> | 4, 0 | 0, 4 |
| 134 | » » <i>nigrescens</i> | 4, 0 | 0, 4 |
| 136 | » » <i>papilionaceum</i> | 4, 0 | 0, 4 |
| 137 | » » <i>salmonium</i> | 4, 0 | 0, 4 |
| 138 | » » <i>striatum</i> | 4, 0 | 0, 4 |
| 140 | » » finest mixed | 3, 2 | 0, 3 |
| 144 | » » <i>Tom Thumb album</i> | 0, 0 | 0, 10 |
| 145 | » » » <i>album rubro-</i> <i>striatum</i> | 0, 0 | 0, 8 |
| 146 | » » » <i>cinnabarinum</i> | 0, 0 | 0, 8 |
| 147 | » » » <i>Crescia</i> | 0, 0 | 0, 8 |
| 150 | » » » <i>Dellia</i> | 0, 0 | 0, 8 |
| 151 | » » » <i>Firefly</i> | 0, 0 | 0, 8 |
| 152 | » » » <i>Galathée</i> | 0, 0 | 0, 8 |
| 153 | » » » <i>Henry IV</i> | 0, 0 | 0, 8 |
| 154 | » » » <i>luteum</i> | 0, 0 | 0, 8 |
| 155 | » » » <i>rubro-</i> <i>striatum</i> | 0, 0 | 0, 8 |
| 156 | » » » <i>purpureum</i> | 0, 0 | 0, 8 |
| 157 | » » » <i>roseum</i> | 0, 0 | 0, 8 |
| 160 | » » » finest mixed | 7, 4 | 0, 7 |
| 166 | 2 <i>Aquilegia bicolor fl. pl.</i> | 4, 4 | 0, 4 |
| 167 | » <i>chrysantha</i> , new golden | 0, 0 | 1, 5 |
| 168 | » <i>grandifl. alba</i> , white, per pack. 1 d | 0, 0 | 1, 9 |
| 169 | » <i>Durandii fl. pl.</i> , striped | 0, 0 | 0, 6 |
| 172 | » <i>formosa</i> (Columbine) finest mixed | 2, 9 | 0, 3 |
| 175 | » <i>hybrida lucida fl. pl.</i> , scarlet brown | 0, 0 | 0, 4 |
| 176 | » <i>vulgaris fl. pl.</i> | 1, 8 | 0, 2 |
| 180 | » <i>Arabis alpina</i> , white dwarf | 8, 2 | 0, 7 |
| 184 | 2 <i>Aristolochia Siphon</i> | 0, 0 | 10, 10 |
| 185 | 2 <i>Armeria cephalodes</i> (latifolia) Sea-Pink, new large- flowering variety. The most beautiful of all | 0, 0 | 0, 4 |
| 188 | ⊙ <i>Artemisia annua</i> , very decorative | 0, 5 | 0, 1 |
| 189 | » <i>spec. de St. Petersburg</i> (gracilis) | 1, 5 | 0, 2 |
| 192 | 2 <i>Asperula azurea setosa</i> (Woodruff) | 0, 6 | 0, 1 |
| 193 | » <i>Aster alpinus</i> , blue | 6, 4 | 0, 6 |

⊙ GERMAN ASTERS.

(Aster chinensis flore plena.)

These splendid showy flowers are cultivated by me since many years on an extensive scale and with the utmost care. I have devoted great attention to their improvement and I am glad to say that my endeavours have been crowned with the success wished for, so that every single kind leaves nothing to be desired in regard to the *doubleness of the flowers, beauty and purity of the sorts and truthness in habit*. The most preferable novelties of the last years have been inserted in the following list of asters, the choice of which cannot be too highly recommended.

| No. | | per lb. | per oz. |
|-----|--|---------|---------|
| | | s. d. | s. d. |
| | Dwarf German Aster (height 6—8 inches) in 12 splendid colours. | | |
| | White, brilliant rose, dark lilac, light blue, violet, carmine, rose, violet and white, light red and white, black blue, blood red, cinnabar carmine, crimson paony flow. | | |
| 196 | Each colour separate | 17, 4 | 1, 3 |
| 198 | Finest mixed | 12, 9 | 1, 0 |
| | Boltze's New Dwarf Bouquet Aster (height 8 inches) in 12 fine colours. | | |
| | Carmine, carmine and white, rose, dark crimson, copper rose and white, white with red centre, dark blue and white, dark blue, white, rose and white, white and rose, dark violet and white, copper rose. | | |
| | Scarlet, new..... per 1/4 oz. 10 d, per packet 3d | 0, 0 | 5, 9 |
| 201 | Each colour separate | 0, 0 | 2, 0 |
| 202 | Finest mixed | 22, 0 | 1, 6 |
| | Newest Dwarf Shakespeare Aster (height 6 inches) in 8 very fine colours. | | |
| | Crimson, crimson and white, blood red, white and crimson, white, dark blue and white, black blue, carmine rose. | | |
| 204 | Each colour separate | 0, 0 | 4, 0 |
| 205 | Finest mixed | 0, 0 | 2, 10 |
| | Dwarf Largest-flowering Chrysanthemum Aster (height 8—10 inches) in 18 very splendid colours. | | |
| | Brilliant rose, crimson, light blue, light blue and white, pure white, rose and white, rose, white turning to azure blue, dark blue, brown violet, copper red, fiery scarlet, purple violet, flesh colour, dark blue and white, shining brick rose, white turning to rose, bordeaux red (new). | | |
| 206 | Each colour separate | 40, 0 | 2, 8 |
| 210 | Finest mixed | 30, 0 | 2, 2 |
| | New Dwarf Paony-flowered Perfection Aster (height 1 foot) in 12 very fine colours. | | |
| | Rose and white, dark blue, dark blue and white, light blue and white, white, dark purple and white, light blue, rose, dark blood red (new), crimson, azure blue, flesh colour. | | |
| 213 | Each colour separate | 0, 0 | 2, 4 |
| 214 | Finest mixed | 28, 0 | 2, 0 |
| | New Large-flowering Queen of Dwarfs Aster (height 9 inches). A new variety compact with very large vaulted flowers. | | |
| | Dark blue, rose, light blue, white, crimson, lilac. | | |
| 219 | Each colour separate | 0, 0 | 2, 4 |
| 220 | Finest mixed | 28, 0 | 2, 0 |
| | New Triumph Aster (Novelty.) Dwarf, paony-flowered. | | |
| 223 | Dark scarlet | 0, 0 | 4, 8 |
| 224 | Dark scarlet and white pr. 1/4 oz. 9d, pr. packet 2d | 0, 0 | 3, 6 |
| 225 | White, new..... per 1/4 oz. 1s, per packet 3d | 0, 0 | 5, 3 |
| | Newest Dwarf Large-flowering Non Plus Ultra Aster (height 8—10 inches). Growth candelabraformed, very large vaulted flowers. | | |
| | Crimson, rose, white, dark blue, light blue, flesh colour. | | |
| 227 | Each colour separate | 0, 0 | 2, 8 |
| 228 | Finest mixed | 32, 0 | 2, 2 |

| No. | per lb. | per oz. | No. | per lb. | per oz. |
|--|---------|---------|--|---------|---------|
| s. d. | s. d. | s. d. | s. d. | s. d. | s. d. |
| German Emperor Aster (height 1 foot) in 12 most distinct colours. | | | | | |
| <i>Carmine rose, dark blue, purple violet, purple violet and white, dark violet and white, lilac, white, bright rose, dark blue and white, rose and white, red violet, dark crimson.</i> | | | | | |
| 231 Each colour separate | 0, 0 | 1, 9 | Newest Jewel or Ball Aster (height 1½ feet) in 6 very fine colours. | | |
| 232 Finest mixed | 20, 0 | 1, 5 | <i>Apple blossom, dark rose, light blue, crimson, dark blue, purple violet, azure blue, pure white.</i> | | |
| New Dwarf Victoria Aster (height 8—10 inches) in 11 very splendid colours. | | | 279 Each colour separate | 0, 0 | 2, 3 |
| <i>White, rose and white, violet, lilac red, light blue, light blue and white, copper carmine, flesh colour, rose, crimson.</i> | | | 280 Finest mixed | 25, 0 | 1, 9 |
| 236 Each colour separate | 0, 0 | 4, 0 | Model Aster (Grashoff 1894). | | |
| 237 Finest mixed | 46, 0 | 3, 2 | <i>Crimson, darkblooded.</i> | | |
| New Dwarf-Comet-Perfection-Aster. (Novelty 1898.) Height about 7 inches. | | | <i>White and Darkblue see Novelties.</i> | | |
| 238 Pure white.....per ¼ oz. 8d, per packet 2d | 46, 0 | 3, 2 | 289 Each colour separate | 0, 0 | 2, 10 |
| Quilled German Aster (height 1½ feet) in 12 colours. | | | 290 Finest mixed | 0, 0 | 2, 3 |
| <i>Rose, dark blue, dark scarlet and white, silver white, dark crimson, copper rose, violet, blood brown, light red and white, crimson, sulphur yellow, lilac.</i> | | | Aster, Queen of the Market french novelty in 8 splendid colours (height 1½ feet). | | |
| 240 Each colour separate | 6, 0 | 0, 6 | <i>Crimson, rose, white, light blue, lilac red, dark blue, flesh colour, azure blue.</i> | | |
| 241 Finest mixed | 4, 0 | 0, 4 | Dark scarlet , new... per ¼ oz. 2d, per packet 1d | | |
| Globe-flowered German Aster (height 1½ feet) in 12 fine colours. | | | 297 Each colour separate | 6, 9 | 0, 6 |
| <i>Crimson, crimson and white, dark scarlet, dark blue and white, violet brown, dark lilac, white, violet, apple blossom, dark crimson, rose and white, light carmine.</i> | | | 298 Finest mixed | 5, 6 | 0, 5 |
| 245 Each colour separate | 6, 10 | 0, 6 | New Mignon Aster. Flowers pure white, resembling Imbricée Pompon Aster. Rich-flowering. | | |
| 246 Finest mixed | 5, 6 | 0, 5 | <i>Pure white, rose, crimson, white turning to azure blue, white turning to rose, lilac red.</i> | | |
| New Paony-flowered Globe Uhland Aster (height 1½ feet) in 12 splendid colours. | | | Fiery scarletper ¼ oz. 6d, per packet 2d. | | |
| <i>Dark blue, snow white, light blue and white, rose and white, cinnabar carmine, white tinged, fiery scarlet, crimson, bright lilac, purple violet, red violet and white, bright rose, light blue.</i> | | | 305 Each colour separate | 0, 0 | 1, 9 |
| 249 Each colour separate | 18, 3 | 1, 3 | 306 Finest mixed | 22, 0 | 1, 6 |
| 250 Finest mixed | 15, 6 | 1, 2 | Comet Aster (height 1½ feet) in 11 splendid colours. | | |
| New Large-flowered Rose Aster (height 1¼—1½ feet) in 12 splendid colours. | | | <i>Rose and white, rose, lilac red, lilac red and white, light blue, light blue and white, white and rose, carmine, peach blossom, dark blue</i> | | |
| <i>Dark blue, azure blue, red violet, crimson, snow white, rose, white tinged, white, rose tinged, cinnabar carmine, white tinged, light blue, dark scarlet, flesh colour, fiery scarlet.</i> | | | <i>White separate</i> | | |
| 253 Each colour separate | 22, 9 | 1, 6 | Dark scarlet , new...per ¼ oz. 6d, per packet 2d. | | |
| 254 Finest mixed | 18, 0 | 1, 3 | 311 Each colour separate | 32, 0 | 2, 2 |
| New Schiller Aster (height 1—1¼ feet) in 8 splendid colours. | | | 312 Finest mixed | 27, 0 | 1, 10 |
| <i>Flesh colour, crimson, copper red, light blue, white, brilliant rose, dark blue, blood red.</i> | | | Comet Aster, improved Giant (Novelty), height 2 feet, in 10 very fine colours. | | |
| 259 Each colour separate | 11, 0 | 0, 10 | <i>The Bride, light blue, carmine rose, azure blue, lilac and white, sulphur yellow, rose, white rose tinged, crimson.</i> | | |
| 260 Finest mixed | 7, 3 | 0, 7 | <i>White separate</i> | | |
| New Victoria Aster (height 1½ feet) in 18 splendid colours. | | | 319 Each colour separate | 30, 0 | 2, 2 |
| <i>Carmine rose, dark blue and white, crimson, light blue, snow white, rose and white, peach blossom, azure blue, white tinged rose, brown violet, crimson and white, copper scarlet, deep rose tipped with white, light blue and white, scarlet, red lilac, dark blue, white turning to azure blue.</i> | | | 320 Finest mixed | 25, 0 | 1, 9 |
| 265 Each colour separate | 46, 0 | 3, 2 | Globe-flowered Pyramidal Aster (height 2—2½ feet) in 12 splendid colours. | | |
| 266 Finest mixed | 36, 0 | 2, 1 | <i>Crimson, rose and white, white, light azure blue, brown violet, cinnabar carmine, dark blue, apple blossom, fiery scarlet, dark lilac and white, dark blood red, light sulphur yellow.</i> | | |
| Newest Victoria Hedgehog or Needle Aster (height 1½ feet) in 11 very splendid colours. | | | 326 Each colour separate | 16, 4 | 1, 2 |
| <i>Carmine rose, dark crimson, purple violet, fiery carmine, salmon rose, brilliant purple, dark violet, fiery scarlet, white, light blue.</i> | | | 327 Finest mixed | 12, 9 | 1, 0 |
| 270 Each colour separate | 0, 0 | 2, 10 | Grashoff's New Improved Large-flowering Paony Perfection Aster (height 2 feet) in 18 finest colours. | | |
| 272 Finest mixed | 36, 0 | 2, 4 | <i>Crimson, dark blue, dark crimson, light blue, light blue and white, light carmine, purple violet, purple violet and white, rose, rose and white, silver white, violet and white, scarlet, scarlet and white, lilac, red violet and white, black violet, light rose.</i> | | |
| | | | 333 Each colour separate | 32, 0 | 2, 2 |
| | | | 334 Finest mixed | 27, 0 | 1, 10 |
| | | | Truffaut's Imbricated Pompon Aster (height 2 feet) in 12 fine colours. | | |
| | | | <i>Dark scarlet, white, brown violet, dark blue, carmine and white, victoria red, light blue and white, red lilac, fiery scarlet and white, white turning to azure blue, rose, light blue.</i> | | |
| | | | 339 Each colour separate | 27, 0 | 1, 10 |
| | | | 340 Finest mixed | 22, 0 | 1, 6 |
| | | | Cocardeau or Crown Paony Aster (height 2 feet) in 8 fine colours. | | |
| | | | <i>Brown violet, dark blue, red lilac, dark red, light blue, red violet, copper rose, rose.</i> | | |
| | | | 345 Each colour separate | 0, 0 | 2, 4 |
| | | | 346 Finest mixed | 25, 0 | 1, 9 |

| No. | | per lb. | per oz. | No. | | per lb. | per oz. |
|-----|---|---------|---------|-----|--|---------|---------|
| | | s. d. | s. d. | | | s. d. | s. d. |
| | New Washington Aster (height 1½ feet) in 8 splendid colours. | | | 440 | ⊙ Bidens atrosanguinea, blood red | 14, 0 | 1, 0 |
| | White, peach blossom, light blue, fiery scarlet, dark blue, lilac red, crimson, dark rose. | | | 441 | ⊙ Brachycome iberidifolia, blue | 11, 0 | 0, 10 |
| 359 | Each colour separate | 0, 0 | 2, 4 | 442 | " " alba | 10, 0 | 0, 9 |
| 360 | Finest mixed | 27, 0 | 1, 10 | 443 | ⊙ Briza maxima (Quacking Grass) | 1, 5 | 0, 2 |
| 365 | Aster, „Lady in White“, Novelty . . . pr. packet 2d | 0, 0 | 2, 4 | 445 | " " minima (gracilis) | 2, 6 | 0, 3 |
| 368 | Aster Alpine-Rose, Novelty . . . pr. packet 1d | 14, 0 | 1, 0 | 447 | " Bromus brizaeiformis . . . pr. 14 lbs. 5½ s. | 0, 6 | 0, 1 |
| 372 | Ray-Aster, rose. Novelty, very large-flowering per ⅓ oz. 8d., per packet 2d. | 0, 0 | 3, 9 | 448 | " " macrostachyus | 0, 8 | 0, 1 |
| 375 | Ostrich feather-Aster pure white new, per ⅓ oz. 6d. | 40, 0 | 2, 9 | 449 | " " patulus | 0, 8 | 0, 1 |
| 378 | Hohenzoller-Aster pure white, new, per ⅓ oz. 10d. | 0, 0 | 5, 2 | 451 | ⊙ Browallia elata flore albo | 0, 0 | 0, 7 |
| 380 | Reid's-Aster sulphur yellow | 9, 0 | 0, 8 | 452 | " " flore coeruleso | 0, 0 | 0, 7 |
| | Aster chinensis (Single Aster) I. Rank Cutting flower. | | | 454 | ♂ Bryonia alba, black-fruited | 2, 9 | 0, 3 |
| | Pure White, Light rose, Dark blue, Shining-rose, Red violet, Light blue, Dark red, Blue. | | | 455 | ⊙ Cactalia sonchifolia (Emilia flammea [Tassel fl.]) | 3, 4 | 0, 3 |
| 389 | Each colour separate | 4, 6 | 0, 4 | 456 | " " fl. luteo (aurantiaca) | 3, 8 | 0, 4 |
| 390 | Finest mixed | 3, 2 | 0, 3 | 457 | ⊙ Cajophora lateritia (Loasa) | 6, 0 | 0, 6 |
| 394 | ♀ Aubrietia graeca, very nice for spring bedding | 9, 0 | 0, 8 | 458 | " Calampelis scabra (Eccremocarpus) | 0, 0 | 0, 10 |
| 396 | ⊙ Bartonia aurea | 1, 8 | 0, 2 | 459 | ⊙ Calandrinia grandiflora (glauca) Rosy Pink | 6, 4 | 0, 6 |
| 400 | △ Begonia boliviensis, pr. 1000 seeds 4d., pr. packet 3d | 0, 0 | 0, 0 | 460 | " " Lindleyana (speciosa) red | 1, 2 | 0, 2 |
| 401 | " " Davisi, dwarf scarlet . . . pr. ⅓ oz. 6½ s., pr. 1000 seeds 6d., pr. packet 4d | 0, 0 | 0, 0 | 461 | " " umbellata, violet crimson | 0, 0 | 0, 10 |
| 402 | " " Froebeli, fiery red . . . pr. ⅓ oz. 4½ s., pr. 1000 seeds 5d., pr. packet 3d | 0, 0 | 0, 0 | 462 | △ Calceolaria hybrida large-flowering, tigrad, pr. ⅓ oz. 4¼ s., pr. 1000 seeds 6d., pr. packet 4d. | 0, 0 | 56, 0 |
| 403 | " " Erfordia, new, carmine rose pr. ⅓ oz. 12s, pr. packet 5d | 0, 0 | 0, 0 | 463 | " " hybrida large-flowering, spotted, pr. ⅓ oz. 3¼ s., pr. 1000 seeds 5d., pr. packet 3d | 0, 0 | 40, 0 |
| 409 | " " hybrida gigantea darkblooded, pr. ⅓ oz. 7s, pr. 1000 seeds 6d., pr. packet 4d. | 0, 0 | 0, 0 | 464 | " " hybrida above varieties mixed, pr. ⅓ oz. 3½ s., pr. 1000 seeds 5d., pr. packet 3d | 0, 0 | 45, 0 |
| 410 | " " " gigantea yellow pr. ⅓ oz. 5½ s., pr. 1000 s. 5d., pr. pack. 4d. | 0, 0 | 0, 0 | 465 | " " hybrida nana, dwarf tigrad, pr. ⅓ oz. 5 s., pr. 1000 seeds 6d., pr. packet 3d | 0, 0 | 0, 0 |
| 412 | " " " rose, pr. ⅓ oz. 6½ s., pr. 1000s. 6d., pr. packet 4 d. | 0, 0 | 0, 0 | 466 | " " hybrida nana, dwarf spotted pr. ⅓ oz. 4s, pr. 1000 seeds 6d., pr. packet 4d | 0, 0 | 56, 0 |
| 413 | " " " scarlet, pr. ⅓ oz. 5½ s., pr. 1000s. 5 d., pr. pack. 3 d. | 0, 0 | 0, 0 | 467 | △ Calceolaria rugosa, shrubby tigrad and spotted in various splendid varieties, pr. ⅓ oz. 12s, pr. 1000 seeds 1s, pr. packet 6d, | 0, 0 | 0, 0 |
| 414 | " " " white, pr. ⅓ oz. 7 s., pr. 1000 s. 6 d., pr. pack. 4d. | 0, 0 | 0, 0 | 470 | " " scabiosaefolia, golden | 5, 6 | 0, 5 |
| 420 | " " " finest mixed 1st. quality pr. ⅓ oz. 5½ s., pr. 1000 seeds 5d., pr. packet 3d. | 0, 0 | 0, 0 | 471 | ⊙ Calendula ranunculoides fl. pleno (Pot Marigold) | 0, 8 | 0, 1 |
| 422 | " " semperflorens atropurpurea (Vernon), new, dark foliage, bright carmine red, for flower-beds pr. ⅓ oz. 1¼ s., pr. packet 3d. | 0, 0 | 11, 6 | 472 | " " sulphurea fl. pl., light yellow | 0, 8 | 0, 1 |
| 424 | " " semperflorens atropurpurea compacta (Vernon compacta) pr. ⅓ oz. 3½ s., pr. pack. 5d. | 0, 0 | 0, 0 | 473 | " " Météor, orange striped, extra double | 1, 4 | 0, 2 |
| 425 | " " Pearcei, golden pr. ⅓ oz. 3½ s., pr. 1000 seeds 5d., pr. pack. 3d. | 0, 0 | 0, 0 | 475 | " " officinalis grandiflora fl. pl., large flowering, orange | 1, 0 | 0, 1 |
| 426 | " " hybrida fl. pl., double, finest mixed pr. ⅓ oz. 42 s., pr. 1000 seeds 1 s., pr. packet 5d. | 0, 0 | 0, 0 | 476 | " " officinalis grandiflora sulphurea fl. pl., light yellow | 1, 0 | 0, 1 |
| 427 | " " hybrida alba fl. pl., white double pr. 1000 seeds 2s, pr. packet 6d | 0, 0 | 0, 0 | 477 | " " pluviialis (Cape Marigold) | 0, 10 | 0, 1 |
| 428 | " " " lutea fl. pl., yellow double pr. 1000 seeds 2s, pr. packet 6d | 0, 0 | 0, 0 | 479 | ♀ Calliopsis Atkinsonii (Coreopsis) | 1, 10 | 0, 2 |
| 430 | ♀ Bellis perennis (Double Daisy), finest quality | 37, 0 | 2, 6 | 480 | " " bicolor | 1, 5 | 0, 2 |
| 431 | " " " good quality | 32, 0 | 2, 2 | 481 | " " nigra speciosa | 1, 5 | 0, 2 |
| 432 | " " " white, extra double | 45, 0 | 3, 0 | 482 | " " splendens | 1, 5 | 0, 2 |
| 433 | " " " Longfellow, new, . . . pr. packet 2d | 42, 0 | 2, 10 | 483 | " " bicolor nana, dwarf | 1, 6 | 0, 2 |
| 436 | " " fl. pl. maxima, new, giant-flowering, mixed | 60, 0 | 4, 0 | 484 | " " " purpurea | 1, 6 | 0, 2 |
| 437 | " " " alba, giant-flowering pure white . . . pr. ⅓ oz. 1s, per packet 3d | 0, 0 | 6, 10 | 485 | " " cardaminifolia hybrida | 1, 5 | 0, 2 |
| 438 | " " " rosea, giant-flowering rose pr. ⅓ oz. 1¼ s., pr. pkt. 3d | 0, 0 | 8, 0 | 486 | " " atrosanguinea | 1, 10 | 0, 2 |
| | | | | 487 | " " nana compacta bicolor | 2, 0 | 0, 2 |
| | | | | 488 | " " coronata | 2, 3 | 0, 2 |
| | | | | 489 | " " Drummondii | 1, 6 | 0, 2 |
| | | | | 490 | " " finest mixed | 1, 6 | 0, 2 |
| | | | | 491 | ♀ Campanula attica, violet | 0, 0 | 1, 2 |
| | | | | 492 | ♀ " carpathica (Bell-flower), light blue | 2, 3 | 0, 2 |
| | | | | 493 | " " fl. albo | 2, 9 | 0, 3 |
| | | | | 494 | " " Medium coeruleso (Canterbury Bell) | 1, 10 | 0, 2 |
| | | | | 495 | " " coeruleso pleno | 0, 0 | 0, 7 |
| | | | | 496 | " " albo | 3, 3 | 0, 3 |
| | | | | 497 | " " albo pleno | 0, 0 | 1, 0 |
| | | | | 498 | " " fl. roseo, single | 2, 9 | 0, 3 |
| | | | | 499 | " " fl. roseo pleno | 0, 0 | 1, 5 |

| No. | | | per lb. | | per oz. |
|-----|----|--|---------|-------|---------|
| | | | s. d. | s. d. | |
| 502 | 4 | Campanula Medium calycanthema, blue | 0, 0 | 1, 2 | |
| 503 | " | " " white | 0, 0 | 1, 2 | |
| 504 | " | " single, finest mixed | 1, 9 | 0, 2 | |
| 505 | " | " double, finest mixed | 10, 0 | 0, 9 | |
| 506 | " | pyramidalis | 0, 0 | 0, 7 | |
| 507 | " | " alba | 0, 0 | 0, 10 | |
| 508 | ⊙ | Speculum, blue (Venus's Looking Glass) | 2, 2 | 0, 2 | |
| 509 | " | " flore albo | 2, 4 | 0, 2 | |
| 510 | " | " grandiflora, large-flow. blue | 2, 2 | 0, 2 | |
| | | Candytuft see Iberis. | | | |
| 512 | △ | Canna indica (Indian Shot) | 1, 8 | 0, 2 | |
| 513 | " | " Warscewiczii | 2, 9 | 0, 3 | |
| 514 | " | " Emperor William | 5, 6 | 0, 5 | |
| 515 | " | " Queen Charlotte, new, splendid | 5, 6 | 0, 5 | |
| 516 | " | " Madame Crozy | 5, 6 | 0, 5 | |
| 518 | " | " Crozy's newest large-flowering Dwarf varieties mixed | 4, 0 | 0, 4 | |
| 519 | " | " finest mixed | 1, 4 | 0, 2 | |
| 520 | ⊙ | Cannabis gigantea (Giant Hemp) | 1, 4 | 0, 2 | |
| 521 | " | Cardus Marianus (Lady's Thistle) | 0, 5 | 0, 1 | |
| 522 | " | Carthamus tinctorius (Bastard Saffron), pr. Cwt. 0.8 | 0, 6 | 0, 1 | |
| 524 | 4 | Catananche coerulea | 3, 2 | 0, 3 | |
| 525 | " | " bicolor | 2, 6 | 0, 3 | |
| 528 | ⊙ | Celosia cristata (Cockscomb), finest mixed, I. quality | 9, 0 | 0, 8 | |
| | | ⊙ Celosia cristata nana, Dwarf- | | | |
| 531 | " | " atropurpurea | 0, 0 | 1, 8 | |
| 532 | " | " aurea | 0, 0 | 1, 8 | |
| 533 | " | " chamois | 0, 0 | 1, 8 | |
| 534 | " | " coccinea | 0, 0 | 1, 8 | |
| 535 | " | " purpurea | 0, 0 | 1, 8 | |
| 536 | " | " rosea | 0, 0 | 1, 8 | |
| 538 | " | " rubin-red | 0, 0 | 1, 8 | |
| 539 | " | " sanguinea | 0, 0 | 1, 8 | |
| 540 | " | " sulphurea | 0, 0 | 1, 8 | |
| 544 | " | " violacea | 0, 0 | 1, 8 | |
| 546 | " | " finest mixed I quality | 18, 0 | 1, 3 | |
| 547 | " | " good quality mixed | 11, 0 | 0, 10 | |
| 548 | ⊙ | Celosia cristata nana Glasgow Prize, (Empress), dark purple, dark leaved, very dwarf | 27, 0 | 1, 10 | |
| 549 | " | " cristata nana Präsident Thiers (pumila kermesina), shining dark-crimson, very dwarf | 27, 0 | 1, 10 | |
| 553 | " | " pyramidalis plumosa, feathered in 4 most splendid colours, separate | 0, 0 | 0, 3 | |
| 558 | " | " " plumosa, finest mixed | 2, 6 | 0, 3 | |
| 560 | " | " Centaurea americana, violet purple | 8, 2 | 0, 7 | |
| 561 | 4△ | " argentea vera (candidissima) pr. 1000 seeds 9d, pr. packet 2d | 34, 0 | 2, 3 | |
| 563 | ⊙ | " Cyanus (Blue-bonnet) | 1, 4 | 0, 2 | |
| 564 | " | " " azurea (Emperor William), blue | 1, 10 | 0, 2 | |
| 565 | " | " " alba, pure white | 1, 10 | 0, 2 | |
| 566 | " | " " nana compacta „Victoria“, Novelty, blue, very dwarf compact, elegant pr. packet 1d | 9, 0 | 0, 8 | |
| 569 | " | " " depressa, dark blue | 0, 9 | 0, 1 | |
| 570 | " | " " fl. roseo | 0, 8 | 0, 1 | |
| 571 | 4 | " " gymnocarpa, silvery-leaved | 8, 0 | 0, 7 | |
| 576 | ⊙ | " " moschata, blue (Sweet Sultan) | 2, 6 | 0, 3 | |
| 577 | " | " " fl. albo | 2, 9 | 0, 3 | |
| 578 | " | " " fl. atropurpureo | 2, 6 | 0, 3 | |
| 580 | " | " Margaritæ, new, pure white, pr. packet 1d. | 20, 0 | 1, 5 | |
| 581 | " | " odorata, new, light purple, pr. packet 1d. | 20, 0 | 1, 5 | |
| 582 | " | " suaveolens, yellow | 5, 6 | 0, 5 | |

| No. | | | per lb. | | per oz. |
|-----|---|--|---------|-------|---------|
| | | | s. d. | s. d. | |
| 586 | ⊙ | Centranthus macrosiphon, red | 1, 3 | 0, 2 | |
| 588 | " | " " fl. albo | 1, 10 | 0, 2 | |
| 589 | " | " " bicolor | 1, 3 | 0, 2 | |
| 590 | " | " " nanus, dwarf red | 1, 3 | 0, 2 | |
| 591 | " | " " albus | 1, 3 | 0, 2 | |
| 592 | 4 | Cerastium Biebersteini, creeping Mouse-ear | 7, 3 | 0, 7 | |
| 594 | 4 | Chamaepeuce Casabonae (Fishbone Thistle) | 0, 0 | 0, 7 | |
| 595 | " | " diacantha, very nice (Ivory Thistle) | 4, 6 | 0, 4 | |

⊙ GERMAN STOCKS.

(Cheiranthus annuus, autumnalis and incanus.)

The culture of Stocks forms one of my Specialities. They are grown by me on a very large scale, partly in pots, partly in the open ground in beds prepared only for this purpose. In cultivating them, the greatest care is applied to the good habit and purity and beauty of the colours. The seeds offered will produce 70 to 80 per cent of double flowers. My customers may confidently rely on my serving them only with seeds of very best quality, in every respect calculated to give them entire satisfaction.

| No. | | | per lb. | | per oz. |
|-----|--|---|---------|-------|---------|
| | | | s. d. | s. d. | |
| | | Dwarf German Ten-week Stock, in 30 very fine colours. | | | |
| | | Light violet, dark carmine, dark mordoré, carmine, pure yellow, chamois, white, flesh colour, black brown, light chamois, crimson, light brown, rose, copper red, apple blossom, dark crimson, azure blue, dark blue, dark chamois, ash gray, chestnut colour, peach blossom, brown violet, isabel colour, white changing to rose, dark blood red, lilac, dark violet, bright lilac carmine purple. | | | |
| 601 | | Each colour separate, I quality pr. 1/8 oz. 6d | 46, 0 | 3, 2 | |
| 602 | | Finest mixed, I quality | 36, 0 | 2, 4 | |
| 603 | | Each colour separate, ground-seed | 32, 0 | 2, 2 | |
| 604 | | Finest mixed, ground-seed | 20, 0 | 1, 5 | |
| | | Dwarf German Ten-week Stock Wallflower-leaved, in 12 finest colours. | | | |
| | | Violet, white, brick red, crimson, dark carmine, black brown, peach blossom, light lilac, light blue, redbrown, sulphur yellow, flesh colour. | | | |
| 611 | | Each colour separate, I quality pr. 1/8 oz. 8d | 0, 0 | 3, 6 | |
| 612 | | Finest mixed, I quality | 41, 0 | 2, 9 | |
| 614 | | Finest mixed, ground-seed | 27, 0 | 1, 10 | |
| | | Largest-flowering German Ten-week Stock, in 30 splendid colours. | | | |
| | | Dark blue, rose, carmine, white, light blue, ash gray, light brown, crimson, white dwarf, bright red, black brown, flesh colour, chamois, purple violet, violet, carmine rose, canary yellow, sulphur yellow, aurora colour, copper red, dark blood red, rose yellow tinged, lilac red, bright rose, dark crimson, purple carmine, chestnut colour, blackviolet, purple brown, brown violet. | | | |
| 618 | | Each colour separate, I quality pr. 1/8 oz. 8d | 55, 0 | 3, 8 | |
| 619 | | Finest mixed, I quality | 46, 0 | 3, 0 | |
| 620 | | Finest mixed, ground-seed | 26, 0 | 1, 9 | |
| | | Largest flowering German Ten-week Stock, Wallflower-leaved, in 8 very fine colours. | | | |
| | | Dark blood red, dark violet, sulphur yellow, copper red, white, dark blue, porcelain blue, crimson. | | | |
| 624 | | Each colour separate pr. 1/8 oz. 10d | 0, 0 | 5, 2 | |
| 625 | | Finest mixed | 55, 0 | 3, 8 | |
| | | Largest-flowering Pyramidal Ten-week Stock, in 12 finest colours. | | | |
| | | Red brown, dark blue, apple blossom, dark crimson, salmon rose, chamois, brilliant lilac, lightblue, black brown, white, carmine, nankeen yellow. | | | |
| 629 | | Each colour separate pr. 1/8 oz. 9d | 0, 0 | 4, 8 | |
| 630 | | Finest mixed | 60, 0 | 4, 0 | |

per lb. per oz.
s. d. s. d.
On account of the very abundant crop I have quoted these prices very low.

| No. | | per lb. | per oz. |
|--|-------|---------|---------|
| | | s. d. | s. d. |
| Largest-flowering Dwarf Pyramidal Ten-week Stock, in 12 very fine colours. | | | |
| White, rose, copper red, crimson, dark blue, brilliant yellow, black-brown, light blue, apple blossom, azure blue, chamois, darkbloodred, (new). | | | |
| 635 Each colour separate.....pr. 1/8 oz. 1 1/8s | 0, 0 | 7, 6 | |
| 636 Finest mixed..... | 0, 0 | 6, 3 | |
| New Largest-flowering Tree or Giant Ten-week Stock, in 12 splendid colours. | | | |
| Dark blue, crimson, rose, white, light blue, black brown, flesh colour, chamois, dark crimson, lilac rose, canary yellow, copperchamois. | | | |
| 639 Each colour separate.....pr. 1/8 oz. 9d | 0, 0 | 4, 8 | |
| 640 Finest mixed..... | 55, 0 | 3, 8 | |
| New Largest-flowering Ten-week Stock „Dresden“, in 8 very splendid colours. | | | |
| Snow white, dark blue, dark carmine, red brown, light blue, flesh colour, canary yellow, rose. | | | |
| 645 Each colour separate.....pr. 1/8 oz. 9d | 64, 0 | 4, 4 | |
| 646 Finest mixed..... | 55, 0 | 3, 8 | |
| 649 New Largest-flowering Improved Ten-week Stock „Dresden“ (Giant-Tree) snow-white, of enormous long flower spikes and well shaped flowers..... | 75, 0 | 5, 3 | |
| Newest German Victoria Bouquet Ten-week Stock, in 6 very fine colours. | | | |
| Darkbloodred, purple carmine, white, rose, light blue, canary yellow. | | | |
| 661 Each colour separate.....pr. 1/8 oz. 10d | 0, 0 | 5, 9 | |
| 662 Finest mixed..... | 68, 0 | 4, 8 | |
| ♂ Autumnal or Intermediate Stock, in 8 splendid colours. | | | |
| Light blue, violet, rose, copper red, dark blue, flesh colour, white, crimson. | | | |
| 673 Each colour separate I quality.....pr. 1/8 oz. 1 1/8s | 0, 0 | 8, 6 | |
| 674 Finest mixed.....pr. 1/8 oz. 1 1/8s | 0, 0 | 7, 6 | |
| ♂ Largest-flowering perpetual or Emperor Stock, in 8 splendid colours. | | | |
| White, violet, light blue, rose, crimson, bright rose copper, dark blood red, flesh colour. | | | |
| 679 Each colour separate I quality.....pr. 1/8 oz. 1 1/8s | 0, 0 | 11, 0 | |
| 680 Finest mixed.....pr. 1/8 oz. 1 1/8s | 0, 0 | 9, 0 | |
| ♂ Winter or Brompton Stock, in 8 splendid colours. | | | |
| Dark blue, white (dark-seeded), black brown, light blue, bright rose, crimson, copper red, purple. | | | |
| 683 Each colour separate I quality.....pr. 1/8 oz. 1 1/8s | 0, 0 | 7, 6 | |
| 684 Finest mixed.....pr. 1/8 oz. 1s | 0, 0 | 6, 3 | |
| ♂ Coardeau or Tree Giant Cape Winter Stock, in 6 fine colours. | | | |
| Rose, white, dark blue, crimson, azure blue, violet purple. | | | |
| 687 Each colour separate I quality.....pr. 1/8 oz. 1 1/8s | 0, 0 | 7, 6 | |
| 688 Finest mixed.....pr. 1/8 oz. 1s | 0, 0 | 6, 3 | |

♂ GERMAN WALLFLOWER. (Cheiranthus Cheiri.)

| No. | Seed from selected plants. | per lb. | per oz. |
|--|----------------------------|---------|---------|
| | | s. d. | s. d. |
| 691 Tall Tree, dark brown extra double, pr. 1000 seeds 9d pr. packet 2d | | 0, 0 | 3, 9 |
| 692 „ „ brown „ „ pr. 1000 seeds 8d pr. packet 2d | | 0, 0 | 3, 6 |
| 693 „ „ yellow „ „ pr. 1000 seeds 9d pr. packet 2d | | 0, 0 | 3, 9 |
| 694 „ „ canary-yellow „ „ pr. 1000 seeds 10d pr. packet 2d | | 0, 0 | 4, 3 |
| 695 „ „ violet „ „ pr. 1000 seeds 11d pr. packet 2d | | 0, 0 | 5, 2 |
| 696 „ „ varieties finest mixed..... | | 0, 0 | 3, 2 |

| No. | | per lb. | per oz. |
|--|--|---------|---------|
| | | s. d. | s. d. |
| 698 Dwarf Tree dark brown extra double, pr. 1000 seeds 1s pr. packet 3d | | 0, 0 | 5, 9 |
| 699 „ „ violet „ „ pr. 1000 seeds 1s pr. packet 3d | | 0, 0 | 6, 3 |
| 700 „ „ varieties finest mixed..... | | 0, 0 | 5, 9 |
| 704 Tall Branching dark brown extra double, pr. 1000 seeds 9d, pr. packet 2d | | 0, 0 | 4, 0 |
| 705 „ „ canary yellow extra double pr. 1000 seeds 9d pr. packet 2d | | 0, 0 | 4, 0 |
| 706 „ „ yellow „ „ pr. 1000 seeds 10d pr. packet 2d | | 0, 0 | 4, 3 |
| 707 „ „ violet „ „ pr. 1000 seeds 10d pr. packet 2d | | 0, 0 | 4, 3 |
| 708 „ „ varieties finest mixed..... | | 0, 0 | 3, 9 |
| 710 Dwarf Branching, dark brown extra double pr. 1000 seeds 1s, pr. packet 2d | | 0, 0 | 5, 0 |
| 711 „ „ yellow extra double...pr. 1000 seeds 1s pr. packet 2d | | 0, 0 | 5, 0 |
| 712 „ „ blue extra double...pr. 1000 seeds 1s, pr. packet 2d | | 0, 0 | 5, 6 |
| 713 „ „ varieties finest mixed..... | | 0, 0 | 4, 6 |
| 716 German Wallflower, all aforesaid double varieties finest mixed..... | | 0, 0 | 3, 0 |
| 718 Largest-flowered Aurora, new, brilliant chamois, single | | 9, 0 | 0, 8 |
| 719 „ „ golden yellow Branching single (Cloth of Gold)..... | | 1, 10 | 0, 2 |
| 720 „ „ common brown Tall Branching, single | | 2, 3 | 0, 2 |
| 724 „ „ dark brown Dwarf Branching, single | | 4, 6 | 0, 4 |
| 725 „ „ violet „ „ | | 2, 4 | 0, 2 |
| 726 „ „ golden yellow Dwarf Branching (Tom Thumb), single..... | | 3, 8 | 0, 4 |
| 728 „ „ black brown (Dresden) single..... | | 3, 2 | 0, 3 |
| 730 „ „ finest mixed..... | | 2, 3 | 0, 2 |
| 731 ♂ Cheiranthus Cheiri semperflorens, Everflowering Paris Summer and Winter Wallflower, Novelty. Light brown..... | | 3, 8 | 0, 4 |
| 735 „ „ yellow, new..... | | 3, 8 | 0, 4 |
| 736 „ „ brown, new..... | | 3, 8 | 0, 4 |
| 740 ♂ Cheiranthus maritimus (Malcolmia marit.), red (Virginian Stock).....pr. 28 lbs. 0s | | 1, 0 | 0, 1 |
| 741 „ „ maritimus fl. albo, white.....pr. 28 lbs. 0s | | 1, 2 | 0, 2 |
| 742 „ „ crimson King..... | | 1, 3 | 0, 2 |
| 746 ♂ Chrysanthemum carinatum album, white..... | | 1, 8 | 0, 2 |
| 748 „ „ carinatum annulatum..... | | 1, 10 | 0, 2 |
| 749 „ „ atrococcineum..... | | 2, 3 | 0, 2 |
| 750 „ „ Burridgeanum tricolor..... | | 2, 0 | 0, 2 |
| 751 „ „ luteum, yellow..... | | 1, 4 | 0, 2 |
| 752 „ „ purpureum..... | | 1, 10 | 0, 2 |
| 753 „ „ tricolor Dunnetti fl. pl., white double | | 7, 3 | 0, 7 |
| 754 „ „ „ fl. pl., golden double. | | 7, 3 | 0, 7 |
| 755 „ „ hybridum fl. pleno..... | | 7, 3 | 0, 7 |
| 760 „ „ finest mixed..... | | 1, 4 | 0, 2 |
| 761 „ „ coronarium album fl. pleno..... | | 1, 2 | 0, 2 |
| 762 „ „ coronarium luteum fl. pleno..... | | 1, 4 | 0, 2 |
| 763 „ „ inodorum plenissimum, pure white..... | | 8, 2 | 0, 7 |
| 766 74 „ „ maximum (Perennial), white, very large flowering.....pr. packet 1d, | | 9, 0 | 0, 8 |
| 767 „ „ maximum „Perfection“, Flowers about 5 to 6 inches in diameter with yellow centre.....pr. packet 1d, | | 12, 0 | 0, 10 |
| 780 △ Cineraria hybrida, choicest mixed 1st. quality extra, pr. 1/8 oz. 3 1/2s, pr. packet 3d | | 0, 0 | 22, 0 |
| 783 „ „ maxima light-flowering, finest varieties mixed pr. 1/8 oz. 6 1/2s, pr. packet 4d | | 0, 0 | 45, 0 |
| 784 „ „ hybrida, very good quality pr. 1/8 oz. 1 1/8s, pr. packet 2d | | 0, 0 | 11, 6 |

| No. | | per lb. | per oz. |
|-----|--|---------|---------|
| | | s. d. | s. d. |
| 785 | △ <i>Cineraria hybrida</i> <i>coerulea</i> , splendid blue pr. 1/8 oz. 2s, pr. packet 3d | 0, 0 | 14, 0 |
| " | " <i>hybrida</i> <i>fol. variegatis</i> see Nov. | | |
| 788 | " " <i>nana</i> , dwarf of compact growth pr. 1/8 oz. 3 1/2s, pr. packet 3d | 0, 0 | 22, 0 |
| 789 | " " " <i>maxima</i> , <i>giant-flowering</i> , Dwarf pr. 1/8 oz. 6 1/2s, pr. packet 4d | 0, 0 | 45, 0 |
| 790 | " " " <i>kermesina</i> , dwarf crimson pr. 1/8 oz. 5s, pr. packet 3d | 0, 0 | 35, 0 |
| 791 | " " " <i>fl. pleno</i> , 1st. Quality, extra double pr. 1/8 oz. 6s, pr. packet 4d | 0, 0 | 45, 0 |
| 792 | " <i>hybrida fl. pleno</i> , good Quality, pr. 1/8 oz. 3 1/2s, pr. packet 3d | 0, 0 | 25, 0 |
| 795 | " <i>maritima</i> , silvery-leaved | 2, 9 | 0, 3 |
| 796 | " <i>candidissima</i> | 3, 8 | 0, 4 |
| 800 | ○ <i>Clarkia elegans fl. albo pleno</i> , double | 1, 6 | 0, 2 |
| 801 | " " <i>carneo pleno</i> | 1, 5 | 0, 2 |
| 802 | " " <i>roseo pleno</i> | 1, 6 | 0, 2 |
| 803 | " " <i>violaceo pleno</i> | 1, 6 | 0, 2 |
| 804 | " " <i>fl. pl. Purple King</i> , extra double | 1, 5 | 0, 2 |
| 808 | " " <i>fl. pl.</i> , finest mixed | 1, 3 | 0, 2 |
| 810 | " <i>pulchella</i> , red | 1, 4 | 0, 2 |
| 811 | " <i>fl. albo</i> | 1, 4 | 0, 2 |
| 812 | " <i>fl. albo Tom Thumb</i> | 1, 6 | 0, 2 |
| 813 | " <i>flore pleno</i> , double red | 1, 6 | 0, 2 |
| 814 | " <i>integripetala</i> , crimson | 1, 3 | 0, 2 |
| 815 | " <i>fl. albo</i> | 1, 4 | 0, 2 |
| 818 | " <i>marginata</i> | 1, 4 | 0, 2 |
| 819 | " <i>fl. pleno</i> , double | 1, 8 | 0, 2 |
| 820 | " <i>Mrs. Langtry</i> , new dwarf, carmine and white, beautiful | 1, 10 | 0, 2 |
| 825 | " <i>finest mixed</i> | 1, 0 | 0, 1 |
| 826 | " <i>pulcherrima</i> , dark crimson | 1, 3 | 0, 2 |
| 830 | ○ <i>Clianthus Dampieri</i> pr. 100 seeds 9s, pr. packet 3d | 0, 0 | 11, 6 |
| 834 | ○ <i>Clintonia pulchella</i> , violet, fine and delicate | 0, 0 | 6, 3 |
| 837 | ○ <i>Cobaea scandens</i> | 12, 9 | 1, 2 |
| 838 | " <i>fl. albo</i> per packet 1d | 21, 0 | 1, 5 |
| 839 | ○ <i>Coix Lacrymae</i> (Job's Tears) | 0, 7 | 0, 1 |
| 840 | △ <i>Coleus hybridus</i> various finest varieties, mixed per 1/16 oz. 2 1/2s, pr. packet 4d | 0, 0 | 17, 0 |
| 846 | " <i>good quality</i> , pr. 1/16 oz. 1 1/2s, pr. packet 3d | 0, 0 | 7, 6 |
| 847 | ○ <i>Collinsia bartsiaefolia</i> | 2, 4 | 0, 2 |
| 848 | " <i>bicolor</i> | 0, 9 | 0, 1 |
| 849 | " <i>candidissima</i> , pure white | 0, 10 | 0, 1 |
| 850 | " <i>grandiflora</i> , blue | 1, 2 | 0, 2 |
| 856 | " <i>grandiflora carminea</i> , Novelty | 0, 0 | 3, 3 |
| 858 | " <i>multicolor</i> | 0, 10 | 0, 1 |
| 859 | " <i>marmorata</i> | 0, 10 | 0, 1 |
| 860 | " <i>verna</i> , very nice for spring bedding | 1, 6 | 0, 2 |
| 862 | " <i>finest mixed</i> | 0, 8 | 0, 1 |
| 865 | ○ <i>Collomia coccinea</i> , scarlet | 0, 7 | 0, 1 |
| 866 | ○ <i>Commelina coelestis</i> (Blue Day-flower) | 2, 4 | 0, 2 |
| 868 | " <i>alba</i> | 2, 4 | 0, 2 |
| 870 | ○ <i>Convolvulus tricolor</i> (minor) pr. 14 lbs. 5 1/2s | 0, 6 | 0, 1 |
| 871 | " <i>albus</i> pr. 14 lbs. 6s | 0, 6 | 0, 1 |
| 872 | " <i>azureus</i> pr. 14 lbs. 0s | 0, 6 | 0, 1 |
| 873 | " <i>splendens</i> pr. 14 lbs. 0s | 0, 6 | 0, 1 |
| 875 | " <i>striatus</i> pr. 14 lbs. 0s | 0, 6 | 0, 1 |
| 877 | " <i>roseus</i> , new pr. 14 lbs. 0s | 0, 6 | 0, 1 |
| 879 | " <i>finest mixed</i> pr. 14 lbs. 5 1/2s | 0, 5 | 0, 1 |
| 880 | " <i>compactus</i> mixed. Novelty 1898. Dwarf, compact pr. pack. 2d | 0, 0 | 2, 10 |
| 884 | ♀ <i>Coreopsis grandiflora</i> , very large-flowering, golden yellow | 5, 0 | 0, 5 |
| 885 | ○ <i>Cosmea bipinnata purpurea</i> | 5, 6 | 0, 5 |
| 886 | " <i>sulphurea</i> (<i>Bidens sulphurea</i>) new, dwarf, yellow | 4, 6 | 0, 4 |

| No. | | per lb. | per oz. |
|-----|---|---------|---------|
| | | s. d. | s. d. |
| 888 | ○ <i>Crepis alba</i> | 1, 2 | 0, 2 |
| 889 | " <i>barbata</i> , golden | 1, 3 | 0, 2 |
| 891 | " <i>rubra</i> , lightrose | 1, 2 | 0, 2 |
| 892 | △ <i>Cuphea miniata</i> , scarlet pr. packet 1d | 0, 0 | 0, 5 |
| 893 | " △ <i>platycentra</i> , fiery red pr. packet 4d | 0, 0 | 10, 0 |
| 894 | ○ <i>purpurea</i> , violet purple | 3, 2 | 0, 3 |
| 896 | " <i>sileneoides</i> , darkbrown | 2, 9 | 0, 3 |
| 900 | △ <i>Cyclamen persicum giganteum magnificum</i> white and red spotted, pr. packet 5d, pr. 1000 seeds 7 1/2s | 0, 0 | 20, 0 |
| 901 | " " <i>grandiflorum splendens</i> shining darkred, pr. 1000 seeds 11s pr. packet 6d | 0, 0 | 28, 0 |
| 902 | " " <i>splendens</i> white and red eyed, pr. packet 5d, pr. 1000 seeds 7s | 0, 0 | 18, 6 |
| 903 | " " <i>splendens</i> <i>Montblanc</i> , pure white, pr. packet 8d, pr. 1000 seeds 15s | 0, 0 | 0, 0 |
| 904 | " " <i>splendens</i> <i>rose</i> (<i>Marienthal</i>), pr. packet 6d, pr. 1000 seeds 11s | 0, 0 | 28, 0 |
| 905 | " " <i>William's New Brilliant</i> , darkblood- red, pr. packet 8d, pr. 1000 seeds 14s | 0, 0 | 0, 0 |
| 908 | " " <i>grandifl. splendens</i> , finest mixed, pr. pack. 5d, pr. 1000 seeds 8s | 0, 0 | 20, 0 |
| 912 | ○ <i>Cyclanthera explosens</i> | 5, 6 | 0, 5 |
| 913 | ○ <i>Cynoglossum coelestinum</i> | 0, 11 | 0, 1 |
| 914 | " <i>linifolium</i> (<i>Venus's Navelwort</i>) pr. 14lb. 6s | 0, 6 | 0, 1 |
| 915 | ♀ <i>Dahlia variabilis fl. pleno</i> (<i>Georgina</i>) finest double varieties, choicest mixed pr. packet 1d | 20, 0 | 1, 5 |
| 916 | " <i>variabilis fl. pleno</i> finest <i>Liliput</i> or <i>Bouquet</i> vars. mixed pr. packet 2d | 27, 0 | 1, 10 |
| 918 | " <i>single</i> extra choic. mixed, pr. pack. 1d | 3, 8 | 0, 4 |
| 920 | " <i>striata</i> , single striped | 6, 10 | 0, 6 |
| 922 | " <i>grandiflora</i> , single giant <i>Dahlia</i> , choicest mixed pr. packet 1d | 0, 0 | 0, 10 |
| 925 | " <i>grandifl. striata</i> , single giant striped, pr. packet 2d | 0, 0 | 2, 4 |
| 926 | " " <i>Juarezi</i> , single <i>Cactus Dahlia</i> , flowers of bizarre forms in different colours pr. packet 1d | 18, 0 | 1, 3 |
| 930 | " <i>hybrida</i> „ <i>Excelsior</i> “, Single <i>Cactus Hybrid</i> . Novelty Grashoff 1898 pr. 1/2 oz. 10d, pr. pkt. 3d | 0, 0 | 5, 9 |
| 934 | ○ <i>Datura ceratocaula</i> (<i>Horn shaped Datura</i>) | 5, 6 | 0, 5 |
| 935 | " <i>fastuosa fl. albo pleno</i> | 5, 0 | 0, 5 |
| 937 | " <i>Huberiana fl. pleno</i> , finest mixed | 5, 0 | 0, 5 |
| 938 | " <i>humilis fl. pleno</i> , yellow | 5, 0 | 0, 5 |

○ GERMAN LARKSPURS. (*Delphinium*.)

Double Tall German Rocket Larkspur (*Delphinium*
Ajacio elatior fl. pleno) in 8 splendid colours.
Rose, white, dark blue, light blue, brick red,
ash blue, light brick red, poppy gray.

945 Each colour separate pr. 14 lbs. 0s
946 Finest mixed pr. 14 lbs. 0s

Double Dwarf German Rocket Larkspur (*hyacinth-*
flowered) (*Delphinium Ajacio hycanthiflorum fl.*
pleno), in 13 distinct colours.

White, red lilac, bright rose, dark blue, light
blue, peach blossom, flesh colour, light lilac, brick
red, azure blue, lilac rose, chocolate colour.

| No. | | per lb. | per oz. |
|---|---|---------|---------|
| | | s. d. | s. d. |
| 949 | Each colour separate | 2, 9 | 0, 3 |
| 950 | Finest mixed. pr. 14 lb. Os | 1, 10 | 0, 2 |
| Double Ranunculus-flowered Rocket Larkspur (Delphinium <i>Ajace ranunculiflorum plenissimum</i>) in 6 fine colours. | | | |
| <i>Ash gray, rose, flesh colour, brick red, white, violet.</i> | | | |
| 955 | Each colour, separate | 2, 9 | 0, 3 |
| 956 | Finest mixed. | 1, 10 | 0, 2 |
| Double Tall Branching Stock-flowered Larkspur (Delphinium <i>Consolida fl. pleno</i>) in 8 splendid colours. | | | |
| <i>Dark blue, light blue, rose, white, rose and blue spotted, dark rose, lilac, flesh colour.</i> | | | |
| 958 | Each colour separate | 2, 3 | 0, 2 |
| 959 | Finest mixed. | 1, 10 | 0, 2 |
| New Double Imperial Branching Larkspur (Delphinium <i>Consolida imperiale fl. pleno</i>) in 6 very fine colours. | | | |
| <i>Black blue, tricolor, red striped, rose, azure blue, violet.</i> | | | |
| 962 | Each colour separate | 3, 2 | 0, 3 |
| 963 | Finest mixed | 2, 3 | 0, 2 |
| 970 | ⊙ <i>Delphinium cardiopetalum</i> , violet | 1, 10 | 0, 2 |
| 971 | ⌘ " <i>cashemirianum</i> , new . . . pr. packet 2d | 0, 0 | 4, 4 |
| 972 | " " <i>chinense</i> , finest mixed | 3, 8 | 0, 4 |
| 973 | " " <i>elatum</i> (amoenum) | 1, 10 | 0, 2 |
| 974 | " " <i>formosum</i> , ultramarine | 0, 0 | 1, 2 |
| 975 | " " <i>nudicaule</i> , scarlet . . . pr. packet 2d | 0, 0 | 4, 4 |
| 976 | " " <i>perenne</i> , finest mixed | 3, 2 | 0, 3 |
| 980 | ⊙ <i>Dianthus barbatus</i> (Sweet William) | 1, 2 | 0, 2 |
| 981 | " " <i>flore pleno</i> , double mixed | 4, 6 | 0, 4 |
| 982 | " " <i>Dunnetti</i> , brilliant blood-red | 2, 9 | 0, 3 |
| 983 | " " <i>marginatus</i> | 1, 4 | 0, 2 |
| 984 | " " " <i>fl. pleno</i> | 0, 0 | 6, 6 |
| 985 | " " <i>nigricans</i> , blackred extra | 2, 4 | 0, 2 |
| 990 | " <i>Caryophyllus fl. pleno</i> (Carnations) saved from selected Stage-flowers extra double, choice mixed, 1st. Quality, pr. 1000 seeds 10s, pr. 100 seeds 1½s, pr. packet 5d | 0, 0 | 0, 0 |
| 991 | ⊙ <i>Dianthus Caryophyllus fl. pl.</i> (Carnations) ground seed 1st Quality . . . pr. packet 3d | 0, 0 | 6, 0 |
| 992 | " " <i>fl. pleno</i> , II ^d Quality | 22, 9 | 1, 6 |
| 993 | " " <i>Grenadin</i> , fiery scarlet, pr. packet 2d | 46, 0 | 3, 2 |
| 995 | " " " extra double Dwarf mixed, early flowering . . . pr. packet 1d | 16, 4 | 1, 2 |
| 996 | ⊙ ♂ " <i>nanus fl. pl. Margaritæ</i> , Dwarf Double Margaret Carnation finest mixed | 18, 0 | 1, 3 |
| 997 | " " <i>caryophyllus fl. pl. Margaritæ ameliorata</i> , Margaret Carnation Improved | 0, 0 | 2, 4 |
| 1004 | ⊙ " <i>chinesis flore pleno</i> (Indian or China Pink) extra double | 4, 0 | 0, 4 |
| 1005 | " " <i>imperialis fl. pleno</i> (Imperial Pink) finest mixed | 4, 0 | 0, 4 |
| 1006 | " " " <i>fl. albo pleno</i> | 6, 4 | 0, 6 |
| 1010 | " " " <i>fl. atrosanguineo pleno</i> | 7, 4 | 0, 7 |
| 1012 | " " " <i>nanus sanguineus flore pleno</i> , bloodred dwarf | 8, 2 | 0, 7 |
| 1013 | " " <i>Heddwigi</i> (giganteus) (Japan Pink) | 5, 6 | 0, 5 |
| 1014 | " " <i>albus grandiflorus fl. pleno</i> | 9, 0 | 0, 8 |
| 1015 | " " <i>atropurpureus fl. pleno</i> | 9, 0 | 0, 8 |
| 1016 | " " " <i>albo-marginatus fl. pl.</i> , Mourning-cloak | 12, 9 | 1, 0 |
| 1017 | " " <i>diadematus fl. pl.</i> (Diadem-Pink) | 12, 9 | 1, 0 |
| 1018 | " " " <i>nanus flore pleno</i> (new dwarf Diadem-Pink) | 16, 4 | 1, 2 |

| No. | | per lb. | per oz. |
|---|---|---------|---------|
| | | s. d. | s. d. |
| 1019 | ⊙ <i>Dianthus Heddwigi</i> "the Bride", pure white with purple centre | 12, 0 | 0, 10 |
| 1020 | " " <i>Heddwigi Eastern Queen</i> | 9, 0 | 0, 8 |
| 1026 | " " <i>hybridus fl. pleno</i> | 9, 0 | 0, 8 |
| 1028 | " " <i>nanus flore pleno cupreo-coccineus</i> , shining copper-scarlet | 12, 9 | 1, 0 |
| 1029 | " " " <i>albus</i> , white | 16, 4 | 1, 2 |
| 1030 | " " <i>lacinatus</i> , finest mixed | 6, 4 | 0, 6 |
| 1036 | " " <i>fl. pleno</i> , double varieties | 11, 0 | 0, 10 |
| 1042 | ⌘ " <i>plumarius</i> (Feathered Pink) | 1, 4 | 0, 2 |
| 1043 | " " <i>fl. pleno</i> , new double pr. packet 2d | 0, 0 | 2, 4 |
| 1044 | ⌘ <i>Digitalis ferruginea gigantea</i> , yellow brown | 0, 0 | 0, 2 |
| 1048 | " " <i>gloxiniaeflora</i> (Fox-glove) | 1, 10 | 0, 2 |
| 1049 | " " <i>purpurea</i> | 0, 11 | 0, 1 |
| 1050 | " " <i>fl. albo</i> | 2, 3 | 0, 2 |
| 1052 | ⊙ <i>Dracocephalum moldavicum</i> , violet | 0, 5 | 0, 1 |
| 1054 | ⊙ <i>Echeveria</i> , various sorts mixed, pr. 1000 seeds 3s, pr. packet 4d | 0, 0 | 0, 0 |
| 1056 | ⊙ <i>Eragrostis elegans</i> (Love Grass) | 1, 2 | 0, 2 |
| 1059 | " <i>Erodium gruinum</i> (Heron's bill) | 1, 4 | 0, 2 |
| 1060 | ⌘ <i>Eryngium planum</i> , Fever-Wort, ornamental | 2, 9 | 0, 3 |
| 1066 | ⌘ <i>Erysimum Arcansanum</i> (Hedge-Mustard) | 1, 10 | 0, 2 |
| 1067 | " " <i>Perofskianum</i> , orange | 0, 11 | 0, 1 |
| 1068 | ⊙ <i>Erythrina crista galli</i> , pr. 100 seeds 1½s, pr. packet 1d | 0, 0 | 0, 8 |
| 1069 | ⊙ <i>Eschscholtzia alba</i> | 1, 9 | 0, 2 |
| 1071 | " " <i>aurantiaca</i> , golden | 1, 10 | 0, 2 |
| 1072 | " " <i>californica</i> , bright yellow | 1, 10 | 0, 2 |
| 1073 | " " <i>crocea</i> , orange | 1, 10 | 0, 2 |
| 1076 | " " <i>purpurea</i> , dark purple (Grashoff) | 2, 9 | 0, 3 |
| 1077 | " " <i>rosea</i> (Grashoff) | 1, 10 | 0, 2 |
| 1078 | " " finest mixed | 1, 9 | 0, 2 |
| 1080 | ⊙ <i>Eucalyptus globulus</i> (Blue Gum Tree) | 12, 9 | 1, 0 |
| 1084 | " <i>Eutoca viscida</i> , blue | 2, 0 | 0, 2 |
| 1088 | " <i>Fuchsia hybrida</i> , single and double finest mixed 1st quality . . . 1000 seeds 5½s, 100 seeds 8d, pr. packet 6d | 0, 0 | 0, 0 |
| 1090 | ⌘ <i>Funkia</i> , mixed from the finest specimens | 0, 0 | 2, 10 |
| 1094 | " <i>Gaillardia bicolor</i> | 2, 9 | 0, 3 |
| 1095 | " " <i>grandiflora</i> , mixed | 4, 6 | 0, 4 |
| 1098 | ⊙ " <i>pecta</i> | 1, 7 | 0, 2 |
| 1099 | " " <i>albo-marginata</i> | 1, 7 | 0, 2 |
| 1100 | " " <i>fistulosa fl. pleno</i> (Novelty Grashoff) extra double varieties | 2, 9 | 0, 3 |
| 1106 | " <i>Gamolepis Tagetes</i> , golden | 2, 9 | 0, 3 |
| 1107 | ⌘ <i>Gentiana acaulis</i> , Dwarf Gentian . pr. packet 1d | 9, 0 | 0, 8 |
| 1108 | ⊙ <i>Gesneria cardinalis</i> , scarlet . pr. 1000 seeds 5d, pr. ½ oz. 6s, pr. packet 3d | 0, 0 | 0, 0 |
| 1109 | ⌘ <i>Geum coccineum</i> (chiloense) | 4, 6 | 0, 4 |
| 1110 | " " <i>atrosanguineum fl. pleno</i> , double | 6, 4 | 0, 6 |
| 1115 | ⊙ <i>Gilia linifolia</i> , white, graceful | 4, 2 | 0, 4 |
| 1116 | " " <i>tricolor</i> | 0, 7 | 0, 1 |
| 1117 | " " <i>fl. albo</i> | 0, 7 | 0, 1 |
| 1118 | " <i>Glaucium luteum</i> (Horn Poppy), yellow | 1, 4 | 0, 2 |
| 1120 | " " <i>phoeniceum</i> , orange | 1, 6 | 0, 2 |
| △ <i>Gloxinia hybrida grandiflora</i>. | | | |
| 1121 | ⊙ <i>Gloxinia crassifolia erecta</i> . . . pr. ½ oz. 5½s, pr. 1000 seeds 5d, pr. packet 3d | 0, 0 | 78, 0 |
| 1122 | " " <i>horizontalis</i> . . . pr. ½ oz. 5½s, pr. 1000 seeds 5d, pr. packet 3d | 0, 0 | 78, 0 |
| 1123 | " " <i>pendula</i> . . . pr. ½ oz. 5½s, pr. 1000 seeds 5d, pr. packet 3d | 0, 0 | 78, 0 |
| 1126 | " " " finest mixed . . . pr. ½ oz. 4½s, pr. 1000 seeds 4d, pr. packet 3d | 0, 0 | 68, 0 |

| No. | | per lb. | per oz. | No. | | per lb. | per oz. |
|------|---|---------|---------|------|--|---------|---------|
| | | s. d. | s. d. | | | s. d. | s. d. |
| 1129 | △ <i>Gloxinia hybrida grandiflora</i> , finest tigré, french splendid varieties of first Quality, pr. 1/16 oz. 5s, pr. 1000 seeds 5d, pr. packet 4d | 0, 0 | 68, 0 | 1218 | ○ <i>Helichrysum monstrosum nanum fl. albo pleno</i> ... | 7, 3 | 0, 7 |
| 1132 | " " <i>Defiance</i> , new, scarlet, pr. 1/16 oz. 13s, pr. 1000 seeds 1s, pr. packet 5d | 0, 0 | 0, 0 | 1219 | " " <i>monstrosum nanum fl. atrosanguineo pleno</i> , dwarf bloodred | 7, 3 | 0, 7 |
| 1133 | " " <i>tigrina</i> , new, rose tigré, pr. 1/16 oz. 8 3/4s, pr. 1000 seeds 8d, pr. packet 4d | 0, 0 | 0, 0 | 1220 | " " <i>nanum fl. bruno pleno</i> | 7, 3 | 0, 7 |
| 1134 | " " <i>Emperor Frederic</i> , new, shining scarlet margin pure-white, pr. 1/4 oz. 26s, pr. 1/16 oz. 7s, pr. packet 5d | 0, 0 | 0, 0 | 1222 | " " <i>fl. luteo pleno</i> | 7, 3 | 0, 7 |
| 1135 | " " <i>Emperor William</i> , new, dark blue margin pure-white, pr. 1000 seeds 10d, pr. 1/16 oz. 10 1/2s, pr. packet 5d | 0, 0 | 0, 0 | 1224 | " " <i>roseo pl.</i> , double dwarf rose | 7, 3 | 0, 7 |
| 1140 | 74 △ <i>Gnaphalium Leontopodium</i> , Lions foot, true, this is the true Edelweiss found on the Alps pr. 1/16 oz. 1s, pr. packet 2d | 0, 0 | 5, 9 | 1226 | " " <i>fl. pl. finest mixed</i> | 5, 6 | 0, 5 |
| 1146 | ○ <i>Godetia Bijou</i> , light rose extra dwarf | 3, 8 | 0, 4 | 1228 | " " <i>compactum minimum flore pleno</i> Liliput (Grashoff Novelty) | 6, 4 | 0, 6 |
| 1147 | " " <i>Duchess of Albany</i> , new, satin white | 4, 2 | 0, 4 | 1230 | △ <i>Heliotropium</i> , saved from the finest large-flowering, light and darkest varieties mixed | 24, 0 | 1, 8 |
| 1148 | " " <i>Duke of York</i> , large flowering, scarlet-carmine | 7, 4 | 0, 7 | 1234 | △ <i>Heliotropium hybridum giganteum</i> . New Giant Heliotrope. Height about 3 1/2 feet. Clusters 10 to 12 inches, colours from pale lilac to dark violet. per packet 2d, per 1/8 oz. 8d. | 0, 0 | 3, 6 |
| 1150 | " " <i>gloriosa</i> , dark blood red, darkest of all | 9, 0 | 0, 8 | 1236 | 74 <i>Heracleum giganteum</i> (Tree Parsnip), ornamental | 1, 5 | 0, 2 |
| 1151 | " " <i>grandiflora maculata</i> , large flowering, satin white, red spotted | 3, 8 | 0, 4 | 1237 | " <i>Hesperis matronalis</i> (Rocket), violet | 0, 9 | 0, 1 |
| 1152 | " " <i>maculata compacta</i> , dwarf compact | 5, 6 | 0, 5 | 1238 | " " <i>fl. albo</i> | 0, 9 | 0, 1 |
| 1154 | " " <i>Lady Albemarle</i> , crimson | 3, 2 | 0, 3 | 1239 | " " <i>tristis</i> (Sweet Rocket) | 0, 11 | 0, 1 |
| 1156 | " " <i>compacta</i> , new | 3, 2 | 0, 3 | 1240 | " <i>Heuchera sanguinea</i> , new, crimson pr. packet 2d | 0, 0 | 2, 10 |
| 1158 | " " <i>pumila hybrida</i> , dwarf-varieties finest mixed | 5, 6 | 0, 5 | 1241 | " " <i>alba</i> , pure white pr. 1/8 oz. 1 1/2s pr. pack. 3d | 0, 0 | 8, 6 |
| 1160 | " " <i>rosea alba</i> Tom Thumb | 1, 8 | 0, 2 | 1242 | ○ <i>Hibiscus calisurus</i> , large-flowered | 0, 11 | 0, 1 |
| 1161 | " " <i>„the Bride“</i> , white and crimson | 1, 10 | 0, 2 | 1243 | 74 <i>Hieracium aurantiacum</i> (Hawkweed) | 0, 0 | 0, 10 |
| 1162 | " " <i>Whitneyi</i> , rich carmine | 1, 10 | 0, 2 | 1245 | ○ <i>Hordeum jubatum</i> per 14 lbs. 0s | 2, 6 | 0, 3 |
| 1165 | " " <i>brilliant compacta</i> , valuable for marketing | 4, 6 | 0, 4 | 1248 | △ <i>Humea elegans</i> , ornamental pr. packet 4d | 0, 0 | 0, 0 |
| 1166 | " " <i>Mandarin</i> , new, light yellow | 7, 4 | 0, 7 | 1249 | " " <i>albida</i> | 0, 0 | 0, 0 |
| 1170 | " " finest mixed | 1, 10 | 0, 2 | 1250 | " " <i>purpurea</i> , dark-purple | 4d | 0, 0 |
| 1172 | " <i>Gomphrena globosa alba</i> (Globe Amaranth), white | 1, 9 | 0, 2 | 1254 | ○ <i>Humulus japonicus</i> , China Hop. | 1d | 4, 6 |
| 1173 | " " <i>purpurea</i> , purple | 1, 9 | 0, 2 | 1256 | " " <i>variegatus</i> variegated foliage, new | 6, 9 | 0, 6 |
| 1175 | " " <i>nana compacta purpurea</i> | 2, 0 | 0, 2 | 1260 | 74 <i>Hyacinthus candicans</i> , flowers bell-shaped pure-white | 1, 2 | 0, 2 |
| 1176 | " " finest mixed | 1, 6 | 0, 2 | 1261 | ○ <i>Iberis amara</i> (Candy-Tuft), white pr. 14 lbs. 0s | 0, 8 | 0, 1 |
| 1178 | ○ <i>Gymnatrix latifolia</i> , ornamental | 6, 4 | 0, 6 | 1262 | △ " <i>gibraltarcica</i> , fine for botting, large-flowered lilac pr. packet 1d | 0, 0 | 1, 2 |
| 1179 | " <i>Gynerium argenteum</i> (Pampas Grass) | 7, 4 | 0, 7 | 1263 | ○ " <i>hesperidiflora</i> , white pr. 14 lbs. 0s | 0, 11 | 0, 1 |
| 1180 | ○ <i>Gypsophila elegans</i> pr. 14 lbs. 0s 0d | 0, 6 | 0, 1 | 1265 | " " <i>cononaria Empress</i> , growth candelabrike, with enormous pure white flower spikes | 4, 6 | 0, 4 |
| 1185 | " " <i>rosea</i> pr. 14 " 0s 0d | 0, 7 | 0, 1 | 1266 | " " <i>Princeps</i> , new. Dwarf Shape of above varieties. per packet 3d | 0, 0 | 5, 9 |
| 1186 | " " <i>muralis</i> | 3, 8 | 0, 4 | 1267 | " " <i>odorata</i> , sweet-seeded pr. 14 lbs. 6 1/2s | 0, 7 | 0, 1 |
| 1188 | 74 " <i>paniculata</i> | 5, 0 | 0, 5 | 1269 | " " <i>umbellata</i> , lilac | 1, 9 | 0, 2 |
| 1194 | ○ <i>Helianthus annuus fl. pleno</i> (Sunflower) | 1, 0 | 0, 1 | 1270 | " " <i>purpurea</i> , Dunnetti, darkest-crimson | 2, 0 | 0, 2 |
| 1195 | " " " <i>multiflorus fl. pl.</i> Novelty, very valuable. Height 4—5 feet | 1, 4 | 0, 2 | 1272 | " " <i>nana alba</i> , dwarf white | 1, 10 | 0, 2 |
| 1196 | " " " <i>cucumerifolius</i> , splendid, 3—1 feet high, very rich-flowering | 2, 9 | 0, 3 | 1273 | 74 " <i>sempervirens</i> , white | 0, 0 | 1, 0 |
| 1197 | " " " <i>„Stella“</i> , new, height 4 to 5 feet, shining golden yellow with black centre | 2, 2 | 0, 2 | 1274 | ○ " annual varieties finest mixed | 1, 5 | 0, 2 |
| 1198 | " " " <i>„Ray Sun“</i> Grashoff 1898 see Novelties! pr. packet 3d | 0, 0 | 12, 6 | | | | |
| 1202 | " " <i>globosus fistulosus fl. pleno</i> , quilled, extra double, finest of all | 2, 2 | 0, 2 | | | | |
| 1204 | " " <i>nanus fl. pleno</i> , dwarf double | 1, 10 | 0, 2 | | | | |
| 1206 | " <i>Helichrysum monstrosum flore albo pleno</i> (Everlasting), double white | 6, 4 | 0, 6 | | | | |
| 1207 | " " <i>monstrosum Borussorum rex</i> , double pure-white | 6, 4 | 0, 6 | | | | |
| 1208 | " " " <i>fl. bruno pleno</i> , double brown | 6, 4 | 0, 6 | | | | |
| 1209 | " " " <i>fl. luteo pleno</i> , double yellow | 6, 4 | 0, 6 | | | | |
| 1210 | " " " <i>fl. purpureo pleno</i> , double purple | 6, 4 | 0, 6 | | | | |
| 1214 | " " " <i>fl. roseo pleno</i> , double rose | 6, 4 | 0, 6 | | | | |
| 1215 | " " " <i>fl. salmono pleno</i> , salmon colour | 6, 4 | 0, 6 | | | | |
| 1216 | " " " above varieties finest mixed | 4, 6 | 0, 4 | | | | |

○ GERMAN BALSAMS.

(*Impatiens Balsamina*.)

Extra Double Improved Rose-flowered Balsam, in 14 very fine colours.

Dark blood red, violet, white, scarlet, light blue, apple blossom, purple, rose, light yellow, white turning to rose, chamois, lilac, lilac rose, bright brick red.

1279 Each colour separate 0, 0 1, 0
1280 Finest mixed 10, 0 0, 9

Extra Double Improved Camellia-flowered Balsam, in 10 very splendid colours.

Crimson, light blue, lilac, purple, red lilac, violet, rose, scarlet, carmine rose, white lilac tinged.

1285 Each colour separate 0, 0 1, 2
1286 Finest mixed 11, 0 0, 10

Dwarf Double Balsam, in 12 splendid colours.

Grenate red, purple, scarlet, lilac, tricolor, flesh colour, white and violet, peach blossom, dark blue, copper red, white, white and scarlet.

| No. | | per lb. | per oz. |
|---|---|---------|---------|
| | | s. d. | s. d. |
| 1291 | Each colour separate | 9, 0 | 0, 8 |
| 1292 | Finest mixed | 5, 0 | 0, 5 |
| Dwarf Double Camellia-flowered Balsam , in 5 splendid colours. | | | |
| <i>Brick red, light blue, crimson, scarlet, flesh colour, violet.</i> | | | |
| 1297 | Each colour separate | 11, 0 | 0, 10 |
| 1298 | Finest mixed | 6, 4 | 0, 6 |
| 1300 | ☐ <i>Impatiens Sultanii</i> , bright carmine, rich-flowering pr. $\frac{1}{16}$ oz. $2\frac{1}{4}$ s., pr. packet 4d | 0, 0 | 0, 0 |
| 1310 | ☉ <i>Jonopsidium acaule</i> , Miniature Plant for spotting pr. packet 2d | 0, 0 | 2, 0 |
| 1311 | ☉ <i>Ipomoea coccinea</i> | 1, 2 | 0, 2 |
| 1313 | » » <i>hederacea superba</i> | 1, 5 | 0, 2 |
| 1314 | » » <i>atroviolacea</i> | 1, 5 | 0, 2 |
| 1317 | » » <i>Nil grandiflora</i> (Ferrandiana) | 1, 5 | 0, 2 |
| 1318 | » » <i>Quamoclit</i> , red. | 2, 4 | 0, 2 |
| 1319 | » » <i>fl. albo</i> | 2, 6 | 0, 3 |
| 1326 | » » <i>violacea vera</i> pr. packet 1d | 0, 0 | 0, 10 |
| 1327 | » » <i>fl. albo</i> pr. packet 1d | 0, 0 | 1, 2 |
| 1330 | » » <i>purpurea</i> (Convolvulus major, Morning glory), in 12 most splendid colours, separate. | 0, 10 | 0, 1 |
| 1334 | » » » finest mixed pr. 28 lbs. 14s | 0, 7 | 0, 1 |
| 1338 | ☉ <i>Ipomopsis</i> (Standing Cypress) finest mixed. | 0, 0 | 0, 3 |
| 1340 | △ <i>Isolepis gracilis</i> pr. $\frac{1}{8}$ oz. $2\frac{1}{4}$ s., pr. packet 4d | 0, 0 | 0, 0 |
| 1342 | » <i>Kaufussia amelloides</i> , blue | 6, 4 | 0, 6 |
| 1343 | » » <i>alba</i> , white | 6, 10 | 0, 6 |
| 1345 | » » <i>hermesina</i> , crimson | 6, 4 | 0, 6 |
| 1347 | ○ <i>Lagurus ovatus</i> (Hare's Tail) | 1, 10 | 0, 2 |
| 1348 | △ <i>Lantana hybrida</i> , finest French hybrids mixed. | 3, 0 | 0, 3 |
| 1351 | ☐ <i>Lathyrus latifolius</i> (Perennial Pea), red | 2, 3 | 0, 2 |
| 1352 | » » <i>albus</i> | 8, 2 | 0, 7 |
| 1353 | » » <i>roseus</i> | 3, 2 | 0, 3 |
| 1354 | » » <i>rotundifolius</i> , copper-red | 0, 0 | 0, 3 |

☉ SWEET PEAS.

(*Lathyrus odoratus*.)

| | | | |
|------|--|-------|------|
| 1360 | <i>Adonis</i> , light carmine pr. 14 lbs. 0s | 1, 5 | 0, 2 |
| 1362 | <i>Aurora</i> , large flowering, flaked orange-salmon pr. 14 lbs. 0s | 4, 0 | 0, 4 |
| 1363 | <i>Blanche Burpee</i> , largest pure white pr. 14 lbs. 0s | 1, 10 | 0, 2 |
| 1364 | <i>Boreatton</i> , very dark maroon pr. 14 lbs. 0s | 1, 7 | 0, 2 |
| 1365 | <i>Brilliant</i> , large flowering, bright scarlet pr. 14 lbs. 0s | 4, 6 | 0, 4 |
| 1366 | <i>Butterfly</i> , white, laced with lavender pr. 14 lbs. 0s | 1, 0 | 0, 1 |
| 1367 | <i>Captain Clark</i> , tricolore, white, rose and lilac pr. 14 lbs. 0s | 1, 0 | 0, 1 |
| 1369 | <i>Countess</i> , large flowering, pure lavender pr. 14 lbs. 0s | 4, 6 | 0, 4 |
| 1370 | <i>Emily Henderson</i> , pure white, rich-flowering pr. 14 lbs. 0s | 1, 10 | 0, 2 |
| 1371 | <i>Grand Blue</i> , pure blue pr. 14 lbs. 0s | 1, 10 | 0, 2 |
| 1372 | <i>Invincible carmine</i> (Cardinal), Shining crimson-scarlet pr. 14 lbs. 0s | 1, 5 | 0, 2 |
| 1373 | <i>Invincible scarlet</i> , scarlet pr. 14 lbs. 0s | 1, 2 | 0, 2 |
| 1374 | <i>Katherine Tracy</i> , brilliant pink pr. 14 lbs. 0s | 2, 9 | 0, 3 |
| 1375 | <i>Krown Princess of Prussia</i> , flesh-coloured pr. 14 lbs. 0s | 2, 4 | 0, 2 |
| 1376 | <i>Maid of Honor</i> , white edged light blue pr. 14 lbs. 0s | 4, 0 | 0, 4 |
| 1377 | <i>Miss Blanche Ferry</i> , pink an white, early flowg. pr. 14 lbs. 0s | 1, 5 | 0, 2 |
| 1378 | <i>Primrose</i> , light yellow pr. 14 lbs. 0s | 2, 4 | 0, 2 |
| 1380 | <i>Princess Victoria</i> , pink and cherry rose pr. 14 lbs. 0s | 2, 4 | 0, 2 |
| 1381 | <i>Queen of the Isles</i> , scarlet, white and purple striped pr. 14 lbs. 0s | 1, 10 | 0, 2 |

| No. | | per lb. | per oz. |
|------|--|---------|---------|
| | | s. d. | s. d. |
| 1382 | <i>Black purple</i> pr. 14 lbs. 0s | 1, 0 | 0, 1 |
| 1383 | » » and light blue pr. 14 lbs. 0s | 0, 11 | 0, 1 |
| 1384 | » » brown striped pr. 14 lbs. 0s | 1, 0 | 0, 1 |
| 1385 | <i>Venus</i> , chamois rose pr. 14 lbs. 0s | 2, 9 | 0, 3 |
| 1386 | <i>White</i> pr. 14 lbs. 0s | 1, 0 | 0, 1 |
| 1390 | <i>Finest mixed</i> pr. Ctw. 61s | 0, 8 | 0, 1 |
| 1392 | <i>Eckford's varieties</i> , finest mixed, pr. $\frac{1}{4}$ Ctw. 25s | 1, 0 | 0, 1 |
| 1393 | <i>Cupido</i> (Dwarf Tom Thumb). The first dwarf; only five inches high, pure white | 2, 9 | 0, 3 |
| 1394 | <i>Cupido</i> „Pink“, New. Red and white | 4, 6 | 0, 4 |
| 1395 | » <i>Beauty</i> , white and bright rose, carmine striped | 11, 0 | 0, 10 |
| 1396 | » <i>Alice Eckford</i> , creamy white, light rose shaded | 11, 0 | 0, 10 |
| 1397 | » <i>Primrose</i> , light yellow | 11, 0 | 0, 10 |
| 1400 | ☉ <i>Lavatera trimestris</i> , red (Sea Tree Mallow) | 1, 10 | 0, 2 |
| 1401 | » » <i>fl. albo</i> | 1, 10 | 0, 2 |
| 1402 | » <i>Leptosiphon androsaceus</i> | 2, 4 | 0, 2 |
| 1403 | » <i>densiflorus</i> | 3, 0 | 0, 3 |
| 1404 | » » <i>fl. albo</i> | 3, 8 | 0, 4 |
| 1405 | » <i>hybridus</i> | 5, 6 | 0, 5 |
| 1406 | » <i>Limnanthes Douglasi</i> , yellow and white | 2, 6 | 0, 3 |
| 1407 | » <i>Linaria maroccana</i> crimson violet | 3, 2 | 0, 3 |
| 1408 | » » <i>hybrida</i> , finest mixed | 3, 2 | 0, 3 |
| 1410 | » <i>reticulata aureo-purpurea</i> | 5, 6 | 0, 5 |
| 1412 | ☉ <i>Linum grandiflorum verum rubrum</i> (Crimson-Flax) pr. 14 lbs. 0s | 1, 8 | 0, 2 |
| 1413 | » » » <i>roseum</i> | 1, 10 | 0, 2 |
| 1414 | ☐ <i>perenne</i> , blue | 1, 9 | 0, 2 |
| 1415 | ☐ <i>lobelia cardinalis</i> Queen Victoria pr. $\frac{1}{16}$ oz. 4s | 0, 0 | 0, 0 |
| | pr. packet 4d | 5, 6 | 0, 5 |
| 1417 | ☉ <i>Erinus</i> , blue | 11, 0 | 0, 10 |
| 1418 | » » <i>compacta alba</i> | | |
| 1419 | » » „Goldelse“, new, yellow foliage, blue, pr. $\frac{1}{8}$ oz. 10d | 0, 0 | 5, 2 |
| | pr. packet 2d | | |
| 1420 | » » <i>speciosa Crystal Palace compacta</i> , true, ultramarine blue, compact, black-foliage | 23, 0 | 1, 8 |
| 1426 | » » <i>Crystal Palace compacta erecta</i> , very compact, blue, elegant | 25, 6 | 1, 9 |
| 1428 | » » <i>speciosa</i> (Crystal Palace), slightly compact, black-foliage | 9, 0 | 0, 8 |
| 1429 | » » » <i>superba</i> , deep dark blue with very large white eye | 14, 0 | 1, 0 |
| 1430 | » » » <i>compacta</i> (Royal Purple), new, deep dark blue, compact | 25, 0 | 1, 9 |
| 1436 | » » <i>Prince Bismarck</i> , darkpurple compact (Grashoff) | 12, 0 | 0, 10 |
| 1437 | » » <i>gracilis erecta</i> , blue | 8, 2 | 0, 7 |
| 1440 | » » <i>Emperor William</i> , large-flow., compact, dark blue | 22, 0 | 1, 6 |
| 1446 | » » <i>Prima Donna</i> , velvet crimson very beautiful, new | 0, 0 | 1, 5 |
| 1447 | » » <i>stricta multiflora</i> , violet | 8, 2 | 0, 7 |
| 1448 | » » <i>White Lady compacta</i> , new, pure white, compact, pr. packet 2d | 0, 0 | 2, 4 |
| 1450 | » » finest mixed | 7, 4 | 0, 7 |
| 1456 | » <i>ramosa</i> , blue | 0, 0 | 0, 9 |
| 1460 | △ <i>Lophospermum scandens</i> , beautiful evergreen climber | 0, 0 | 3, 6 |
| 1463 | ☉ <i>Lupinus alba-coccineus</i> , red and white | 0, 11 | 0, 1 |
| 1464 | » <i>Cruikshanksi</i> , white and blue | 0, 6 | 0, 1 |
| 1466 | » <i>Hartwegi</i> , blue | 0, 11 | 0, 1 |
| 1467 | » » <i>albus</i> | 0, 11 | 0, 1 |
| 1468 | » » <i>roseus</i> | 0, 11 | 0, 1 |
| 1469 | » » <i>hirsutus</i> blue pr. 14 lbs. 0s | 0, 6 | 0, 1 |

| No. | | per lb. | per oz. |
|------|---|---------|---------|
| | | s. d. | s. d. |
| 1470 | ⊙ <i>Lupinus hirsutus albus</i> pr. 14 lbs. 0s | 0, 6 | 0, 1 |
| 1476 | » » » <i>ruber</i> pr. 14 lbs. 0s | 0, 6 | 0, 1 |
| 1477 | » » <i>hybridus atrocoeruleus</i> , scarlet and white | 1, 2 | 0, 2 |
| 1478 | » » » <i>insignis</i> , red | 1, 0 | 0, 1 |
| 1480 | » » » <i>superbus</i> , purple and yellow | 0, 10 | 0, 1 |
| 1481 | » » <i>mutabilis</i> , blue | 0, 7 | 0, 1 |
| 1484 | » » <i>nanus</i> , dark blue | 1, 7 | 0, 2 |
| 1485 | » » <i>albus</i> | 1, 7 | 0, 2 |
| 1486 | ⊙ <i>polyphyllus</i> , finest mixed | 0, 10 | 0, 1 |
| 1489 | ⊙ <i>sulphureus superbus</i> (Menziesi), yellow | 4, 2 | 0, 4 |
| 1490 | » <i>subcarneus</i> (texanus), ultramarine | 4, 2 | 0, 4 |
| 1496 | » annual varieties finest mixed | 0, 11 | 0, 1 |
| 1497 | ⊙ <i>Lychnis chalconica</i> , scarlet | 3, 0 | 0, 3 |
| 1498 | » » <i>alba</i> | 3, 8 | 0, 4 |
| 1499 | » » <i>carnea</i> | 0, 0 | 0, 4 |
| 1500 | » <i>fulgens</i> , scarlet | 0, 0 | 1, 0 |
| 1506 | » <i>Haageana hybrida</i> | 0, 0 | 1, 0 |
| 1507 | » <i>viscaria splendens</i> , crimson | 4, 2 | 0, 4 |
| 1508 | ⊙ <i>Malope grandiflora alba</i> | 0, 9 | 0, 1 |
| 1509 | » » <i>purpurea</i> | 0, 9 | 0, 1 |
| 1510 | » » <i>rosea</i> (Grashoff) | 0, 9 | 0, 1 |
| 1518 | ⊙ <i>Martynia formosa</i> | 3, 8 | 0, 4 |
| 1520 | ⊙ <i>Matricaria capensis fl. pleno</i> | 3, 8 | 0, 4 |
| 1522 | » <i>eximia crispa fl. pleno</i> | 7, 4 | 0, 7 |
| 1523 | » <i>grandiflora fl. pl.</i> , Tom Thumb | 7, 4 | 0, 7 |
| 1525 | » <i>nana fl. pleno</i> | 8, 2 | 0, 7 |
| 1530 | ⊙ <i>Matthiola bicornis</i> (Sweet-scented Stock) | 1, 8 | 0, 2 |
| 1532 | ⊙ <i>Maurandia albiflora</i> | 0, 0 | 3, 6 |
| 1536 | » <i>Barkleyana grandifl.</i> , blue, pr. packet 2d | 0, 0 | 2, 8 |
| 1537 | » <i>purpurea grandiflora</i> , crimson | 0, 0 | 2, 8 |
| 1540 | » <i>finest mixed</i> | 0, 0 | 2, 4 |
| 1546 | ⊙ <i>Medeola asparagoides</i> | 14, 6 | 1, 0 |
| 1550 | ⊙ <i>Mesembrianthemum cordifolium fol. variegatis</i> , variegated foliage $\frac{1}{16}$ oz. 8d, pr. packet 3d | 0, 0 | 8, 6 |
| 1551 | » <i>crystallinum</i> (Ice-Plant) | 3, 6 | 0, 3 |
| 1552 | » <i>tricolor</i> (Fig-Marigold) | 5, 6 | 0, 5 |
| 1553 | » <i>tricolor fl. albo</i> | 5, 6 | 0, 5 |
| 1556 | ⊙ <i>Mimosa pudica</i> , with sensitive foliage | 5, 6 | 0, 5 |
| 1558 | » <i>Mimulus cardinalis</i> (Monkey flower) | 0, 0 | 2, 4 |
| 1560 | » <i>cupreus</i> , brilliant copper scarlet | 0, 0 | 2, 8 |
| 1562 | » <i>duplex</i> pr. packet 2d | 0, 0 | 4, 8 |
| 1564 | » <i>grandiflorus</i> (Clapham's Superb Strain), pr. packet 2d | 36, 0 | 2, 4 |
| 1568 | » <i>tigrinus grandiflorus</i> (Novelty Grashoff), large-flowered, suitable for shows and for open ground pr. packet 2d | 0, 0 | 2, 10 |
| 1569 | » <i>tigrinus grandiflorus duplex</i> (Novelty Grashoff), large flowered, Hose in Hose, extra fine, white beautiful double tubed flowers, very interesting pr. packet 3d | 0, 0 | 5, 2 |
| 1572 | » <i>tigrinus</i> (pardinus) | 18, 3 | 1, 3 |
| 1573 | » <i>duplex</i> pr. packet 2d | 0, 0 | 4, 8 |
| 1574 | » <i>moschatus</i> (Musk-plant) 2d | 46, 0 | 3, 0 |
| 1575 | » <i>quinquevulnerus</i> | 11, 0 | 0, 10 |
| 1576 | » <i>maximus</i> , large flowering | 13, 8 | 1, 0 |
| 1580 | » <i>finest mixed</i> | 0, 0 | 1, 6 |
| 1582 | ⊙ <i>Mina lobata</i> , excellent climber, 1000 seeds $1\frac{1}{2}$ s, 100 seeds 3d, pr. packet 2d | 0, 0 | 2, 8 |

⊙ Marvel of Peru.

Mirabilis Jalappa in 10 very splendid colours.

Crimson, red, yellow and red, white and red, white, yellow, rose, chamois.

| | | | |
|------|---------------------------------------|-------|------|
| 1584 | Each colour separate | 0, 11 | 0, 1 |
| 1585 | Finest mixed pr. 14 lbs. 0s | 0, 9 | 0, 1 |

| No. | | per lb. | per oz. |
|------|--|---------|---------|
| | | s. d. | s. d. |
| | <i>Mirabilis Jalappa nana</i> , new Dwarf, green foliage in 7 splendid colours. <i>Dark carmine, white and yellow, tricolor, white and red, yellow and red, carmine, pure yellow.</i> | | |
| 1589 | Each colour separate | 0, 0 | 0, 3 |
| 1590 | Finest mixed | 1, 10 | 0, 2 |
| | <i>Mirabilis Jalappa</i> , variegated foliage in 5 splendid colours. <i>White and rose, white, tricolor, red, yellow and rose.</i> | | |
| 1593 | Each colour separate | 1, 2 | 0, 2 |
| 1594 | Finest mixed pr. 14 lbs. 0s | 0, 9 | 0, 1 |
| | <i>Mirabilis Jalappa fol. var. Tom Thumb</i> newest dwarf variety of compact bushy habit, yellow foliage in 6 splendid colours. <i>White, tricolor, yellow and red, carmine, white and red, dark crimson.</i> | | |
| 1599 | Each colour separate | 0, 0 | 0, 3 |
| 1600 | Finest mixed | 1, 8 | 0, 2 |
| 1606 | ⊙ <i>Momordica Balsamina</i> (Balsam Apple) | 3, 8 | 0, 4 |
| 1608 | ⊙ <i>Montbretia crocosmiaeiflora</i> | 0, 0 | 1, 2 |
| 1610 | ⊙ <i>Myosotis alpestris</i> (Forget-me-not), blue | 6, 0 | 0, 6 |
| 1611 | » » <i>fl. albo</i> | 6, 10 | 0, 6 |
| 1612 | » » <i>fl. roseo</i> | 8, 2 | 0, 7 |
| 1613 | » » <i>striatiflora</i> , striped, new | 7, 4 | 0, 7 |
| 1614 | » » <i>compacta</i> , blue | 10, 0 | 0, 9 |
| 1616 | » » <i>alba</i> | 9, 0 | 0, 8 |
| 1617 | » » <i>rosea</i> | 11, 0 | 0, 10 |
| 1618 | » » <i>foliis aureis</i> , Novelty, with yellow foliage $\frac{1}{16}$ oz. 2d pr. packet 1d | 11, 0 | 0, 10 |
| 1619 | » » <i>nana coerulesa</i> , blue | 11, 0 | 0, 10 |
| 1620 | » » <i>alba</i> , white | 11, 0 | 0, 10 |
| 1626 | » <i>robusta grandiflora</i> (Elise Fon- roberty) of robust habit large- flowering | 7, 4 | 0, 7 |
| 1630 | » „Victoria“ First Rang Novelty. Beautiful sky-blue. Very valu- able for borders, bouquets and pot culture, pr. packet 1d | 26, 0 | 1, 9 |
| 1634 | » „Victoria“ rubra, flowers rose $\frac{1}{16}$ oz. 5d, pr. packet 1d | 26, 0 | 1, 9 |
| 1635 | » » <i>alba</i> , pure white pr. packet 2d | 0, 0 | 2, 4 |
| 1636 | » <i>finest mixed</i> | 8, 2 | 0, 7 |
| 1640 | » <i>dissitiflora</i> , earliest of all, dark blue, large- flowering pr. $\frac{1}{16}$ oz. 7d | 44, 0 | 3, 0 |
| 1641 | » <i>alba</i> , new, pure white pr. $\frac{1}{16}$ oz. 6d, pr. packet 2d | 36, 0 | 2, 4 |
| 1642 | » <i>Perfection</i> , new, large-flowering pr. $\frac{1}{16}$ oz. 1 $\frac{1}{2}$ s, pr. packet 4d | 0, 0 | 8, 6 |
| 1644 | ⊙ <i>palustris semperflorens</i> (True Forget-me- not) pr. packet 2d | 0, 0 | 2, 0 |
| 1645 | » » <i>fl. albo</i> 2d | 0, 0 | 3, 6 |
| 1646 | » <i>grandiflora</i> „Nymph-Eye“, new, large-flowering pr. packet 3d | 0, 0 | 5, 2 |
| 1650 | » <i>Nemophila Atomaria</i> (Love Grove), white and dark spots | 0, 11 | 0, 1 |
| 1657 | » <i>crambeoides</i> | 1, 0 | 0, 1 |
| 1658 | » <i>oculata</i> | 1, 0 | 0, 1 |
| 1659 | » <i>discoidealis</i> , black and white | 0, 11 | 0, 1 |
| 1660 | » <i>elegans</i> | 1, 2 | 0, 2 |
| 1663 | » <i>insignis</i> , bright blue pr. 14 lbs. 9 $\frac{1}{2}$ s | 0, 10 | 0, 1 |
| 1664 | » <i>alba</i> pr. 14 lbs. 0s | 0, 11 | 0, 1 |
| 1665 | » <i>marginata</i> , azure and white | 0, 10 | 0, 1 |
| 1666 | » <i>maculata</i> , white, purple spots | 0, 7 | 0, 1 |
| 1667 | » <i>purpurea</i> , purple, dark spots | 0, 7 | 0, 1 |
| 1670 | » <i>finest mixed</i> | 0, 9 | 0, 1 |

| No. | | per lb. | per oz. |
|------|--|---------|---------|
| | | s. d. | s. d. |
| 1672 | ⊙ <i>Nicotiana affinis</i> , new, sweet-scented | 4, 6 | 0, 4 |
| 1673 | » » <i>atropurpurea grandiflora</i> | 1, 8 | 0, 2 |
| 1674 | » » <i>macrophylla gigantea</i> , ornamental | 1, 8 | 0, 2 |
| 1675 | ♂ <i>colossea</i> ... pr. 1/16 oz. 2 1/4 s, pr. packet 4d | 0, 0 | 0, 0 |
| 1676 | ⊙ <i>sylvestris</i> , new. Solitary and Group-plant first rang. Flowers pure white, long throat. Height about 5 feet | 11, 0 | 0, 10 |
| 1678 | ⊙ <i>Nigella damascena fl. pleno</i> (Devil in a bush) .. | 0, 9 | 0, 1 |
| 1680 | » » <i>hispanica</i> | 1, 10 | 0, 2 |
| 1681 | » » <i>alba</i> | 1, 10 | 0, 2 |
| 1682 | » » <i>atropurpurea</i> | 1, 10 | 0, 2 |
| 1688 | » <i>Nycterinia capensis</i> , sweet-scented | 0, 0 | 0, 8 |
| 1690 | » <i>Oenothera acaulis</i> (<i>taraxacifolia fl. albo</i>), large-flowered dwarf | 0, 0 | 1, 0 |
| 1692 | » » <i>bistorta Veitchiana</i> (Evening Primrose) dwarf yellow, with crimson spots | 2, 4 | 0, 2 |
| 1693 | » » <i>Drummondii</i> , yellow | 3, 8 | 0, 4 |
| 1694 | » » <i>Lamarckiana</i> , bright yellow | 1, 0 | 0, 1 |
| 1695 | ♀ » <i>missouriensis</i> (<i>macrocarpa</i>) large-flowered yellow dwarf | 0, 0 | 0, 8 |
| 1700 | » <i>Onopordon tauricum</i> , ornamental | 0, 8 | 0, 1 |
| 1701 | ♀ <i>Osmunda regalis</i> (Flower-Fern) .. pr. packet 5d | 0, 0 | 0, 0 |
| 1702 | ⊙ <i>Oxalis rosea</i> (Wood-Sorrel) fine and delicate .. | 0, 2 | 8 |
| 1703 | » » <i>tropaeoloides</i> , deep yellow, brown leaves .. | 13, 8 | 1, 0 |

Poppy (Papaver).

| | | | |
|------|---|-------|-------|
| 1710 | ♀ <i>Papaver nudicaule</i> (<i>alpinum</i>) <i>album</i> , white | 12, 9 | 1, 0 |
| 1712 | » » <i>luteum</i> , yellow | 11, 0 | 0, 10 |
| 1713 | » » <i>aurantiacum</i> , orange | 11, 0 | 0, 10 |
| 1714 | » » <i>mixed</i> | 10, 0 | 0, 9 |
| 1715 | ♀ » <i>bracteatum</i> , scarlet, large-flowered | 3, 8 | 0, 4 |
| 1717 | » » <i>orientale</i> , fiery red, large-flowered | 0, 0 | 1, 9 |
| 1718 | ⊙ » <i>Danebrog</i> , new | 0, 10 | 0, 1 |
| 1720 | » <i>hybridum splendens</i> , new Height 3 1/2 feet, flowers very large, ponceau red with black spots | 0, 0 | 2, 8 |
| 1726 | » » <i>glaucom</i> , Tulip-Poppy, new, shining scarlet | 11, 0 | 0, 10 |
| 1730 | » » <i>umbrosum</i> , new | 1, 10 | 0, 2 |
| 1732 | » » <i>paeoniflorum fl. pleno</i> (<i>Paeony Poppy</i>), in 10 splendid colours, separate | 1, 3 | 0, 2 |
| 1740 | » » <i>paeoniflorum fl. pleno</i> , finest mixed | 0, 10 | 0, 1 |
| 1746 | » » <i>Rhoeas fl. pleno</i> (<i>Ranunculus Poppy</i>), finest mixed | 1, 4 | 0, 2 |
| 1750 | » » <i>somniferum fl. pleno</i> (<i>Feather Poppy</i>) in 10 splendid colours, separate | 1, 3 | 0, 2 |
| 1751 | » » <i>somniferum fl. pleno</i> , finest mixed | 0, 10 | 0, 1 |
| 1754 | △ <i>Pelargonium</i> , the finest large-flowering sorts, pr. 100 seeds 1 1/8 s, pr. packet 6d | 0, 0 | 0, 0 |
| 1757 | » » <i>Scarlet</i> , splendid mixture, pr. packet 1d | 10, 0 | 0, 9 |
| 1758 | » » <i>Zonale</i> , newest varieties, pr. 100 seeds 1 1/8 s, pr. packet 5d | 0, 0 | 0, 0 |
| 1760 | ⊙ <i>Pennisetum longistylum</i> (<i>villosum</i>) | 3, 0 | 0, 3 |
| 1762 | ♀ <i>Penstemon atropurpureus</i> | 0, 0 | 1, 2 |
| 1764 | » » <i>glaber</i> | 0, 0 | 0, 8 |
| 1766 | » » <i>hybridus</i> , choice mixed .. pr. packet 1d | 18, 6 | 1, 3 |
| 1770 | ⊙ <i>Perilla nankinensis</i> , ornamental | 1, 2 | 0, 2 |
| 1771 | » » <i>foliis atropurpureis laciniatis</i> | 1, 6 | 0, 2 |
| 1772 | » » <i>macrophylla crispa compacta</i> , large-leaved, curled | 1, 8 | 0, 2 |
| 1775 | » » <i>Petunia hybrida</i> , choice mixed, finest quality .. | 12, 9 | 1, 0 |
| 1776 | » » » good quality | 7, 4 | 0, 7 |
| 1777 | » » <i>Adonis</i> , new, fiery dark carmine and white throat .. pr. packet 4d | 0, 0 | 17, 0 |
| 1780 | » » <i>Countess of Ellesmere</i> , deep rose, white throat | 7, 4 | 0, 7 |

| No. | | per lb. | per oz. |
|---|--|---------|---------|
| | | s. d. | s. d. |
| 1781 | ⊙ <i>Petunia hybrida</i> <i>Inimitable</i> , white and red | 17, 4 | 1, 3 |
| 1782 | » » <i>hybrida Inimitable nana compacta elegantissima</i> , graceful, true, 1/8 oz. 3d, pr. packet 1d | 22, 9 | 1, 6 |
| 1783 | » » <i>hybr. Inimitable nana compacta elegantissima fl. pl.</i> , extra double, pr. 1000 seeds 1s pr. 1/16 oz. 8 1/2 s, pr. packet 5d | 0, 0 | 0, 0 |
| 1786 | » » <i>hybrida grandiflora</i> , saved only from selected largest-flowering stage-plants, finest varieties mixed, pr. 1000 seeds 4d | 0, 0 | 40, 0 |
| 1787 | » » <i>hybrida grandiflora alba</i> , pr. 1000 seeds 5d | 0, 0 | 40, 0 |
| 1788 | » » » <i>brillantrose</i> .. 1000 seeds 5d | 0, 0 | 35, 0 |
| 1789 | » » » <i>intus aurea</i> , large flowering, with yellow throat, pr. 1000 seeds 5d | 0, 0 | 50, 0 |
| 1790 | » » » <i>kermesina</i> , pr. 1000 seeds 4d | 0, 0 | 35, 0 |
| 1792 | » » » <i>Inimitable</i> pr. 1000 seeds 5d | 0, 0 | 50, 0 |
| 1793 | » » » <i>marginata</i> pr. 1000 seeds 10d | 0, 0 | 75, 0 |
| 1794 | » » » <i>Princess of Wurtemberg</i> , very large throat distinctly veined pr. 1000 seeds 9d, 1/16 oz. 5s, pr. packet 4d | 0, 0 | 75, 0 |
| 1795 | » » » <i>purpurea</i> , very beautiful, new pr. 1000 seeds 5d, 1/8 oz. 5 1/2 s, pr. packet 3d | 0, 0 | 40, 0 |
| 1796 | » » » <i>venosa</i> ... pr. 1000 seeds 5d | 0, 0 | 35, 0 |
| 1797 | » » » <i>violacea</i> , pr. 1000 seeds 5d | 0, 0 | 45, 0 |
| 1798 | » » » <i>fimbriata</i> , finest fringed varieties mixed, 1/8 oz. 7 1/2 s, pr. 1000 seeds 5d | 0, 0 | 56, 0 |
| 1799 | » » » <i>superbissima</i> .. 1000 seeds 9d | 0, 0 | 78, 0 |
| 1800 | » » » <i>atrosanguinea</i> , very large-flowering, shining dark-blooded with large white throat pr. 1/8 oz. 11 1/2 s, pr. 1000 s. 10d, pr. pkt. 4d | 0, 0 | 0, 0 |
| 1806 | » » » <i>fl. pl.</i> , large-flowering double extra fine mixed pr. 1000 seeds 2 1/2 s, 1/16 oz. 26s, pr. packet 6d | 0, 0 | 0, 0 |
| 1807 | » » » <i>fimbr. fl. pleno</i> , pr. 1000 s. 2 1/2 s, pr. packet 6d, 1/16 oz. 26s | 0, 0 | 0, 0 |
| 1808 | » » » <i>robusta fl. pl.</i> , compact, extra fringed, pr. 1/16 oz. 32s pr. 1000 seeds 2 1/2 s, pr. packet 6d | 0, 0 | 0, 0 |
| 1809 | » » » <i>robusta fl. pleno</i> , double, of robust habit ... 1/16 oz. 26s pr. 1000 seeds 2 1/2 s, pr. packet 6d | 0, 0 | 0, 0 |
| <p>The seed of the preceding strain has been obtained by artificially fecundating the very finest single varieties with only the most perfect double blooms, and will produce about 20 — 25 per cent of beautiful large double flowers.</p> | | | |
| 1810 | ⊙ <i>Petunia mirabilis</i> (<i>phoenicea</i>) | 2, 6 | 0, 3 |
| 1816 | » <i>Phacelia campanularia</i> . Novelty, shining gentiana blue, very floriferous ... pr. packet 1d | 6, 4 | 0, 6 |
| 1819 | » » <i>congesta</i> | 1, 0 | 0, 1 |

| No. | | per lb. | per oz. |
|---|---|---------|---------|
| | | s. d. | s. d. |
| 1822 | ⊙ Phlox Drummondii alba | 12, 9 | 1, 0 |
| 1823 | » » alba oculata | 12, 9 | 1, 0 |
| 1824 | » » atropurpurea | 14, 6 | 1, 0 |
| 1825 | » » striata | 14, 6 | 1, 0 |
| 1826 | » » Brilliant, brilliant rose, dark red eye, splendid | 15, 0 | 1, 2 |
| 1827 | » » chamoisrosa | 15, 0 | 1, 2 |
| 1828 | » » coccinea | 14, 6 | 1, 0 |
| 1830 | » » hortensiaeflora, rose true very fine. | 0, 0 | 1, 5 |
| 1833 | » » coccinea, beautiful. | 0, 0 | 1, 5 |
| 1834 | » » violacea, violet, splendid | 0, 0 | 1, 5 |
| 1835 | » » Leopoldi, red, white eyed | 12, 9 | 1, 0 |
| 1836 | » » Princess Royal, violet, white-striped | 15, 0 | 1, 2 |
| 1837 | » » Radowitzi, bright rose, white-striped | 13, 8 | 1, 0 |
| 1840 | » » rosea | 13, 8 | 1, 0 |
| 1844 | » » variabilis, slate-blue | 13, 8 | 1, 0 |
| 1845 | » » William I., crimson striped | 14, 6 | 1, 0 |
| 1846 | » » above varieties finest mixed | 11, 0 | 0, 10 |
| 1847 | » » grandiflora alba, pure-white | 17, 4 | 1, 3 |
| 1848 | » » atropurpurea | 20, 0 | 1, 5 |
| 1849 | » » atropurpurea albo-oculata | 19, 6 | 1, 4 |
| 1852 | » » coccinea, scarlet | 17, 4 | 1, 3 |
| 1853 | » » coccinea striata, scarlet striped | 22, 0 | 1, 6 |
| 1854 | » » kermesina albo-oculata | 17, 4 | 1, 3 |
| 1855 | » » purpurea striata, purple striped | 22, 0 | 1, 6 |
| 1856 | » » splendens, bloodred | 20, 0 | 1, 5 |
| 1860 | » » rosea striata | 20, 0 | 1, 5 |
| 1863 | » » violacea albo-oculata | 17, 4 | 1, 3 |
| 1866 | » » finest mixed | 12, 9 | 1, 0 |
| 1869 | » » nana compacta alba, pure white | | |
| | pr. packet 2d | 44, 0 | 3, 0 |
| 1870 | » » » alba rubro-maculata white, redspotted pr. pack. 2d | 0, 0 | 5, 0 |
| 1871 | » » » atropurpurea p. pack. 2d | 0, 0 | 5, 0 |
| 1872 | » » » striata | | |
| | (Novelty Grashoff) pr. packet 3d | 0, 0 | 6, 10 |
| 1873 | » » comp. Fireball, scarlet | | |
| | pr. packet 2d | 0, 0 | 5, 0 |
| 1874 | » » » chamois rose, pr. pack. 3d | 0, 0 | 6, 0 |
| 1875 | » » » cinnabarina, pr. packet 3d | 0, 0 | 7, 6 |
| 1876 | » » » Defiance, pr. pack. 4d | 0, 0 | 11, 6 |
| 1877 | » » » hortensiaeflora, brilliant rose | | |
| | pr. packet 3d | 0, 0 | 5, 2 |
| 1878 | » » » hortensiaeflora Dr. Wittmack (Novelty Grashoff 84), | | |
| | pr. packet 3d | 0, 0 | 5, 2 |
| 1879 | » » » splendens, bloodred | | |
| | pr. pack. 3d | 0, 0 | 6, 3 |
| 1880 | » » » variabilis, slate-blue | | |
| | pr. packet 2d | 0, 0 | 5, 0 |
| 1886 | » » » violacea, violet-red | | |
| | pr. packet 2d | 0, 0 | 5, 0 |
| 1887 | » » » Wilhelm I. (Grashoff) | | |
| | pr. packet 3d | 0, 0 | 6, 10 |
| 1890 | » » » choicest mixed pr. pack. 2d | 44, 0 | 3, 0 |
| ⊙ Phlox Drummondii cuspidata (Wittmack) „Star of Quedlinburgh“. | | | |
| Novelty Grashoff. | | | |
| 1895 | » » Drumm. cuspidata blue | 0, 0 | 2, 0 |
| 1896 | » » cuspidata red | 0, 0 | 2, 0 |
| 1897 | » » scarlet | 25, 0 | 1, 9 |
| 1898 | » » blue marbled | 0, 0 | 2, 0 |
| 1899 | » » red marbled | 0, 0 | 2, 0 |
| 1900 | » » violet red | 25, 0 | 1, 9 |
| 1906 | » » pure white | 0, 0 | 2, 0 |

| No. | | per lb. | per oz. |
|--|---|---------------|---------|
| | | s. d. | s. d. |
| 1907 | ⊙ Phlox Drumm. cuspidata purple | 25, 0 | 1, 9 |
| 1908 | » » Drumm. cuspidata salmon red | 0, 0 | 2, 0 |
| 1909 | » » cuspidata rose | 25, 0 | 1, 9 |
| 1910 | » » » crimson, white eyed | 0, 0 | 2, 6 |
| 1912 | » » » violet red, white eyed | 0, 0 | 2, 0 |
| 1915 | » » » all colours finest mixed . I qual. | 20, 0 | 1, 5 |
| 1916 | » » » good quality mixed | 15, 6 | 1, 2 |
| ⊙ Phlox Drummondii cuspidata grandiflora „Star of Quedlinburgh“ | | | |
| Novelty Grashoff 1896. | | | |
| 1920 | » » Drumm. cusp. grandiflora blue | 0, 0 | 2, 4 |
| 1921 | » » cusp. grandifl. red | 30, 0 | 2, 2 |
| 1922 | » » » scarlet | 30, 0 | 2, 2 |
| 1923 | » » » blue marbled | 0, 0 | 2, 4 |
| 1924 | » » » red marbled | 0, 0 | 2, 4 |
| 1925 | » » » violet red | 30, 0 | 2, 2 |
| 1926 | » » » pure white | 0, 0 | 2, 4 |
| 1927 | » » » purple | 30, 0 | 2, 2 |
| 1928 | » » » salmon red | 0, 0 | 2, 4 |
| 1929 | » » » rose | 30, 0 | 2, 2 |
| 1935 | » » » all colours finest mixed | I qual. 25, 0 | 1, 9 |
| 1936 | » » » good quality mixed | 17, 6 | 1, 3 |
| ⊙ Phlox Drummondii cuspidata nana comp. „Light-Ball“ (Wittmack). | | | |
| Novelty Grashoff. | | | |
| 1940 | » » Drumm. cusp. nana comp. red | 0, 0 | 8, 6 |
| 1941 | » » cusp. nana comp. scarlet | 0, 0 | 8, 6 |
| 1942 | » » » pure white | 0, 0 | 8, 6 |
| 1943 | » » » purple | 0, 0 | 8, 6 |
| 1944 | » » » crimson, white eyed | 0, 0 | 5, 0 |
| 1945 | » » » violet red, white eyed | 0, 0 | 5, 3 |
| 1950 | » » » all colours finest mixed | 0, 0 | 6, 6 |
| 1955 | » » perennis (decussata), finest mixed | | |
| | per packet 1d | 16, 4 | 1, 2 |
| 1956 | » » (decussata), Large-flowering Dwarf | | |
| | Varieties finest mixed | | |
| | per packet 3d | 0, 0 | 6, 10 |
| 1960 | ⊙ Podolepis chrysantha, yellow | 0, 0 | 0, 3 |
| 1961 | » » gracilis, rose | 0, 0 | 0, 6 |
| 1962 | » » fl. albo | 0, 0 | 0, 6 |
| 1963 | » » Polemonium coeruleum | 0, 9 | 0, 1 |
| 1964 | » » album | 0, 9 | 0, 1 |
| 1970 | » » Portulaca alba rubro-striata (Purslane) | 7, 4 | 0, 7 |
| 1971 | » » aurea | 7, 4 | 0, 7 |
| 1972 | » » caryophylloides, white, red-striped | 7, 4 | 0, 7 |
| 1973 | » » Gillesi, crimson | 7, 4 | 0, 7 |
| 1974 | » » incarnata, flesh-colour | 7, 4 | 0, 7 |
| 1975 | » » rosea | 7, 4 | 0, 7 |
| 1976 | » » Thellusoni, orange scarlet | 7, 4 | 0, 7 |
| 1977 | » » Thorburni, sulphur-yellow | 7, 4 | 0, 7 |
| 1980 | » » finest mixed | 5, 0 | 0, 5 |
| 1986 | » » grandiflora fl. albo pleno | 1/8 oz. 17/8s | |
| | pr. packet 4d | 0, 0 | 11, 6 |
| 1987 | » » fl. aureo pleno | 1/8 oz. 17/8s | |
| | pr. packet 4d | 0, 0 | 11, 6 |
| 1988 | » » caryophylloides fl. pl. | 1/8 oz. 17/8s | |
| | pr. packet 4d | 0, 0 | 11, 6 |
| 1989 | » » rosea fl. pleno | 1/8 oz. 17/8s | |
| | pr. packet 4d | 0, 0 | 11, 6 |
| 1990 | » » splendens fl. pleno | 1/8 oz. 17/8s | |
| | pr. packet 4d | 0, 0 | 11, 6 |
| 1995 | » » Thellusoni fl. pleno | 1/8 oz. 17/8s | |
| | pr. packet 4d | 0, 0 | 11, 6 |

| No. | | per lb. | per oz. | No. | | per lb. | per oz. |
|------|---|---------|---------|------|---|---------|---------|
| | | s. d. | s. d. | | | s. d. | s. d. |
| 1996 | 24 <i>Portulaca grandifl.</i> extra double, finest mixed 1/8 oz. 10d, pr. packet 3d | 0, 0 | 5, 2 | 2082 | ⊙ <i>Reseda odorata grandiflora pumila erecta</i> , rich- flowering | 9, 0 | 0, 8 |
| 2001 | " <i>Primula Auricula</i> , finest varieties, saved from selected plants, 1/8 oz. 2s. pr. packet 5d | 0, 0 | 14, 0 | 2086 | " " <i>grandiflora Miles' Spiral</i> | 2, 4 | 0, 2 |
| 2002 | " " " good quality | 0, 0 | 5, 9 | 2088 | " " " <i>Queen Victoria</i> , dark-red | 6, 4 | 0, 6 |
| 2003 | 24 " <i>cashemiriana</i> (capitata), new. pr. pkt. 3d | 0, 0 | 8, 6 | 2090 | " " " <i>Victoria Tom Thumb</i> , Dwarf, 6-7 inches high, dark red | 9, 0 | 0, 8 |
| 2004 | " <i>cortusoides</i> (Cortusa-like Primrose) | 18, 0 | 1, 3 | 2095 | 24 <i>Rheum Queen Victoria</i> (Rhubarb) | 1, 2 | 0, 2 |
| 2005 | " <i>japonica</i> , New crimson Primrose | 11, 0 | 0, 10 | 2096 | ⊙ <i>Rhodanthe atrosanguinea</i> | 38, 0 | 2, 6 |
| 2006 | " <i>obconica</i> , rich-flowering, for pots pr. 1/16 oz. 1s, pr. packet 3d | 0, 0 | 11, 6 | 2097 | " " <i>maculata</i> | 13, 6 | 1, 0 |
| 2010 | " " <i>grandiflora hybrida</i> pr. 1/4 oz. 1 1/4s, pr. packet 3d | 0, 0 | 14, 0 | 2098 | " " <i>alba</i> | 14, 6 | 1, 0 |
| 2012 | 24 " <i>veris elatior</i> (Taller Primrose) I. quality | 22, 0 | 1, 6 | 2099 | " <i>Manglesi major</i> | 13, 6 | 1, 0 |
| 2014 | " " " " good quality | 14, 0 | 1, 0 | 2102 | " <i>Ricinus communis major</i> (Palma Christi) | 0, 9 | 0, 1 |
| 2018 | △ " <i>chinensis</i> (Chinese Primrose), finest mixed | 0, 0 | 11, 6 | 2103 | " <i>Gibsoni</i> | 1, 0 | 0, 1 |
| 2020 | " " <i>fimbriata alba</i> , fringed white pr. 1000 seeds 2s, pr. packet 4d | 0, 0 | 18, 0 | 2104 | " <i>sanguineus</i> (Obermanni) | 0, 6 | 0, 1 |
| 2024 | " " <i>fimbr. atrosanguinea</i> (coccinea), new, shining scarlet pr. 1000 seeds 4s, pr. packet 5d | 0, 0 | 68, 0 | 2105 | " <i>zanzibariensis</i> , new varieties with giant leaves | 0, 10 | 0, 1 |
| 2026 | " " <i>fimbriata kermesina splendens</i> , fringed crimson, 1000 seeds 2 1/2s pr. packet 4d | 0, 0 | 28, 0 | 2109 | " " <i>finest mixed</i> | 0, 9 | 0, 1 |
| 2027 | " " <i>fimbr. lilacina albo-marginata</i> pr. 1000 seeds 2 1/2s, pr. pkt. 5d | 0, 0 | 38, 0 | 2110 | " " <i>enormis</i> , new | 1, 2 | 0, 2 |
| 2029 | " " <i>fimbr. purpurea</i> , shining purple pr. 1000 seeds 2 1/2s, pr. packet 4d | 0, 0 | 25, 0 | 2115 | ⊙ <i>Salpiglossis variabilis albo-lutea</i> , yellowish-white | 0, 0 | 7, 0 |
| 2030 | " " <i>fimbriata rubra</i> , fringed red pr. 1000 seeds 2 1/2s, pr. packet 4d | 0, 0 | 28, 0 | 2116 | " " <i>azurea</i> , violet | 0, 0 | 7, 0 |
| 2032 | " " <i>fimbr. filicifolia alba</i> , white fringed fern-leaved. pr. 1000 seeds 3 1/2s pr. packet 5d | 0, 0 | 56, 0 | 2117 | " " <i>coccinea</i> , scarlet | 0, 0 | 7, 0 |
| 2033 | " " <i>fimbr. filicifolia rubra</i> , red fringed pr. 1000 seeds 2 1/2s, pr. packet 4d | 0, 0 | 35, 0 | 2118 | " " <i>nigra</i> , black brown | 0, 0 | 7, 0 |
| 2038 | " " <i>fimbriata</i> , all finest mixed pr. 1000 seeds 2 1/2s, pr. pkt. 4d | 0, 0 | 25, 0 | 2119 | " <i>sulphurea</i> , sulphur yellow | 0, 0 | 7, 0 |
| 2040 | " " <i>fimbr. alba fl. pleno</i> , white double pr. 1000 seeds 5s, pr. packet 5d | 0, 0 | 0, 0 | 2124 | " <i>finest mixed</i> | 4, 6 | 0, 4 |
| 2042 | " " <i>fimbr. carminea fl. pl.</i> , double pr. 1000 seeds 5s, pr. packet 5d | 0, 0 | 0, 0 | 2128 | " <i>grandiflora coccinea</i> , large-flowering | 0, 0 | 1, 2 |
| 2050 | 24 <i>Pyrethrum hybridum atrosanguineum</i> (Feverfew) | 0, 0 | 2, 10 | 2130 | " " <i>purpurea</i> , purple | 0, 0 | 1, 2 |
| 2051 | " " <i>carneum</i> | 0, 0 | 2, 4 | 2132 | " " <i>rosea</i> , rose | 0, 0 | 1, 2 |
| 2052 | " " <i>roseum</i> | 0, 0 | 2, 10 | 2133 | " " <i>sulphurea</i> | 0, 0 | 1, 2 |
| 2053 | " " <i>finest mixed</i> | 18, 0 | 1, 3 | 2134 | " " <i>violacea</i> | 0, 0 | 1, 2 |
| 2054 | " " <i>fl. pleno</i> , double. pr. packet 4d | 0, 0 | 22, 0 | 2140 | " " <i>finest mixed</i> | 9, 0 | 0, 8 |
| 2060 | " <i>parthenifolium aureum</i> (Matricaria Golden Feather) | 5, 0 | 0, 5 | 2142 | " <i>nana albo-lutea</i> , dwarf | 0, 0 | 7, 0 |
| 2065 | " " <i>selaginoides</i> , fern-leaved, new | 14, 0 | 1, 0 | 2143 | " <i>atroviolacea</i> | 0, 0 | 7, 0 |
| 2068 | ⊙ <i>Reseda odorata</i> (Mignonette) pr. Cwt. 88s | 0, 11 | 0, 1 | 2144 | " <i>azurea aureo-venosa</i> | 0, 0 | 7, 0 |
| 2069 | " " <i>grandiflora</i> , large-flowered pr. Cwt. 90s | 0, 11 | 0, 1 | 2145 | " " <i>coccinea</i> | 0, 0 | 7, 0 |
| 2070 | " " " <i>ameliorata</i> , improved pr. 28 lbs. 32s | 1, 2 | 0, 2 | 2146 | " " <i>sulphurea</i> | 0, 0 | 7, 0 |
| 2071 | " " " <i>aurea Golden Queen</i> | 4, 6 | 0, 4 | 2150 | " " <i>finest mixed</i> | 5, 6 | 0, 5 |
| 2072 | " " " <i>gigantea</i> , Giant golden yellow, Novelty 1898 | 18, 0 | 1, 3 | 2156 | 24 <i>Salvia argentea</i> , true (Sage) | 1, 10 | 0, 2 |
| 2073 | " " " <i>Bismarck</i> , new. Improvement of the Machet Varieties | 0, 0 | 1, 9 | 2157 | ⊙ <i>coccinea</i> | 2, 9 | 0, 3 |
| 2074 | " " " <i>compacta argentea</i> , new. Flowers nearly white | 0, 0 | 2, 3 | 2158 | " <i>coccinea var. lactea</i> , pure white (No- velty Grashoff 1888) pr. packet 1d | 0, 0 | 0, 7 |
| 2075 | " " " <i>gigantea pyramidalis</i> | 2, 2 | 0, 2 | 2159 | ⊙ <i>patens</i> , sky blue very nice, pr. 1/4 oz. 1 1/4s, pr. packet 3d | 0, 0 | 8, 6 |
| 2076 | " " " <i>Grashoff's Red Giant Mignonette</i> , Novelty 1891, very nice | 10, 0 | 0, 9 | 2160 | " <i>Roemeriana</i> , dark purple | 12, 0 | 0, 10 |
| 2077 | " " " <i>Machet</i> , new | 8, 2 | 0, 7 | 2164 | " <i>Sanvitalia procumbens</i> , yellow and black | 4, 6 | 0, 4 |
| 2078 | " " " <i>Machet golden yellow</i> | 12, 0 | 0, 10 | 2165 | " " <i>fl. pleno</i> , extra double | 7, 4 | 0, 7 |
| 2079 | " " " <i>Machet-Rubin</i> , new, with large copper scarlet red flower spikes | 22, 0 | 1, 6 | 2168 | " <i>Saponaria multiflora</i> (Soap-wort) pr. 14 lbs. 0s | 2, 2 | 0, 2 |
| 2081 | " " " <i>nana compacta</i> , true | 4, 6 | 0, 4 | 2169 | " " <i>alba</i> pr. 14 lbs. 0s | 2, 2 | 0, 2 |
| | | | | 2170 | " " <i>compacta</i> | 2, 6 | 0, 3 |
| | | | | 2171 | " " <i>alba</i> | 2, 6 | 0, 3 |
| | | | | 2176 | " <i>Scabiosa atropurpurea major</i> (Scabious), in 8 splendid varieties separate | 1, 3 | 0, 2 |
| | | | | 2180 | " <i>atropurpurea major</i> , finest mixed | 0, 10 | 0, 1 |
| | | | | 2181 | " " <i>major compacta</i> , finest mixed | 1, 10 | 0, 2 |
| | | | | 2182 | " " <i>fl. pl.</i> , extra double finest mixed | 2, 3 | 0, 2 |
| | | | | 2184 | " " <i>"Giant Moor-King"</i> , black brown | 2, 3 | 0, 2 |
| | | | | 2185 | " " <i>grandiflora fiery scarlet</i> , new | 2, 3 | 0, 2 |
| | | | | 2190 | " " <i>nana fl. pl.</i> , in 8 splendid colours, sep. | 1, 4 | 0, 2 |
| | | | | 2191 | " " <i>finest mixed</i> | 0, 11 | 0, 1 |
| | | | | 2192 | " " <i>fl. pl. Tom Thumb</i> , extra double finest mixed | 4, 6 | 0, 4 |
| | | | | 2196 | " <i>candidissima</i> , pure-white | 0, 11 | 0, 1 |
| | | | | 2198 | " <i>Schizanthus grandiflorus albus</i> | 1, 10 | 0, 2 |
| | | | | 2200 | " <i>grandiflorus atropurpureus</i> | 1, 10 | 0, 2 |
| | | | | 2204 | " <i>papilionaceus</i> | 1, 10 | 0, 2 |
| | | | | 2205 | " <i>pinnatus</i> , violet | 1, 9 | 0, 2 |
| | | | | 2206 | " <i>albus</i> | 1, 9 | 0, 2 |
| | | | | 2208 | " <i>roseus</i> | 1, 10 | 0, 2 |

| No. | | per lb. | per oz. | No. | | per lb. | per oz. |
|------|---|---------|---------|------|---|---------|------------|
| | | s. d. | s. d. | | | s. d. | s. d. |
| 2209 | ⊙ Schizanthus pinnatus pyramidalis Tom Thumb. | 2, 9 | 0, 3 | 2340 | ⊙ Tagetes lucida | 4, 2 | 0, 4 |
| 2210 | » » retusus, scarlet | 0, 0 | 0, 3 | 2342 | » » patula fl. aureo pleno (Double French) | 2, 9 | 0, 3 |
| 2212 | » » » albus | 0, 0 | 0, 3 | 2343 | » » » fl. pl. Liliput, new, small-flowering, very dwarf | 3, 8 | 0, 4 |
| 2214 | » » » finest mixed | 1, 6 | 0, 2 | 2344 | » » » nana fl. pleno, dwarf brown | 2, 6 | 0, 3 |
| 2216 | ⊕ Sedum Aizoon, yellow | 0, 0 | 0, 6 | 2345 | » » » aurea fl. pl. | 2, 6 | 0, 3 |
| 2218 | ⊙ » coeruleum (Stone-crop) | 0, 0 | 4, 0 | 2346 | » » » fl. luteo pleno | 2, 6 | 0, 3 |
| 2220 | ⊕ » spurium, light purple | 0, 0 | 1, 5 | 2348 | » » » striata fl. pl., striped | 3, 0 | 0, 3 |
| 2224 | ⊙ Senecio elegans fl. albo pleno (Double Jacobea) | 0, 0 | 1, 0 | 2350 | » » » ranunculoides fl. pleno | 3, 2 | 0, 3 |
| 2225 | » » » fl. atrocinerneo pleno | 0, 0 | 1, 0 | 2352 | » » » striata fl. pleno | 3, 6 | 0, 3 |
| 2226 | » » » fl. cupreo pleno | 0, 0 | 1, 0 | 2354 | » » » fl. pl. Tall varieties finest mixed | 2, 3 | 0, 2 |
| 2227 | » » » fl. lilacino pleno | 0, 0 | 1, 0 | 2356 | » » » fl. pl. Dwarf varieties mixed | 2, 3 | 0, 2 |
| 2228 | » » » fl. purpureo pleno | 0, 0 | 1, 0 | 2358 | » » » signata pumila | 3, 8 | 0, 4 |
| 2229 | » » » fl. roseo pleno | 0, 0 | 1, 0 | 2360 | ⊙ Thunbergia alata | 0, 0 | 1, 2 |
| 2230 | » » » fl. rubro pleno | 0, 0 | 1, 0 | 2362 | » » » alata aurantiaca | 1d | 0, 1, 2 |
| 2236 | » » » fl. pleno, finest mixed | 9, 0 | 0, 8 | 2363 | » » » alba | 1d | 0, 0, 1, 2 |
| 2240 | » » » nana fl. albo pleno | 0, 0 | 1, 2 | 2364 | » » » Bakeri | 1d | 0, 0, 1, 2 |
| 2241 | » » » fl. atrocinerneo pleno | 0, 0 | 1, 2 | 2366 | » » » finest mixed | 0, 0 | 0, 9 |
| 2242 | » » » fl. cupreo pleno | 0, 0 | 1, 2 | 2367 | ⊙△ Torenia Fournieri superbiens, velvet blue and lilac. Splendid pot-plant. | 0, 0 | 5, 9 |
| 2243 | » » » fl. coeruleo pleno | 0, 0 | 1, 2 | | » » » Fournieri speciosa Princess Helen of Montenegro see Nov. pr. pack. 6d | 0, 0 | 0, 0 |
| 2244 | » » » fl. purpureo pleno | 0, 0 | 1, 2 | | » » » „The Bride“ see Nov. pr. pack. 8d | 0, 0 | 0, 0 |
| 2245 | » » » fl. rubro pleno | 0, 0 | 1, 2 | 2372 | » » » Baillon, new | 0, 0 | 14, 3 |
| 2250 | » » » fl. pleno, finest mixed | 14, 0 | 1, 0 | 2376 | ⊙ Trifolium suaveolens, sweet-scented | 1, 10 | 0, 2 |
| 2254 | » » » pomponicus fl. pl., new, purple | 0, 0 | 1, 5 | 2377 | ⊕ Tritoma Uvaria grandiflora, very effectfull | 0, 0 | 0, 9 |
| 2260 | ⊙ Setaria alopecuroides | 0, 8 | 0, 1 | 2378 | ⊙ Tropaeolum canariense (peregrinum) | 5, 0 | 0, 5 |
| 2262 | » » » macrochaeta | 0, 8 | 0, 1 | 2384 | » » » Lobbianum atropurpureum | 1, 10 | 0, 2 |
| 2263 | ⊙ Sicyos angulata | 2, 0 | 0, 2 | 2385 | » » » Brilliant | 1, 10 | 0, 2 |
| 2266 | » » Silene Armeria (Catchfly), red | 0, 10 | 0, 1 | 2386 | » » » Cardinal | 1, 10 | 0, 2 |
| 2268 | » » » fl. albo | 1, 2 | 0, 2 | 2387 | » » » Duc de Vivence | 1, 10 | 0, 2 |
| 2270 | ⊕ » orientalis, red | 1, 4 | 0, 2 | 2388 | » » » Geant des Batailles | 2, 0 | 0, 2 |
| 2272 | ⊙ » pendula (rosea graeca) | 0, 6 | 0, 1 | 2389 | » » » Crown Prince of Prussia | 1, 10 | 0, 2 |
| 2273 | » » » alba | 0, 7 | 0, 1 | 2390 | » » » Lilli Smith | 1, 10 | 0, 2 |
| 2274 | » » » Bonnetti | 0, 7 | 0, 1 | 2395 | » » » Lucifer | 2, 4 | 0, 2 |
| 2275 | » » » ruberrima | 0, 7 | 0, 1 | 2396 | » » » Mr. Colmet | 2, 2 | 0, 2 |
| 2277 | » » » compacta | 2, 2 | 0, 2 | 2397 | » » » Napoleon III | 2, 2 | 0, 2 |
| 2278 | » » » alba | 1, 8 | 0, 2 | 2398 | » » » Spitfire | 1, 10 | 0, 2 |
| 2279 | ⊙ » » ruberrima | 2, 2 | 0, 2 | 2399 | » » » Zanderi nigrum | 2, 6 | 0, 3 |
| 2280 | ⊕ » Schaffta, rose | 0, 0 | 1, 5 | 2400 | » » » finest mixed | 1, 2 | 0, 2 |
| 2286 | ⊙ » annual varieties finest mixed | 0, 8 | 0, 1 | 2405 | ⊙ majus atropurpureum (Nasturtium) | 0, 9 | 0, 1 |
| 2290 | » » » Solanum atropurpureum | 0, 0 | 0, 4 | | » » » pr. ¼ Cwt. 18s | 0, 9 | 0, 1 |
| 2291 | » » » Cabyliense argenteum (marginatum) | 0, 0 | 0, 5 | 2406 | » » » coccineum | 0, 9 | 0, 1 |
| 2292 | ⊕ » capsicastrum | 0, 0 | 0, 4 | 2408 | » » » Dunnett's Orange | 0, 9 | 0, 1 |
| 2294 | ⊙ » laciniatum | 0, 0 | 0, 4 | 2409 | » » » Eduard Otto, lilac | 0, 10 | 0, 1 |
| 2295 | » » » Melongena fructu albo (Egg Plant) | 2, 9 | 0, 3 | 2410 | » » » King Theodore | 1, 5 | 0, 2 |
| 2296 | » » » fructu coeruleo | 3, 2 | 0, 3 | 2412 | » » » luteum | 0, 9 | 0, 1 |
| 2298 | » » » robustum, with brown-yellow leaves | 0, 0 | 1, 4 | 2413 | » » » Regelianum | 0, 9 | 0, 1 |
| 2299 | ⊕ » Spermogyna speciosa, golden, splendid | 1, 10 | 0, 2 | 2414 | » » » Scheuermanni | 0, 9 | 0, 1 |
| 2302 | » » » Stachys Bonduelli | 0, 11 | 0, 1 | 2415 | » » » coccineum | 0, 9 | 0, 1 |
| 2306 | ⊕ » incana (hybrida nana) | 1, 5 | 0, 2 | 2416 | » » » von Moltke, bluish rose, beautiful | 0, 10 | 0, 1 |
| 2310 | ⊙ » sinuata | 0, 11 | 0, 1 | 2420 | » » » finest mixed | 0, 7 | 0, 1 |
| 2312 | » » » hybrida | 0, 11 | 0, 1 | 2425 | » » » nanum atrococcineum | 0, 10 | 0, 1 |
| 2313 | » » » Suworowi (Novelty), crimson | 0, 0 | 0, 6 | 2426 | » » » atropurpureum | 0, 10 | 0, 1 |
| 2316 | ⊕ » Stenactis speciosa | 1, 4 | 0, 2 | 2427 | » » » Aurora, new | 0, 10 | 0, 1 |
| 2317 | ⊙ » Stevia Lindleyana, white | 0, 0 | 0, 9 | 2429 | » » » coccineum foliis aureis, Novelty. Scarlet with golden yellow foliage | 0, 11 | 0, 1 |
| 2318 | » » » purpurea | 0, 0 | 0, 8 | | » » » coeruleo-roseum | 0, 10 | 0, 1 |
| 2324 | ⊙ Stipa pennata (Feather Grass) | 3, 8 | 0, 4 | 2431 | » » » Crystal Palace Gem | 0, 10 | 0, 1 |
| | » » » Streptocarpus varieties finest mixed | 0, 0 | 0, 0 | 2433 | » » » Dunnett's spotted | 0, 10 | 0, 1 |
| | » » » pr. ½ oz. 7s pr. pkt. 3d | 0, 0 | 0, 0 | 2434 | » » » Empress of India | 1, 10 | 0, 2 |
| 2326 | ⊙ Tagetes erecta fl. aurantiaco pleno (Double African Marigold) | 3, 2 | 0, 3 | 2435 | » » » General Jacqueminot, new, crimson-purple | 0, 11 | 0, 1 |
| 2327 | ⊙ Tagetes erecta fl. sulphureo pleno | 3, 2 | 0, 3 | 2436 | » » » Golden King | 1, 4 | 0, 2 |
| 2328 | » » » fl. plenissimo, extra double, yellow | 3, 2 | 0, 3 | 2437 | » » » King of Tom Thumbs | 1, 10 | 0, 2 |
| 2329 | » » » nana fl. pleno, dwarf golden | 4, 0 | 0, 4 | | | | |
| 2330 | » » » sulphurea fl. pl. | 4, 0 | 0, 4 | | | | |
| 2336 | » » » fl. pleno, finest mixed | 2, 9 | 0, 3 | | | | |

| No. | | per lb. | per oz. | No. | | per lb. | per oz. |
|------|---|---------|---------|------|---|---------|---------|
| | | s. d. | s. d. | | | s. d. | s. d. |
| 2438 | ⊙ <i>Tropaeolum majus nanum</i> King Theodore | 1, 5 | 0, 2 | 2542 | ♂ <i>Viola tricolor maxima</i> Lord Beaconsfield, new.. | 16, 4 | 1, 2 |
| 2439 | » » <i>majus nanum luteum</i> (yellow) | 0, 10 | 0, 1 | 2543 | » » » <i>maxima</i> Meteor, shining red brown .. | 16, 4 | 1, 2 |
| 2446 | » » » Pearl | 0, 10 | 0, 1 | 2544 | » » » <i>Odier</i> , five-blotched | 42, 0 | 2, 10 |
| 2447 | » » » <i>Prince Henry</i> , new, light yellow, scarlet spotted and marbled | 0, 10 | 0, 1 | 2545 | » » » <i>Odier</i> „ <i>Président Carnot</i> “, new, white with large violet spots .. | 68, 0 | 4, 8 |
| 2448 | » » » <i>Ruby King</i> | 1, 4 | 0, 2 | 2546 | » » » <i>Odier</i> „ <i>Président Carnot</i> yellow ground“, new, yellow with maroon brown spots .. | 78, 0 | 5, 4 |
| 2450 | » » » all finest mixed, pr. ¼ Cwt. 17s .. | 0, 9 | 0, 1 | 2548 | » » » <i>pure-yellow</i> | 14, 0 | 1, 0 |
| 2452 | ⊙ <i>4. Tunica Saxifraga</i> (Gypsophila) | 2, 4 | 0, 2 | 2550 | » » » <i>Snow-Queen</i> , pure-white | 14, 0 | 1, 0 |
| 2453 | ♀ <i>Valeriana alba</i> (Valerian) | 1, 4 | 0, 2 | 2553 | » » » <i>velvet black and violet-eyed</i> | 14, 0 | 1, 0 |
| 2454 | » » <i>coccinea</i> | 1, 4 | 0, 2 | 2554 | » » » <i>white with eye</i> | 14, 0 | 1, 0 |
| 2455 | » » <i>rubra</i> | 1, 4 | 0, 2 | 2555 | » » » <i>white-bordered</i> | 14, 0 | 1, 0 |
| 2456 | ⊙ <i>Venidium calendulaceum</i> | 3, 8 | 0, 4 | 2558 | » » » all above varieties finest mixed .. | 12, 0 | 0, 10 |
| 2460 | ⊙ <i>Verbena Aubletia</i> (Vervain), reddish purple .. | 3, 3 | 0, 3 | 2560 | » » » <i>I. quality</i> | 9, 0 | 0, 8 |
| 2465 | » » <i>Drummondii</i> | 3, 8 | 0, 4 | 2562 | » » » <i>Five-blotched Giant</i> (Cassier), pr. ½ oz. 8d, pr. packet 2d .. | 55, 0 | 3, 8 |
| 2466 | » » <i>erinoides</i> , new flowers lilac rose .. | 0, 0 | 0, 10 | 2563 | » » » <i>Cassier hortensia</i> red, light rose with great dark blue spots .. | 60, 0 | 4, 0 |
| 2467 | » » <i>hybrida auriculæiflora</i> , various shades, distinctly white or rose-eyed | 15, 6 | 1, 2 | 2564 | » » » <i>Bugnot's large-blotched Giant</i> , pr. ½ oz. 10d, pr. packet 3d .. | 78, 0 | 5, 4 |
| 2468 | » » » <i>candidissima</i> , purest white | 15, 6 | 1, 2 | 2566 | » » » <i>Victoria</i> , wine-red large flowering .. | 36, 0 | 2, 4 |
| 2469 | » » » <i>coccinea</i> , scarlet | 18, 0 | 1, 3 | 2570 | » » » <i>Giant Paris Trimardeau</i> , I. quality, finest mixed, pr. ½ oz. 3d, pr. packet 1d .. | 22, 0 | 1, 6 |
| 2470 | » » » <i>coerulea</i> , blue | 14, 6 | 1, 0 | 2572 | » » » <i>Trimardeau atropurpurea</i> , pr. packet 1d .. | 27, 0 | 1, 10 |
| 2475 | » » » <i>Defiance</i> , fiery red .. pr. packet 2d .. | 28, 0 | 2, 0 | 2573 | » » » <i>auricula coloured</i> | 27, 0 | 1, 10 |
| 2476 | » » » <i>striata</i> , Italian striped | 16, 6 | 1, 2 | 2574 | » » » <i>yellow, with eye</i> , pr. ½ oz. 6d, pr. pack. 2d .. | 36, 0 | 2, 4 |
| 2477 | » » » finest mixed I. quality | 14, 6 | 1, 0 | 2576 | » » » <i>striped</i> | 27, 0 | 1, 10 |
| 2478 | » » <i>extra choice mixed</i> , selected only from the named varieties, very choice .. pr. packet 2d .. | 36, 0 | 2, 4 | 2577 | » » » <i>Emperor William</i> pr. pack. 1d .. | 27, 0 | 1, 10 |
| 2479 | » » » finest mixed II. quality | 9, 0 | 0, 8 | 2578 | » » » <i>Lord Beaconsfield</i> pr. pack. 1d .. | 27, 0 | 1, 10 |
| 2484 | » » » <i>compacta candidissima</i> , pure white, compact, pr. ½ oz. 6d, pr. packet 2d .. | 0, 0 | 2, 10 | 2579 | » » » <i>Moor-King</i> , black, pr. ½ oz. 4d, pr. pack. 2d .. | 32, 0 | 2, 2 |
| 2485 | » » » <i>scarlet, white eyed</i> , pr. ½ oz. 6d, pr. packet 2d .. | 0, 0 | 2, 10 | 2580 | » » » <i>Snow-Queen</i> | 27, 0 | 1, 10 |
| 2486 | » » » <i>dark blue</i> , pr. ½ oz. 5d, pr. packet 2d .. | 0, 0 | 2, 0 | 2586 | » » » <i>violet-blue</i> , pr. ½ oz. 4d, pr. pack. 1d .. | 27, 0 | 1, 10 |
| 2488 | » » » <i>finest mixed</i> .. pr. packet 2d .. | 0, 0 | 2, 0 | 2587 | » » » <i>white, with eye</i> , pr. ½ oz. 4d, pr. pack. 1d .. | 27, 0 | 1, 10 |
| 2490 | » » » <i>Mammoth-Giant</i> . I. quality finest mixed, see Novelties | 30, 0 | 2, 2 | 2596 | ⊙ <i>Viscaria cardinalis</i> | 2, 3 | 0, 2 |
| 2495 | » » <i>venosa</i> , rich purple | 2, 4 | 0, 2 | 2597 | » » » <i>elegans picta</i> , rose and scarlet .. | 1, 10 | 0, 2 |
| 2500 | ♀ <i>Viola cornuta</i> (Violet), blue | 0, 0 | 1, 8 | 2598 | » » » <i>oculata</i> | 1, 5 | 0, 2 |
| 2501 | » » <i>alba</i> , white | 0, 0 | 1, 5 | 2600 | » » » <i>nana</i> , dwarf | 2, 3 | 0, 2 |
| 2502 | » » <i>Perfection</i> , dark blue .. pr. packet 2d .. | 0, 0 | 2, 2 | 2605 | ♀ <i>Wahlenbergia grandiflora</i> | 0, 0 | 0, 9 |
| 2503 | » » <i>lutea</i> | 4, 0 | 0, 4 | 2606 | » » » <i>alba</i> , white | 0, 0 | 0, 6 |
| 2504 | » » <i>odorata semperflorens</i> | 13, 6 | 1, 0 | 2608 | ⊙ <i>Whittavia grandiflora</i> | 1, 8 | 0, 2 |
| 2505 | » » <i>Empress Augusta</i> , dark blue, excellent for forcing | 18, 0 | 1, 3 | 2610 | » » <i>grandiflora alba</i> | 1, 8 | 0, 2 |
| 2508 | » » <i>the Czar</i> , blue, large-flowering .. | 0, 0 | 2, 4 | 2612 | △ <i>Wigandia caracasana</i> , ornamental .. | 0, 0 | 1, 3 |
| 2510 | » » » <i>fl. albo</i> , white large-flowering .. | 13, 6 | 1, 0 | 2616 | ⊙ <i>Xeranthemum annuum fl. albo pleno</i> .. | 4, 6 | 0, 4 |
| 2516 | ♂ <i>Viola tricolor maxima</i> Pansies or Heartseases, brown-red varieties | 13, 0 | 1, 0 | 2617 | » » <i>annuum fl. purpureo pleno</i> | 4, 6 | 0, 4 |
| 2517 | » » » <i>maxima Cardinal</i> .. pr. packet 1d .. | 21, 0 | 1, 5 | 2618 | » » <i>imperiale fl. pleno</i> | 5, 0 | 0, 5 |
| 2518 | » » » „ <i>Coquette de Poissy</i> “, new, rosy light blue .. pr. packet 1d .. | 26, 0 | 1, 9 | 2619 | » » <i>atropurpureum plenissimum</i> .. | 5, 6 | 0, 5 |
| 2519 | » » » <i>darkblue</i> | 13, 0 | 1, 0 | 2620 | » » <i>superbissimum fl. pleno</i> | 6, 4 | 0, 6 |
| 2520 | » » » <i>Dr. Faust</i> , black | 13, 0 | 1, 0 | 2626 | » » <i>album fl. pl.</i> , white, extra double .. | 0, 3 | 0, 1 |
| 2526 | » » » <i>Fiery-King</i> , purple and golden yellow | 21, 0 | 1, 5 | 2630 | » » <i>gracillima variegata</i> | 0, 6 | 0, 1 |
| 2527 | » » <i>Prince Bismarck</i> , goldbronze marbled | 14, 0 | 1, 0 | 2632 | » » <i>japonica foliis variegatis</i> .. pr. 14 lbs. 5s .. | 0, 5 | 0, 1 |
| 2530 | » » <i>yellow with eye</i> | 13, 0 | 1, 0 | 2634 | » <i>Zinnia elegans</i> single, finest mixed .. | 2, 0 | 0, 2 |
| 2532 | » » <i>striped</i> (Fancy or Belgian) | 14, 0 | 1, 0 | | | | |
| 2533 | » » <i>gold-bordered</i> | 13, 0 | 1, 0 | | | | |
| 2534 | » » <i>gloriosa perfecta</i> | 14, 0 | 1, 0 | | | | |
| 2535 | » » <i>light-blue</i> | 15, 6 | 1, 2 | | | | |
| 2536 | » » <i>Emperor Frederic</i> , Novelty | 14, 0 | 1, 0 | | | | |
| 2540 | » » <i>Emperor William</i> , bluish violet .. | 14, 0 | 1, 0 | | | | |
| 2541 | » » <i>auricula coloured</i> | 13, 0 | 1, 0 | | | | |

Zinnia elegans fl. pleno, quite extra double.

Golden, scarlet, lilac, purple, white, sulphur yellow, rose, carmine.

| No. | | per oz. |
|---|--|-------------|
| | s. d. s. d. | s. d. |
| 2640 | Each colour separate | 7, 3 0, 7 |
| 2656 | Finest mixed | 4, 6 0, 4 |
| Zinnia elegans pumila fl. pleno, Dwarf, double. | | |
| <i>White, golden, purple, scarlet, lilac, sulphur yellow.</i> | | |
| 2660 | Each colour separate | 0, 0 0, 6 |
| 2670 | Finest mixed | 5, 6 0, 5 |
| 2676 | Zinnia elegans robusta grandiflora plenissima , very large-flowering in different colours | 6, 4 0, 6 |
| 2678 | Zinnia elegans Liliput fl. pl. , new, small flowering, Dwarf double, finest mixed | 12, 0 0, 10 |
| 2680 | ○ Zinnia Haageana (spec. Mexico) | 5, 0 0, 5 |
| 2686 | » » fl. pleno | 18, 0 1, 3 |
| 2688 | » » pumila fl. pl. (Novelty Grashoff 1891) | 22, 6 1, 6 |

SOME PALM SEEDS.

| No. | | s. d. |
|------|---|-------|
| | s. d. s. d. | s. d. |
| 2706 | Brahea filamentosa (Pritchardia filifera).....1000 seeds | 5, 0 |
| | 100 » | 0, 9 |
| 2708 | Chamaerops elegans1000 seeds 8s, 100 » | 1, 0 |
| 2709 | » excelsa (Fortunei).....1000 » 2s, 100 » | 0, 4 |
| 2710 | » humilispr. lb. 11d, pr. oz. | 0, 1 |
| 2711 | Cocos australis100 seeds | 2, 6 |
| 2712 | » Weddelliana100 » | 3, 0 |
| 2714 | Corypha australis (Livistona).....1000 seeds 14s, 100 » | 1, 10 |
| 2715 | Kentia Balmoreana100 » 3s, 10 » | 0, 5 |
| 2716 | Latania borbonica (Livistona sinensis).....1000 » | 6, 0 |
| | 100 » | 0, 9 |
| 2718 | Pandanus utilis1000 seeds 32s, 100 » | 3, 8 |

| No. | | per oz. |
|------|---|---------|
| | s. d. s. d. | s. d. |
| 2719 | Phoenix canariensis1000 seeds 6s, 100 seeds | 0, 9 |
| 2720 | » reclinata1000 » 11s, 100 » | 1, 4 |
| 2724 | » dactyliferapr. lb. 2s 9d, pr. oz. | 0, 3 |
| 2726 | Sabal umbraculifera1000 seeds 12s, 100 seeds | 1, 5 |

Collection of some recommendable Greenhouse Plants.

| No. | | per oz. |
|------|--|------------|
| | s. d. s. d. | s. d. |
| 2730 | Abutilon hybridum mixed.....pr. packet | 0, 4 11, 6 |
| 2736 | Adiantum Capillus Veneris» | 0, 7 0, 0 |
| 2737 | Adiantum gracillimum» | 0, 7 0, 0 |
| 2739 | Aralia Sieboldi 10000 seeds 10s, 1000 seeds 1½s, 100 seeds | 0, 3 0, 0 |
| 2740 | Blechnum gracilepr. packet | 0, 7 0, 0 |
| 2741 | Cyperus alternifolius» | 0, 3 7, 0 |
| 2742 | Dracaena australis (Cordylina).....1000 seeds 3½s, 100 seeds | 0, 6 0, 0 |
| 2744 | » congesta1000 » 9s, 100 » | 1, 0 0, 0 |
| 2746 | » Dracopr. lb. 9s, 1000 » 9s, 100 » | 1, 0 0, 8 |
| 2747 | » indivisa10000 » 9s, 1000 » | 1, 2 0, 0 |
| | 100 » | 0, 2 0, 0 |
| 2748 | Ficus elastica1000 » 2½s, 100 » | 0, 4 0, 0 |
| 2749 | Grevillea robustapr. packet | 0, 1 1, 9 |
| 2751 | Imantophyllum (Clivia) miniaturum hybridum grandiflorum100 seeds 16s, 10 seeds | 1, 10 0, 0 |
| 2753 | Musa Ensete100 » 5s, 10 » | 0, 8 0, 0 |
| 2754 | Phormium tenax1000 » 3s 0d, 100 » | 0, 5 0, 0 |
| 2755 | » tenax fol. varieg.1000 » 6s, 100 » | 0, 9 0, 0 |
| 2756 | Pteris cretica albo-lineatapr. packet | 0, 6 56, 0 |
| 2757 | » longifolia» | 0, 5 42, 0 |

ASSORTMENTS IN COLLECTIONS OF SEVERAL PRINCIPAL GERMAN FLOWER-SEEDS IN SEALED PACKETS.

Arranged with utmost attention, and not to be surpassed in quality.

| No. | | | pr. Collection s. d. | pr. 10 Collections s. d. | pr. 100 Collections s. d. |
|------|---|-----------------------|-------------------------|-----------------------------|------------------------------|
| 2780 | △ Acacias | 5 varieties, separate | 0 5 | 3 4 | 27 0 |
| 2781 | ○ Ageratum | 6 » » | 0 6 | 4 0 | 33 0 |
| 2782 | » Amaranthus | 8 » » | 0 6 | 4 0 | 33 0 |
| 2783 | » Aster , Quilled German, extra double | 12 » » | 0 6 | 4 0 | 33 0 |
| 2784 | » » » | 6 » » | 0 3 | 2 0 | 16 8 |
| 2785 | » » Globe-flowered , extra double | 12 » » | 0 6 | 4 0 | 33 0 |
| 2786 | » » » | 6 » » | 0 3 | 2 0 | 16 8 |
| 2787 | » » Pyramidal , extra double | 12 » » | 0 8 | 5 4 | 44 0 |
| 2788 | » » » | 6 » » | 0 4 | 2 8 | 22 0 |
| 2790 | » » Dwarf-German , extra double | 12 » » | 0 8 | 5 4 | 44 0 |
| 2796 | » » » | 6 » » | 0 4 | 2 8 | 22 0 |
| 2797 | » » Boltze's New Dwarf-Bouquet , extra double | 12 » » | 0 10 | 6 8 | 55 0 |
| 2798 | » » » | 6 » » | 0 5 | 3 4 | 28 0 |
| 2800 | » » Truffaut's imbricated Pompon , extra double | 12 » » | 0 10 | 6 8 | 55 0 |
| 2802 | » » » | 6 » » | 0 5 | 3 4 | 27 0 |
| 2803 | » » New Dwarf Large-flowering Chrysanthemum , extra double | 18 » » | 1 3 | 10 0 | 83 0 |
| 2804 | » » » » » extra double | 12 » » | 0 10 | 6 8 | 55 0 |
| 2805 | » » » » » extra double | 6 » » | 0 5 | 3 4 | 27 0 |
| 2808 | » » » Paeony flowered Perfection , extra double | 12 » » | 0 10 | 6 8 | 55 0 |
| 2809 | » » » » » | 6 » » | 0 5 | 3 4 | 27 0 |

| No. | | | | | pr. Collection | | pr. 10 Collections | | pr. 100 Collections | |
|------|---|---|----|---------------------|----------------|----|--------------------|----|---------------------|----|
| | | | | | s. | d. | s. | d. | s. | d. |
| 2810 | ⊙ | Aster, Cocardeau or Crown-Paeony, extra double | 8 | varieties, separate | 0 | 6 | 4 | 0 | 33 | 0 |
| 2812 | » | » New Victoria, extra double | 18 | » | 1 | 10 | 14 | 8 | 122 | 0 |
| 2813 | » | » | 12 | » | 1 | 0 | 8 | 0 | 66 | 0 |
| 2814 | » | » | 6 | » | 0 | 6 | 4 | 0 | 33 | 0 |
| 2820 | » | » Dwarf-Victoria, extra double | 10 | » | 1 | 0 | 8 | 0 | 66 | 0 |
| 2822 | » | » Victoria Hedgehog or Needle, extra double | 10 | » | 1 | 0 | 8 | 0 | 66 | 0 |
| 2826 | » | » Jewel or Ball | 6 | » | 0 | 5 | 3 | 4 | 27 | 0 |
| 2828 | » | » Mignon | 6 | » | 0 | 5 | 3 | 4 | 27 | 0 |
| 2829 | » | » New Improved Rose-Paeony, extra double | 12 | » | 0 | 10 | 6 | 8 | 55 | 0 |
| 2830 | » | » | 6 | » | 0 | 5 | 3 | 4 | 28 | 0 |
| 2835 | » | » Paeony-flowered Globe, Uhland, extra double | 12 | » | 0 | 8 | 5 | 4 | 44 | 0 |
| 2836 | » | » | 6 | » | 0 | 4 | 2 | 8 | 22 | 0 |
| 2838 | » | » Schiller, extra double | 8 | » | 0 | 5 | 3 | 4 | 28 | 0 |
| 2840 | » | » Shakespeare Dwarf, extra double | 8 | » | 0 | 6 | 4 | 0 | 33 | 0 |
| 2841 | » | » German Emperor, extra double | 12 | » | 1 | 3 | 10 | 0 | 83 | 0 |
| 2842 | » | » | 6 | » | 0 | 8 | 5 | 4 | 44 | 0 |
| 2844 | » | » Grashoff's new Improved Large-flowering Paeony-Perfection, extra double | 8 | » | 1 | 3 | 10 | 0 | 83 | 0 |
| 2845 | » | » new Improved Large-flowering Paeony-Perfection | 12 | » | 0 | 10 | 6 | 8 | 55 | 0 |
| 2846 | » | » | 6 | » | 0 | 5 | 3 | 4 | 27 | 0 |
| 2848 | » | » Comet, extra double | 8 | » | 0 | 10 | 6 | 8 | 55 | 0 |
| 2850 | » | » Improved-Giant | 8 | » | 0 | 8 | 5 | 4 | 44 | 0 |
| 2852 | » | » Largest-flowering Dwarf Queen, extra double | 6 | » | 0 | 8 | 5 | 4 | 44 | 0 |
| 2854 | » | » Washington, extra double | 8 | » | 0 | 9 | 6 | 0 | 50 | 0 |
| 2855 | » | » Queen of the Market | 8 | » | 0 | 5 | 3 | 4 | 27 | 0 |
| 2856 | » | » Non Plus Ultra | 6 | » | 0 | 8 | 4 | 0 | 33 | 0 |
| 2860 | ⊙ | Balsams Camellia-flowered, extra double | 8 | » | 0 | 8 | 5 | 4 | 44 | 0 |
| 2861 | » | » | 4 | » | 0 | 4 | 2 | 8 | 22 | 0 |
| 2862 | » | » Rose-flowered | 12 | » | 0 | 9 | 6 | 0 | 50 | 0 |
| 2863 | » | » | 6 | » | 0 | 5 | 3 | 4 | 27 | 0 |
| 2864 | » | » Dwarf | 12 | » | 0 | 8 | 5 | 4 | 44 | 0 |
| 2865 | » | » | 6 | » | 0 | 4 | 2 | 8 | 22 | 0 |
| 2866 | » | » Dwarf Camellia-flowered | 6 | » | 0 | 4 | 2 | 8 | 22 | 0 |
| 2870 | △ | Begonia, large-flower-bulb-vars | 8 | » | 1 | 4 | 10 | 8 | 88 | 0 |
| 2872 | ⊙ | Bellflower (Campanula) annual | 4 | » | 0 | 4 | 2 | 8 | 22 | 0 |
| 2873 | ⊙ | » perennial | 8 | » | 0 | 8 | 5 | 4 | 44 | 0 |
| 2874 | ⊙ | Calceolarias | 5 | » | 0 | 10 | 6 | 8 | 55 | 0 |
| 2875 | ⊙ | Candytuft (Iberis) | 6 | » | 0 | 4 | 2 | 8 | 22 | 0 |
| 2876 | » | Calliopsis (Coreopsis) | 10 | » | 0 | 5 | 3 | 4 | 27 | 0 |
| 2880 | ⊙ | Carnations (Dianthus Caryophyllus), pot-seed | 12 | » | 2 | 0 | 16 | 0 | 133 | 0 |
| 2882 | » | Catchfly (Silene) | 8 | » | 0 | 5 | 3 | 4 | 27 | 0 |
| 2883 | » | Celosia pyramidalis plumosa | 4 | » | 0 | 4 | 2 | 8 | 22 | 0 |
| 2884 | » | Centaury (Centaurea) | 8 | » | 0 | 6 | 4 | 0 | 33 | 0 |
| 2885 | » | Centranthus | 4 | » | 0 | 3 | 2 | 0 | 16 | 8 |
| 2886 | » | China imperial and Heddewig's Pink (Dianthus chinensis) | 12 | » | 0 | 8 | 5 | 4 | 44 | 0 |
| 2887 | » | » | 6 | » | 0 | 4 | 2 | 8 | 22 | 0 |
| 2890 | » | Clarkias | 12 | » | 0 | 8 | 5 | 4 | 44 | 0 |
| 2891 | » | Cockscomb (Celosia cristata) Dwarf | 8 | » | 0 | 8 | 5 | 4 | 44 | 0 |
| 2892 | » | Chrysanthemum | 8 | » | 0 | 5 | 3 | 4 | 27 | 0 |
| 2893 | ⊙ | Cinerarias | 6 | » | 0 | 10 | 6 | 8 | 55 | 0 |
| 2895 | ⊙ | Collinsias | 6 | » | 0 | 4 | 2 | 8 | 22 | 0 |
| 2896 | ⊙ | Columbine (Aquilegia) | 6 | » | 0 | 5 | 3 | 4 | 28 | 0 |
| 2898 | » | Convolvulus minor | 6 | » | 0 | 3 | 2 | 0 | 16 | 8 |
| 2899 | ⊙ | » major (Ipomoea purpurea) | 12 | » | 0 | 6 | 4 | 0 | 33 | 0 |
| 2902 | » | » | 6 | » | 0 | 3 | 2 | 0 | 16 | 8 |
| 2904 | ⊙ | Escholtzias | 6 | » | 0 | 4 | 2 | 8 | 22 | 0 |
| 2905 | ⊙ | fig Marigold (Mesembrianthemum) | 4 | » | 0 | 4 | 2 | 8 | 22 | 0 |
| 2906 | ⊙ | Forget-me-not (Myosotis alpestris) | 12 | » | 0 | 10 | 6 | 8 | 55 | 0 |
| 2907 | » | » | 6 | » | 0 | 5 | 3 | 4 | 28 | 0 |
| 2908 | ⊙ | Flowering Reed (Canna) | 4 | » | 0 | 6 | 4 | 0 | 33 | 0 |
| 2909 | ⊙ | Gaillardias | 4 | » | 0 | 4 | 2 | 8 | 22 | 0 |
| 2910 | ⊙ | Godetias | 12 | » | 0 | 6 | 4 | 0 | 33 | 0 |
| 2912 | » | Heartsease, Pansy (Viola tricolor maxima) | 18 | » | 1 | 6 | 12 | 0 | 100 | 0 |
| 2914 | » | » | 12 | » | 1 | 0 | 8 | 0 | 66 | 0 |

| No. | | | | | pr. Collection | | pr. 10 Collections | | pr. 100 Collections | |
|------|----|---|-----------------------|--|----------------|----|--------------------|----|---------------------|----|
| | | | | | s. | d. | s. | d. | s. | d. |
| 2915 | ○ | Heartsease, Pansy (<i>Viola tricolor maxima</i>) | 6 varieties, separate | | 0 | 6 | 4 | 0 | 33 | 0 |
| 2916 | » | » » » » Trimardeau | 8 » | | 0 | 10 | 6 | 8 | 56 | 0 |
| 2918 | » | Helichrysum monstrosum, extra double | 6 » | | 0 | 5 | 3 | 4 | 27 | 0 |
| 2919 | » | » » » » nanum, extra double | 6 » | | 0 | 5 | 3 | 4 | 27 | 0 |
| 2920 | ♀ | Hollyhocks (<i>Althaea rosea</i> fl. pleno), Chaters, extra double | 6 » | | 0 | 9 | 6 | 0 | 50 | 0 |
| 2926 | ○ | Jacobaea, extra double Groundsel (<i>Senecio elegans</i> fl. pl.) | 6 » | | 0 | 8 | 5 | 4 | 44 | 0 |
| 2927 | » | » » Dwarf Groundsel (<i>S. eleg. nana</i> fl. pl.) | 6 » | | 0 | 8 | 5 | 4 | 44 | 0 |
| 2928 | ○♂ | Ipomoeas | 6 » | | 0 | 6 | 4 | 0 | 33 | 0 |
| 2929 | » | Larkspurs, Double Tall German Rocket (elator) | 8 » | | 0 | 6 | 4 | 0 | 33 | 0 |
| 2930 | » | » » Ranunculi-flowered | 6 » | | 0 | 4 | 2 | 8 | 22 | 0 |
| 2934 | » | » » Stock-flowered Tall Branching | 8 » | | 0 | 5 | 3 | 4 | 28 | 0 |
| 2935 | » | » » New Imperial Branching | 6 » | | 0 | 4 | 2 | 8 | 22 | 0 |
| 2936 | » | » » Dwarf German Rocket (<i>Hyacinth</i> -fl.) | 10 » | | 0 | 6 | 4 | 0 | 33 | 0 |
| 2937 | » | » » » » » » » » | 5 » | | 0 | 3 | 2 | 0 | 16 | 8 |
| 2938 | ♀ | (Perennials) | 4 » | | 0 | 4 | 2 | 8 | 22 | 0 |
| 2940 | ○ | Leptosiphon | 4 » | | 0 | 3 | 2 | 0 | 16 | 8 |
| 2942 | ○ | Lobelia Erinus | 12 » | | 0 | 10 | 6 | 8 | 55 | 0 |
| 2943 | » | » » » » » » » » | 6 » | | 0 | 5 | 3 | 4 | 27 | 0 |
| 2944 | » | Lupinus (Annuals) | 12 » | | 0 | 6 | 4 | 0 | 33 | 0 |
| 2946 | » | » » » » » » » » | 6 » | | 0 | 3 | 2 | 0 | 16 | 8 |
| 2947 | ♀ | Lychnis | 6 » | | 0 | 6 | 4 | 0 | 33 | 0 |
| 2950 | ○ | Marigold (<i>Tagetes</i>), extra double | 12 » | | 0 | 9 | 6 | 0 | 50 | 0 |
| 2951 | » | » » » » » » » » | 6 » | | 0 | 5 | 3 | 4 | 28 | 0 |
| 2952 | » | Marvel of Peru (<i>Mirabilis Jalapa</i>) | 8 » | | 0 | 5 | 3 | 4 | 28 | 0 |
| 2953 | » | » » » » » » » » | 6 » | | 0 | 4 | 2 | 8 | 22 | 0 |
| 2954 | » | » » » » » » Dwarf, green foliage | 6 » | | 0 | 4 | 2 | 8 | 22 | 0 |
| 2955 | » | » » » » » » striped foliage | 5 » | | 0 | 3 | 2 | 0 | 16 | 8 |
| 2956 | » | » » » » » » fol. var. Tom Thumb | 6 » | | 0 | 4 | 2 | 8 | 22 | 0 |
| 2960 | ○♂ | Maurandias | 4 » | | 0 | 6 | 4 | 0 | 33 | 0 |
| 2962 | ○ | Mignonette (<i>Reseda odorata</i>) | 8 » | | 0 | 6 | 4 | 0 | 33 | 0 |
| 2963 | » | Monkey-Flower (<i>Mimulus</i>) | 10 » | | 0 | 10 | 6 | 8 | 55 | 0 |
| 2964 | » | » » » » » » » » | 5 » | | 0 | 5 | 3 | 4 | 27 | 0 |
| 2965 | » | Nemophilas | 10 » | | 0 | 5 | 3 | 4 | 27 | 0 |
| 2966 | » | Nightshade (<i>Solanum</i>) | 6 » | | 0 | 6 | 4 | 0 | 33 | 0 |
| 2968 | » | Palma Christi (<i>Ricinus</i>) | 4 » | | 0 | 4 | 2 | 8 | 22 | 0 |
| 2969 | » | Petunia hybrida, single | 4 » | | 0 | 4 | 2 | 8 | 22 | 0 |
| 2970 | » | » » Largest-flowering, single | 12 » | | 1 | 4 | 10 | 8 | 88 | 0 |
| 2972 | » | » » » » » » » » | 6 » | | 0 | 8 | 5 | 4 | 44 | 0 |
| 2975 | » | Phlox Drummondii | 12 » | | 0 | 10 | 6 | 8 | 55 | 0 |
| 2976 | » | » » » » » » » » | 6 » | | 0 | 5 | 3 | 4 | 28 | 0 |
| 2977 | » | » » grandiflora | 10 » | | 0 | 10 | 6 | 8 | 55 | 0 |
| 2978 | » | » » nana compacta, dwarf vars. | 10 » | | 1 | 0 | 8 | 0 | 66 | 0 |
| 2979 | » | » » » » » » » » | 6 » | | 0 | 8 | 5 | 4 | 44 | 0 |
| 2984 | » | » » cuspidata „Star of Quedlinburgh“ | 10 » | | 1 | 0 | 8 | 0 | 66 | 0 |
| 2985 | » | » » grandiflora „Star of Quedlinburgh“ | 10 » | | 1 | 3 | 10 | 1 | 83 | 0 |
| 2986 | » | Poppy Papaver somniferum fl. pleno extra double | 10 » | | 0 | 5 | 3 | 4 | 27 | 0 |
| 2987 | » | » » paeoniflorum fl. pleno extra double | 10 » | | 0 | 5 | 3 | 4 | 27 | 0 |
| 2988 | ○△ | Primrose, Chinese (<i>Primula chinensis</i>) | 8 » | | 1 | 0 | 8 | 0 | 66 | 0 |
| 2989 | » | » » » » » » » » | 4 » | | 0 | 6 | 4 | 0 | 33 | 0 |
| 2994 | ○ | Purslane (<i>Portulaca</i>) fine extra double large-flowering | 6 » | | 0 | 6 | 4 | 0 | 33 | 0 |
| 2995 | » | » » » » » » single | 8 » | | 0 | 5 | 3 | 4 | 28 | 0 |
| 2997 | » | Salpiglossis variabilis | 5 » | | 0 | 4 | 2 | 8 | 22 | 0 |
| 2998 | » | » » nana, Dwarf | 5 » | | 0 | 4 | 2 | 8 | 22 | 0 |
| 2999 | » | » » grandiflora, large-flowering | 5 » | | 0 | 4 | 2 | 8 | 22 | 0 |
| 3000 | ♀ | Sage (<i>Salvia</i>) annuals and perennials | 5 » | | 0 | 5 | 3 | 4 | 28 | 0 |
| 3002 | ○ | Scabious (<i>Scabiosa</i>), Tall | 6 » | | 0 | 4 | 2 | 8 | 22 | 0 |
| 3004 | » | » » Dwarf, extra double | 8 » | | 0 | 5 | 3 | 4 | 28 | 0 |
| 3005 | » | Schizanthus | 8 » | | 0 | 6 | 4 | 0 | 33 | 0 |
| 3006 | » | Snap Dragon, ² Antirrhinum majus Tall | 10 » | | 0 | 8 | 5 | 4 | 44 | 0 |
| 3007 | » | » » » » majus nanum | 10 » | | 0 | 10 | 6 | 8 | 55 | 0 |
| 3008 | » | » » » » » » Tom Thumb Dwarf | 10 » | | 0 | 10 | 6 | 8 | 55 | 0 |
| 3010 | » | Stock, Dwarf German Ten week, pot-seed | 30 » | | 1 | 8 | 13 | 4 | 110 | 0 |
| 3112 | » | » » » » » » » » | 24 » | | 1 | 4 | 10 | 8 | 88 | 0 |
| 3115 | » | » » » » » » » » | 12 » | | 0 | 8 | 5 | 4 | 44 | 0 |
| 3116 | » | » » » » » » » » | 6 » | | 0 | 4 | 2 | 8 | 22 | 0 |

| No. | | | | pr. Collection | n. | d. | pr. 10 Collections | n. | d. | pr. 100 Collections | n. | d. |
|------|----|--|-----|-------------------------|----|----|--------------------|----|-----|---------------------|----|----|
| 3120 | ⊙ | Stock, Dwarf German Wallflower-leaved, pot-seed..... | 12 | varieties, separate | 0 | 8 | 5 | 4 | 44 | 0 | | |
| 3124 | " | " " " " " " " " " " " " | 6 | " " " " " " " " " " " " | 0 | 4 | 2 | 8 | 22 | 0 | | |
| 3126 | " | German Largest-flowering, pot-seed..... | 30 | " " " " " " " " " " " " | 1 | 10 | 14 | 8 | 122 | 0 | | |
| 3127 | " | " " " " " " " " " " " " | 24 | " " " " " " " " " " " " | 1 | 6 | 12 | 0 | 100 | 0 | | |
| 3128 | " | " " " " " " " " " " " " | 12 | " " " " " " " " " " " " | 0 | 10 | 6 | 8 | 55 | 0 | | |
| 3129 | " | " " " " " " " " " " " " | 6 | " " " " " " " " " " " " | 0 | 5 | 3 | 4 | 27 | 0 | | |
| 3130 | " | " " " " " Wallflower-leaved, pot-seed.. | 6 | " " " " " " " " " " " " | 0 | 5 | 3 | 4 | 27 | 0 | | |
| 3131 | " | " " " " " Pyramidal, pot-seed | 12 | " " " " " " " " " " " " | 0 | 10 | 6 | 8 | 55 | 0 | | |
| 3132 | " | " " " " " " " " " " " " " " " " | 6 | " " " " " " " " " " " " | 0 | 5 | 3 | 4 | 27 | 0 | | |
| 3134 | " | " " " " " Dwarf, pot-seed.. | 12 | " " " " " " " " " " " " | 1 | 0 | 8 | 0 | 66 | 0 | | |
| 3135 | " | " " " " " " " " " " " " " " " " | 6 | " " " " " " " " " " " " | 0 | 6 | 4 | 0 | 33 | 0 | | |
| 3136 | " | " " " " " Tree-Giant Tenweek, pot-seed | 12 | " " " " " " " " " " " " | 0 | 10 | 6 | 8 | 55 | 0 | | |
| 3137 | " | " " " " " " " " " " " " " " " " | 6 | " " " " " " " " " " " " | 0 | 5 | 3 | 4 | 27 | 0 | | |
| 3140 | " | " " " " " Dresden, pot-seed..... | 8 | " " " " " " " " " " " " | 0 | 8 | 5 | 4 | 44 | 0 | | |
| 3146 | " | " " " " " Victoria Bouquet, pot-seed.. | 6 | " " " " " " " " " " " " | 0 | 6 | 4 | 0 | 33 | 0 | | |
| 3147 | ♂ | " " " " " Perpetual-Emperor " " " | 8 | " " " " " " " " " " " " | 1 | 0 | 8 | 0 | 66 | 0 | | |
| 3148 | " | " " " " " " " " " " " " " " " " | 4 | " " " " " " " " " " " " | 0 | 6 | 4 | 0 | 33 | 0 | | |
| 3149 | " | Autumnal or Intermediate, pot-seed | 8 | " " " " " " " " " " " " | 1 | 0 | 8 | 0 | 66 | 0 | | |
| 3150 | " | " " " " " " " " " " " " " " " " | 4 | " " " " " " " " " " " " | 0 | 6 | 4 | 0 | 33 | 0 | | |
| 3156 | " | Winter, Queen or Brompton " " " | 8 | " " " " " " " " " " " " | 0 | 10 | 6 | 8 | 55 | 0 | | |
| 3157 | " | " " " " " " " " " " " " " " " " | 4 | " " " " " " " " " " " " | 0 | 5 | 3 | 4 | 27 | 0 | | |
| 3158 | " | Cockade or Tree-Giant Cape Winter, pot-seed.... | 6 | " " " " " " " " " " " " | 0 | 6 | 4 | 0 | 33 | 0 | | |
| 3159 | " | Sunflower (Helianthus)..... | 6 | " " " " " " " " " " " " | 0 | 4 | 2 | 8 | 22 | 0 | | |
| 3160 | " | Sweet-Pea (Lathyrus odoratus)..... | 18 | " " " " " " " " " " " " | 0 | 9 | 6 | 0 | 50 | 0 | | |
| 3166 | " | " " " " " " " " " " " " " " " " | 12 | " " " " " " " " " " " " | 0 | 6 | 4 | 0 | 33 | 0 | | |
| 3167 | " | " " " " " " " " " " " " " " " " | 6 | " " " " " " " " " " " " | 0 | 3 | 2 | 0 | 16 | 8 | | |
| 3168 | ♀ | Sweet-William (Dianthus barbatus)..... | 6 | " " " " " " " " " " " " | 0 | 6 | 4 | 0 | 33 | 0 | | |
| 3169 | ⊙ | Tropaeolum majus (Nasturtium)..... | 8 | " " " " " " " " " " " " | 0 | 5 | 3 | 4 | 27 | 0 | | |
| 3170 | " | " " nanum Dwarf..... | 12 | " " " " " " " " " " " " | 0 | 8 | 5 | 4 | 44 | 0 | | |
| 3172 | " | " " " " " " " " " " " " " " " " | 6 | " " " " " " " " " " " " | 0 | 4 | 2 | 8 | 22 | 0 | | |
| 3174 | ⊙♂ | Lobbianum..... | 12 | " " " " " " " " " " " " | 0 | 10 | 6 | 8 | 55 | 0 | | |
| 3175 | " | " " " " " " " " " " " " " " " " | 6 | " " " " " " " " " " " " | 0 | 5 | 3 | 4 | 27 | 0 | | |
| 3176 | ⊙ | Vervains (Verbena hybrida)..... | 6 | " " " " " " " " " " " " | 0 | 8 | 5 | 4 | 44 | 0 | | |
| 3178 | ♀ | Violet (Viola) Sweet and Horned..... | 6 | " " " " " " " " " " " " | 0 | 8 | 5 | 4 | 44 | 0 | | |
| 3180 | ♂ | Wallflower, German, extra double Tall and Dwarf Tree.. | 6 | " " " " " " " " " " " " | 0 | 9 | 6 | 0 | 50 | 0 | | |
| 3184 | " | " " Tall and Dwarf Branching..... | 6 | " " " " " " " " " " " " | 0 | 9 | 6 | 0 | 50 | 0 | | |
| 3185 | ⊙ | Xeranthemum..... | 6 | " " " " " " " " " " " " | 0 | 4 | 2 | 8 | 22 | 0 | | |
| 3186 | " | Zinnia elegans fl. pleno, extra double..... | 8 | " " " " " " " " " " " " | 0 | 6 | 4 | 0 | 33 | 0 | | |
| 3187 | " | " " " " " pumila, extra double Dwarf..... | 6 | " " " " " " " " " " " " | 0 | 5 | 3 | 4 | 27 | 0 | | |
| 3188 | | Climbers..... | 12 | " " " " " " " " " " " " | 0 | 9 | 6 | 0 | 50 | 0 | | |
| 3189 | " | " " " " " " " " " " " " " " " " | 6 | " " " " " " " " " " " " | 0 | 5 | 3 | 4 | 27 | 0 | | |
| 3193 | | Everlastings..... | 12 | " " " " " " " " " " " " | 0 | 9 | 6 | 0 | 50 | 0 | | |
| 3194 | " | " " " " " " " " " " " " " " " " | 6 | " " " " " " " " " " " " | 0 | 5 | 3 | 4 | 28 | 0 | | |
| 3195 | | Ornamental Grasses..... | 12 | " " " " " " " " " " " " | 0 | 8 | 5 | 4 | 44 | 0 | | |
| 3196 | " | " " " " " " " " " " " " " " " " | 6 | " " " " " " " " " " " " | 0 | 4 | 2 | 8 | 22 | 0 | | |
| 3200 | | Gourds..... | 12 | " " " " " " " " " " " " | 0 | 8 | 5 | 4 | 44 | 0 | | |
| 3206 | " | " " " " " " " " " " " " " " " " | 6 | " " " " " " " " " " " " | 0 | 4 | 2 | 8 | 22 | 0 | | |
| 3208 | | Perennials Flower-Seeds..... | 24 | " " " " " " " " " " " " | 1 | 0 | 8 | 0 | 66 | 0 | | |
| 3209 | " | " " " " " " " " " " " " " " " " | 12 | " " " " " " " " " " " " | 0 | 6 | 4 | 0 | 33 | 0 | | |
| 3210 | " | " " Borders..... | 8 | " " " " " " " " " " " " | 0 | 10 | 6 | 8 | 55 | 0 | | |
| 3216 | | Collection of Flower-Seeds (Annuals)..... | 100 | " " " " " " " " " " " " | 4 | 0 | 32 | 0 | 266 | 0 | | |
| 3217 | " | " " " " " " " " " " " " " " " " | 50 | " " " " " " " " " " " " | 2 | 0 | 16 | 0 | 133 | 0 | | |
| 3218 | " | " " " " " " " " " " " " " " " " | 24 | " " " " " " " " " " " " | 1 | 0 | 8 | 0 | 66 | 0 | | |
| 3220 | " | " " " " " " " " " " " " " " " " | 12 | " " " " " " " " " " " " | 0 | 6 | 4 | 0 | 33 | 0 | | |
| 3226 | " | " " Borders (Annuals)..... | 12 | " " " " " " " " " " " " | 0 | 8 | 5 | 4 | 44 | 0 | | |
| 3227 | " | " " " " " " " " " " " " " " " " | 6 | " " " " " " " " " " " " | 0 | 4 | 2 | 8 | 22 | 0 | | |
| 3228 | " | " " Ornamental-foliaged..... | 12 | " " " " " " " " " " " " | 1 | 0 | 8 | 0 | 66 | 0 | | |
| 3229 | " | " " " " " " " " " " " " " " " " | 6 | " " " " " " " " " " " " | 0 | 6 | 4 | 0 | 33 | 0 | | |
| 3235 | " | " " for pots..... | 12 | " " " " " " " " " " " " | 1 | 0 | 8 | 0 | 66 | 0 | | |
| 3236 | " | " " " " " " " " " " " " " " " " | 6 | " " " " " " " " " " " " | 0 | 6 | 4 | 0 | 33 | 0 | | |

From ten collections upwards to 40 being charged at the rate of Ten, from 40 upwards at the rate of Hundred.

New and Choice Flower Seeds.

Prices net without reduction.

Dwarf Largest flowering Chrysanthemum Aster, Light Azure blue. Novelty Grashoff 1899/1900. New distinct color of this beautiful Variety of Aster.

pr. 100 packets 30s., pr. 10 packets 4s., pr. packet 6d.

Triumph Aster, White turning to rose. Novelty Grashoff 1899/1900. Beautiful new bright color, blooming white, turning afterwards to a nice rose.

pr. 100 packets 36s., pr. 10 packets 4s. 3d., pr. packet 6d.

Model Aster, darkblue. Novelty Grashoff 1899/1900. A new splendid pure darkblue color. Height of the plant 12 inches, forming compact pillared like bouquets.

pr. 100 packets 30s., pr. 10 packets 4s., pr. packet 6d.

Dahlia variabilis "Fire King". Novelty Grashoff 1899/1900. A single flowering pure scarlet Dahlia. The Plant forms nice robust bushes of great and dense ramification. Height about 4 feet. The 3 to 4 inches large well formed numerous flowers of pure scarlet color are born on long stalks free above the green foliage, blooming from June until killed by frost. Splendid for groups, borders and especially valuable for florist purposes.

pr. 100 packets 32s., pr. 10 packets 4s., pr. packet 6d.

Dahlia variabilis "Goldelse". Novelty Grashoff 1899/1900. A fit companion to the preceding variety of pure golden yellow flowers, measuring 3 inches across. Height of the plant about 4 feet. Very valuable for cut flower growers.

pr. 100 packets 36s., pr. 10 packets 4s. 3d., pr. packet 6d.

Dahlia hybrida "Excelstior". Novelty for 1898/1899. Of the same habit as that of a single Cactus Dahlia but differing considerably in form of the flower. The petals of this novelty are rather long, slightly curled or curved, thus giving the flower a curly loose peculiar appearance.

pr. oz. 5s. 9d., pr. 1/2 oz. 10d.

Nicotiana sylvestris. Novelty 1897. Height about 4 to 5 feet. A superb decorative plant of robust branching habit and luxuriant dark green foliage. The very long pendent tubular flowers of pure white color, about 3 to 4 inches long are born in circular clusters on strong spikes above the foliage. Well adapted for borders and solitary plants.

pr. lb. 11s., pr. oz. 10d.

Cineraria hybrida foliis variegatis. White-Various Leaved Cineraria. Novelty Grashoff for 1899. The plant is a robust bush of 12 to 16 inches high, covered from the base partly with white variegated and partly with marbled foliage. This is likewise specially valuable for market and ornamental purposes.

pr. 100 packets 30s., pr. 10 packets 4s., pr. packet 6d.

Model Aster, white. Novelty Grashoff for 1899. The plant attains a height of 8 to 12 inches forming a compact pillared like bouquet covered from the base to the top with flowers.

pr. oz. 8s., pr. 1/2 oz. 1s. 3d.

Ostrich-Feather Aster, Pure-white. Growth candelabra like, flowers pure white, very much curled, resembling a large Japanese Chrysanthemum.

pr. lb. 40s., pr. oz. 2s. 9d.,

pr. 100 packets 10s., pr. 10 packets 1s. 3d., pr. packet 2d.

Dwarf Comet Aster "Perfection", Pure-white. Dwarf Variety of the well known white Comet Aster. Height about 7 inches. Flowers brilliant white much curled and very large. An extraordinarily early bloomer.

pr. lb. 46s., pr. oz. 3s. 2d.

Hohenzoller Aster, "Pure White". The grower recommends this novelty as a great improvement upon the white giant Comet Aster. Flowers extraordinarily large and pure white.

pr. oz. 5s. 2d., pr. 1/2 oz. 10d.

Triumph-Aster, "Darkblue". A dark blue color with splendid satin like shine.

pr. 100 packets 36s., pr. 10 packets 4s. 3d., pr. packet 6d.

Triumph-Aster "Dark purple". New superb shining color. Flowers exactly the same as the Paeony type.

pr. 100 packets 60s., pr. 10 packets 7s., pr. packet 10d.

New Large-flowering Queen of Dwarfs Aster "Brilliant Rose". Of splendid shining rose color turning to zinnabar towards the centre.

pr. 100 packets 60s., pr. 10 packets 7s., pr. packet 10d.

Dwarf Comet Aster Perfection "Rose". Possesses the same qualities as the white variety introduced last year.

pr. 100 packets 42s., pr. 10 packets 4s. 6d., pr. packet 6d.

Comet Aster "Whitish Lavender". Curious color flowering first white turning afterwards to a whitish lavender.

pr. 100 packets 36s., pr. 10 packets 4s., pr. packet 6d.

Giant Victoria Aster "Snow White". Of rather robust growth. The enormous snow white flowers about 5 inches across, are of elegant form.

pr. 100 packets 42s., pr. 10 packets 5s., pr. packet 7d.

Ostrich-feather Aster, Crimson, Rose White turning to Rose. Three new colors of this splendid type. Each color separate.

pr. 100 packets 40s., pr. 10 packets 4s. 6d., pr. packet 6d.

Begonia semperflorens "King of Zulus". Black Begonia. Of compact growth. In the open ground the foliage is of a dazzling dark black-red color, under other conditions it is green. Flowers a brilliant red, stamens golden yellow. Especially adapted for market purposes and grouping.

pr. 100 packets 30s., pr. 10 packets 3s. 6d., pr. packet 5d.

Largest flowering Winter or Brompton Stock "Empress Elizabeth". Resembling in habit the tall tree Wallflower. The large flowers are of shining carmine color. Very valuable for cut flowers.

pr. 100 packets 60s., pr. 10 packets 7s., pr. packet 10d.

Calendula officinalis fl. pl. "Favorite". Flowers of pure light sulphur yellow color, striped with a creamy white. The lightest color in the Calendula off. variety.

pr. 100 packets 40s., pr. 10 packets 5s., pr. packet 7d.

Gloxinia hybrida grandiflora "Coquette". Quite distinct from all other Gloxinias as all flowers of blue or red shining are yellow throated, in addition to this, nearly all the flowers are tricolored.

pr. 100 packets 45s., pr. 10 packets 5s., pr. packet 8d.

Papaver nudicaule sulphureum. A new variety of the well known Siberia-Poppy. The flowers are of a dull sulphur yellow color.

pr. 100 packets 30s., pr. 10 packets 3s. 6d., pr. packet 5d.

Reseda odorata grandiflora "Goliath". The raiser qualifies this mignonette as one of the most red shining variety. The flower spikes about 7 inches large are densely covered with blossoms.

pr. 100 packets 40s., pr. 10 packets 4s. 6d., pr. packet 6d.

Salpiglossis variabilis superbissima. New Emperor Salpiglossis. Growth pillared like, rather robust. The splendidly marked flowers are considerably larger than those of the old grandiflora variety. All colors mixed.

pr. 100 packets 15s., pr. 10 packets 1s. 10d., pr. packet 3d.

Salvia splendens "Silverspot". Foliage dark green with sulphur yellow or creamy white spots. Flower spikes of an intense scarlet color.

Excellent for pot culture and groups.

pr. 100 packets 70s., pr. 10 packets 8s., pr. packet 1s.

Torenia Fournieri speciosa Princess Helen of Montenegro. Valuable novelty of robust elegant growth. Unfailing new giant flowering race with large china-blue flowers, with deep indigo-blue blotches. Excellent for market purposes and decorative plants.

pr. 100 packets 40s., pr. 10 packets 5s., pr. packet 8d.

Torenia Fournieri speciosa "The Bride". A fit companion to the preceding variety differing only by its pure white upper lip, whilst the under lip and side petals are of a delicate pink, the bottom of the throat being golden yellow.

pr. 100 packets 50s., pr. 10 packets 6s., pr. packet 9d.

Viola tricolor maxima "Variabilis". New valuable variety. The principal colors are chamois, saumon rose and Terraotta, all with violet eye.

pr. 100 packets 42s., pr. 10 packets 5s., pr. packet 7d.

Viola tricolor maxima "Germania". Of very robust growth and surprising large foliage, flowers extremely large, five blotched, slightly curled on the border. This variety contains many dark colors.

pr. 100 packets 45s., pr. 10 packets 5s., pr. packet 7d.

Novelties of *Helianthus cucumerifolius* for 1899/1900.

Prices net without reduction.

The *Helianthus cucumerifolius* varieties are besides the double flowered Cactus Dahlia undoubtedly of first rank for cut flowers and therefore unequalled for florist and decorative purposes as well as for solitary plants.

By rigorous selection I have obtained several varieties which in regard to elegance of form, size and shape of flower differs most advantageously from one another.

The Growth of the Plant is of elegant pyramidal compact form, vigorous ramification measuring about 30 inches in diameter.

The height differs according to the variety.

These *Helianthus* varieties are especially remarkable for their rich profusion of flowering. Each plant bears in average 80 to 100 pure golden yellow flowers with black centre, born on long erect stalks above the dark green foliage, blooming from June until late in autumn.

A great acquisition for all florist purposes and especially of high value for cut flower growers.

Next season I hope to be able to introduce a white variety.

At present I recommend the following varieties.

Helianthus cucumerifolius grandiflorus „Stella“.

Height about 5 feet, flowers 5 to 6 inches across, those of the old variety attains only 3 inches.

1 oz. 20s., $\frac{1}{8}$ oz. 3s.; 100 packets 28s., 10 packets 3s. 3d., 1 packet 5d.

Helianthus cucumerifolius grandiflorus „Giant Star“.

Height about 5 feet, flowers 5 to 6 inches across, those of the Ray Sun attains only 3 inches.

The tubular formed extrosal petals are closed densely round about the centre, resembling a modern large flowering single Cactus Dahlia.

100 packets 30s., 10 packets 3s. 6d., 1 packet 5d.

Helianthus cucumerifolius „Excelsior“.

Height about 4 feet, flowers 3 inches across. The Petals are rather long, turned and curled, resembling a single Hybrid-Cactus Dahlia but the petals of the former are more densely closed round about the centre than those of the latter.

1 oz. 20s., $\frac{1}{8}$ oz. 3s.; 100 packets 28s., 10 packets 3s. 3d., 1 packet 5d.

Helianthus cucumerifolius grandiflorus „Excelsior“.

Height about 5 feet, flowers 5 to 6 inches across. Identical in habit and character as the preceding variety, but the flower is at least twice as large.

1 oz. 20s., $\frac{1}{8}$ oz. 3s.; 100 packets 28s., 10 packets 3s. 3d., 1 packet 5d.

Helianthus cucumerifolius grandiflorus „flore pleno“.

Height about 4 feet. The flowers 3 inches across are of golden yellow color, quite extra double, flat vaulted and bordered with a ruffle of partly rolled, partly smooth petals.

100 packets 40s., 10 packets 4s. 6d., 1 packet 5d.

Helianthus cucumerifolius „Ray Sun“.

Height about 4 feet, flowers 3 inches across. For description I refer to my last years catalogue.

1 oz. 12s. 6d., $\frac{1}{8}$ oz. 1s. 9d.; 100 packets 18s., 10 packets 2s., 1 packet 3d.

Helianthus cucumerifolius „Stella“.

(Novelty 1896.)

Height about 4 to 5 feet, of regularly pyramidal shape. Flowers of pure golden yellow color with deep black centre and elegant form, measuring 3 inches across.

Very valuable for florist purposes, groups and solitary plants.

1 lb. 4s. 1d., 1 oz. 4d.; 100 packets 6s., 10 packets 9d., 1 packet 5d.

Helianthus
* grandiflorus



$\frac{1}{3}$ natural size

Helianthus cucumerifolius
* grandiflorus „flore pleno“ *



$\frac{1}{3}$ natural size.

Helianthus cucumerifolius
* grandiflorus „Giant Star“



$\frac{1}{3}$ natural size.

Helianthus cucumerifolius
* grandiflorus „Stella“ *



$\frac{1}{3}$ natural size.

Trium.
Flov.